

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

(وَقُلْ رَبِّ زِدْنِي عِلْمًا)

صدق الله العظيم

(سورة طه الاية 114)

## **Dedication**

To my Father who truthfully presented me the chance of being knowledgeable and the Tribute of being a graduate

To my mother, who maintained with compassion and ambition

To my brother, my sisters

And all friends, colleagues and other people who assisted in this study.

## **ACKNOWLEDGMENT**

First of all, I thank of Allah the almighty for helping me to complete this project, I would like to express my deep gratitude to my supervisor Dr. Ahmed Mustafa Abukonna who's Encouragement, guidance and support from understanding of subject.

## **Abstract**

HRCT is the important radiographic procedure during the management of lung disease. This study aimed to evaluate role of HRCT diagnosis of lung diseases.

A total of 60 patients were examined in AL Modares medical center and Alnilin diagnostic center. In the period (October 2015-February 2016), the majority sample were male (50%) and female (50%).

In this study peak incidence was among the age between (22-78 years). The short of breathiness (SOB) is the most indication (59, 3%) incidence. The most common finding in HRCT is Tuberculosis (20, 3%). HRCT is best investigation tool in detecting lung abnormalities.

HRCT is superior investigation tool in detecting lung disease.

## الملخص

تعتبر الأشعة المقطعية ذات الإظهار العالي من أهم الفحوصات لدراسة أمراض الرئة . هدفت هذه الدراسة لمعرفة دور الأشعة المقطعية ذات الإظهار العالي في تشخيص امراض الرئة.

تم فحص 60 مريض في كل من مركز المدرس الطبي ومركز النيلين التشخيصي الطبي في الفترة ما بين (أكتوبر 2015 إلي فبراير 2016 )

كان عدد الرجال والنساء متساوي تقريبا , وكان أكثر أفراد العينة في الفئة العمرية (22-78 سنه) , بينما كانت صعوبة التنفس هي أكثر الأعراض السريرييه (59.3%). أظهرت الأشعة المقطعية ذات الإظهار العالي أن مرض السل هو الأكثر شيوعا (20.3%).

أظهرت هذه الدراسة أن الأشعة المقطعية ذات الإظهار العالي هي أفضل وسيلة تشخيصية للكشف عن أمراض الرئة.

## **List of Abbreviation**

ARDS: adult respiratory distress syndrome  
BPD: broncho pulmonary dysplasia  
BOOP: bronchiolitis literals organizing pneumonia  
Co2: carbon dioxide  
O2: oxygen  
COP: cryptogenic organizing pneumonia  
CT : computed tomography  
DIP: desguamative interstitial pneumonitis  
HMD: hyaline membrane disease  
HRCT : high resolution computed tomography  
ILD: interstitial lung disease  
LIP: lymphocyti interstitial pneumonitis  
Po2: partial pressure of oxygen  
SOB: shortness of breath  
TB : tuberculosis  
SOB: shortness of breath



## Contents

Page No.	Title
I	الاية
II	Dedication
III	Acknowledgement
IV	Abstract in English
V	Abstract in Arabic
VI	Abbreviations
VII	Contents
Chapter One	
Introduction	
1	1.1 Introduction
2	1.2 Problem of study
2	1.3 Objective
2	1.4 The Importance of the study
3	1.5 Thesis out line
Chapter Two	
Theoretical back ground	
4	2.1 Anatomy of the lungs
5	2.1.1 The apex of the lung
5	2.1.2 The base of the lung
5	2.1.3 The root of the lung
6	2.1.4 The haulm of the lung



6	2.1.5 lobes and fissures of the lung
6	2.1.6 surfaces of the lung
7	2.1.7 Borders of the lung
8	2.1.8 Vessel of the lung
9	2.2 Physiology
9	2.2.1 Function of respiratory system
9	2.2.2 Pulmonary ventilation
11	2.3 Lung pathology
11	2.3.1 pediatric lung diseases
12	2.3.2 Adult respiratory distress syndrome
12	2.3.2.1 Desquamative interstitial pneumonitis (DIP)
13	2.3.2.2 Lymphocytic interstitial pneumonitis (LIP)
13	2.3.2.3 Bronchiolitis literals organizing pneumonia (BOOP)
13	2.3.2.4 Tuberculosis
14	2.3.2.5 Pulmonary edema
14	2.3.2.6 Lung cancer
15	2.3.2.7Asthma
15	2.3.2.8 Emphysema
16	2.3.2.9 Chronic bronchitis
16	2.3.2.10 Bronchiectasis
17	2.3.2.11 Bronchionlitis obliterans
17	2.3.2.12 Pulmonary fibrosis

17	2.3.2.13 Interstitial lung disease (I L D)
18	2.3.2.14 Pleural Effusion
19	2.3.2.15 Consolidation
20	2.4 Imaging modalities
20	2.4.1 type of chest CT scan
20	2.4.2 High-resolution chest CT scan
20	2.4.3 Spiral chest CT scan
20	2.4.4 HR CT
22	2.4.5 HRCT technique
24	2.4.6 Clinical indication for HRCT
25	2.5 Previous studies

### Chapter Three

#### Material and Method

27	3.1 Materials
27	3.1.1 Area and Duration of the study
27	3.1.2 Sampling
27	3.1.3 M machine used
28	3.2 Method
28	3.2,1 Chest CT protocol
28	3.2.2 Study design
28	3.2.3 Data collection
28	3.2.4 Data analysis method
28	3.2.5 Inclusion and Exclusion Criteria
29	3.2.6 Ethical Consideration

Chapter Four	
Results	
30	Results
Chapter five	
Discussion, Conclusion &Recommendations	
35	5.1.Discussion
37	5.2 Conclusion
38	5.3 Recommendations
39	References
42	Appendices

## List of tables

Page	Item	No
30	shows age and exposure factor	Table 4.1
30	gender distribution	Table 4.2
31	shows clinical data	Table 4.3
31	shows diagnosis	Table 4.4
32	clinical data , diagnosis cross tabulation	Table 4.5

## List of figures

Page	Item	No
5	Internal anatomy of chest	Figure2.1
8	Anatomy of lung	Figure2.3
27	A&B show CT equipment	Figure3.1
33	gender distribution	Figure4.1
33	Clinical data	Figure4.2
34	Diagnosis	Figure4.3
45	CT chest for male 53 years old show Idiopathic pulmonary fibrosis	Figure 5.1
46	CT chest for male 68 shows TB	Figure 5.2
47	CT chest for male 19 years old bilaterally sub-pleural pathy nodules	Figure 5.3
48	CT chest for female 6 year old consolidation and pneumonia	Figure 5.4

