

References

- **Adam, A. A., Mohamed, E. O., and Abdullah, M. A. (2007).** Cryptosporidiosis among patients with diarrhea attending Nyala hospital. *JMS*, **2**(1): 41-44.
- **Adamska, M. (2015).** Molecular characterization of *Cryptosporidium* and *Giardia* occurring in natural water bodies in Poland. *Parasitology research*, **114**(2):687-692.
- **Amadi, B., Mwiya, M., Musuku, J., Watuka, A., Sianongo, S., Ayoub, A. and Kelly, P. (2002).** Effect of nitazoxanide on morbidity and mortality in Zambian children with cryptosporidiosis: a randomised controlled trial. *The Lancet*, **360**(9343):1375-1380.
- **Arrowood, M. J., Hurd, M. R. and Mead, J. R. (1995).** A new method for evaluating experimental cryptosporidial parasite loads using immunofluorescent flow cytometry. *The Journal of parasitology*, **81**(3):404-409.
- **Bianchi, D. W., Zickwolf, G. K., Weil, G. J., Sylvester, S. And DeMaria, M. A. (1996).** Male fetal progenitor cells persist in maternal blood for as long as 27 years postpartum. *Proceedings of the National Academy of Sciences*, **93**(2):705-708.
- **Bouzid, M., Hunter, P. R., Chalmers, R. M. and Tyler, K. M. (2013).** *Cryptosporidium* pathogenicity and virulence. *Clinical microbiology reviews*, **26**(1):115-134.
- **Campbell, P. N. and Current, W. L. (1983).** Demonstration of serum antibodies to *Cryptosporidium* sp. in normal and immunodeficient humans with confirmed infections. *Journal of clinical*

microbiology, **18**(1):165-169.

- **Casemore, D. P. (1987).** The antibody response to *Cryptosporidium*: development of a serological test and its use in a study of immunologically normal persons. *Journal of Infection*, **14**(2):125-134.
- **Center for Disease Control and Prevention (CDC) (2013-a).** Cryptosporidiosis. Available at:
<http://www.cdc.gov/dpdx/cryptosporidiosis/>
- **Center for Disease Control and Prevention (CDC) (2013-b).** Cryptosporidiosis. Available at:
<http://www.cdc.gov/dpdx/cryptosporidiosis/>
- **Chalmers, R. M., Smith, R., Elwin, K., Clifton-Hadley, F. A. and Giles, M. (2011).** Epidemiology of anthroponotic and zoonotic human cryptosporidiosis in England and Wales, 2004-2006. *Epidemiology and Infection*, **139**(5):700-712.
- **Checkley, W., White, A. C., Jaganath, D., Arrowood, M., Chalmers, R. and Fayer, R. (2015).** Cryptosporidiosis: Global burden, novel diagnostics, therapeutics and vaccine targets. *Lancet Infectious Diseases*, **15**(1):85-94.
- **Cheesbrough, M. (1987).** Medical Laboratory Manual for Tropical Countries. 2nd edition, Great Britain. p 197 and p 206-207.
- **Clark, D.P. (1999).** New Insights into Human Cryptosporidiosis, *Clin.Microbiol.Rev.* **12**(4):554-563.
- **Craun, G. F., Hubbs, S. A., Frost, F., Calderon, R. L. and Via, S.(1998).** Waterborne out breaks of cryptosporidiosis. *American Water Works Association. Jornal*, **90**(9):81.

- **Current, W. L. and Garcia, L. S. (1991).** Cryptosporidiosis. *Clin Microbiol Review*, **4**(3):325-58.
- **Faas, M. M., Donker, R. B., Van Pampus, M. G., Huls, A. M. F., Salomons, J., De Vos, P. and Aarnoudse, J. G. (2008).** Plasma of pregnant and preeclamptic women activates monocytes in vitro. *American journal of obstetrics and gynecology*, **199**(1):84.
- **Fayer, R., Gasbarre, L., Pasquali, P., Canals, A., Almeria, S. and Zarlenga, D. (1998).** *Cryptosporidium parvum* infection in bovine neonates: dynamic clinical, parasitic and immunologic patterns. *International Journal for Parasitology*, **28**(1):49-56.
- **Fricker, C.R. and Crabb, J.H. (1998).** Water-borne cryptosporidiosis: detection methods and treatment options, *Adv. Parasitol.*, **40**:241-278.
- **Guerrant, D. I., Moore, S. R., Lima, A. A., Patrick, P. D., Schorling, J. B. and Guerrant, R. L. (1999).** Association of early childhood diarrhea and cryptosporidiosis with impaired physical fitness and cognitive function four-seventeen years later in a poor urban community in northeast Brazil. *The American journal of tropical medicine and hygiene*, **61**(5):707-713.
- **Howard, G., Pedley, S. and Tibatemwa, S. (2006).** Quantitative microbial risk assessment to estimate health risks attributable to water supply: can the technique be applied in developing countries with limited data. *Journal of Water and Health*, **4**(1):49-65.
- **Huang, D. B. and White, A. C. (2006).** An updated review on *Cryptosporidium* and *Giardia*. *Gastroenterology Clinics of North America*, **35**(2):291-314.
- **Indrayan, A. (2008).** Basic Methods of Medical Research (: 2008). *Indian journal of community medicine: official publication of Indian Association of Preventive and Social Medicine*, **33**(3):208.

- **Kehl, K. S., Cicirello, H. and Havens, P. L. (1995).** Comparison of four different methods for detection of *Cryptosporidium* species. *Journal of Clinical Microbiology*, **33**(2):416-418.
- **Kramer, M. H., Quade, G., Hartemann, P. and Exner, M. (2001).** Water-borne diseases in Europe-1986-96. *American Water Works Association Journal*, **93**(1):48.
- **Lala, P. K. and Chakraborty, C. (2003).** Factors regulating trophoblast migration and invasiveness: possible derangements contributing to pre-eclampsia and fetal injury. *Placenta*, **24**(6):575-587.
- **Lash, G. E., Robson, S. C. and Bulmer, J. N. (2010).** Review: functional role of uterine natural killer (uNK) cells in human early pregnancy decidua. *Placenta*, **31**:87-92.
- **Levine, N., D. (1985). Phylum II Apicomplexa Levine,1970. Illustrated Guide to the Protozoa Society of Protozologists, Lawrence, Kansa, MO**, pp. 322–374.
- **Mellembakken, J. R., Aukrust, P., Olafsen, M. K., Ueland, T., Hestdal, K. and Videm, V. (2002).** Activation of leukocytes during the uteroplacental passage in preeclampsia. *Hypertension*, **39**(1):155-160.
- **Ministry of Human Development and Labour (2015).** Location and area of Khartoum state. Available at: http://www.mhd.gov.sd/english/index.php?option=com_content&view=article&id=248&Itemid=88
- **Mondal, D., Haque, R., Sack, R. B., Kirkpatrick, B. D. and Petri, W. A. (2009).** Attribution of malnutrition to cause-specific diarrheal illness: evidence from a prospective study of preschool children in Mirpur, Dhaka,

Bangladesh. *The American journal of tropical medicine and hygiene*, **80**(5):824-826.

- **Morgan, U. M. and Thompson, R. C. A. (1998).** PCR detection of *Cryptosporidium*: the way forward. *Parasitology Today*, **14**(6):241-245.
- **Morin, M., Lariviere, S. and Lallier, R. (1976).** Pathological and microbiological observations made on spontaneous cases of acute neonatal calf diarrhea. *Canadian Journal of Comparative Medicine*, **40**(3):228.
- **Nagamatsu, T. and Schust, D. J. (2010).** Review: the immunomodulatory roles of macrophages at the maternal-fetal interface. *Reproductive Sciences*, **17**(3):209-218.
- **Nair, P., Mohamed, J. A., DuPont, H. L., Figueroa, J. F., Carlin, L. G., Jiang, Z. D. and Okhuysen, P. C. (2008).** Epidemiology of cryptosporidiosis in North American travelers to Mexico. *The American journal of tropical medicine and hygiene*, **79**(2):210-214.
- **Nime, F. A., Cooper, H. S. and Eggleston, J. C. (1976).** Primary malignant lymphomas of the salivary glands. *Cancer*, **37**(2):906-912.
- **Ochoa, T. J., Salazar-Lindo, E. and Cleary, T. G. (2004).** Management of children with infection-associated persistent diarrhea. *In Seminars in pediatric infectious diseases*, **15**(4):229-236.
- **O'Donoghue, P. J. (1995).** *Cryptosporidium* and cryptosporidiosis in man and animals. *International journal for parasitology*, **25**(2):139-195.
- **Painter, J. E., Hlavsa, M. C., Collier, S. A., Xiao, L. and Yoder, J. S. (2015).** Cryptosporidiosis surveillance—United States, 2011–2012. *MMWR SurveillSumm*, **64**(3):1-14.
- **Peng, M. M., Xiao, L., Freeman, A. R., Arrowood, M. J., Escalante, A. A., Weltman, A. C. and Beard, C. B. (1997).** Genetic polymorphism

among *Cryptosporidium parvum* isolates: evidence of two distinct human transmission cycles. *Emerging infectious diseases*, **3**(4):567-573.

- **Ridley, J. W. (2012).** *Parasitology for medical and clinical laboratory professionals*. Cengage Learning, p 65.
- **Rose, J. B., Huffman, D. E. and Gennaccaro, A. (2002).** Risk and control of water-borne cryptosporidiosis. *FEMS Microbiology Reviews*, **26**(2):113-123.
- **Sacks, G. P., Clover, L. M., Bainbridge, D. R. J., Redman, C. W. G. and Sargent, I. L. (2001).** Flow cytometric measurement of intracellular Th1 and Th2 cytokine production by human villous and extravillouscytotrophoblast. *Placenta*, **22**(6):550-559.
- **Semenza, J. C. and Nichols, G. (2007).** Cryptosporidiosis surveillance and water-borne outbreaks in Europe. *Euro surveillance: bulletin Europeen sur les maladies transmissibles European communicable disease bulletin*, **12**(5): E13-4.
- **Shanan, S., Abd, H., Bayoumi, M., Saeed, A. And Sandström, G. (2015).** Prevalence of protozoa species in drinking and environmental water sources in Sudan. *BioMed research international*, volume 2015:1-5.
- **Shrikhande, S. N., Chande, C. A., Shegokar, V. R. and Powar, R. M. (2009).** Pulmonary cryptosporidiosis in HIV negative, immunocompromised host. *Indian Journal of Pathology and Microbiology*, **52**(2):267.
- **Sim, S., Yu, J. R., Lee, Y. H., Lee, J. S., Jeong, H. G., Mohamed, A. A. W. S. and Hong, S. T. (2015).** Prevalence of *Cryptosporidium* infection among Inhabitants of 2Rural Areas in White Nile State, Sudan. *The Korean journal of parasitology*, **53**(6):745.
- **Smith, H. V., and Rose, J. B. (1998).** Water-borne cryptosporidiosis: current status. *Parasitology Today*, **14**(1):14-22.

- **Theodos, C. M., Sullivan, K. L., Griffiths, J. K. and Tzipori, S. (1997).** Profiles of healing and non-healing *Cryptosporidium parvum* infection in C57BL/6 mice with functional B and T lymphocytes: the extent of gamma interferon modulation determines the outcome of infection. *Infection and Immunity*, **65**(11):4761-4769.
- **Trundley, A. and Moffett, A. (2004).** Human uterine leukocytes and pregnancy. *Tissue Antigens* **63**(1):1-12.
- **Tyzzer, E. E. (1907).** A sporozoan found in the peptic glands of the common mouse. *Experimental Biology and Medicine*, **5**(1):12-13.
- **Tzipori, S.(1983).**Cryptosporidiosis in animals and humans, *Microbial. Rev* **47**: 84-96.
- **Tzipori, S. (1998).** Opportunistic protozoa in humans. *Advances in Parasitology*, p40.
- **Tzipori, S. and Ward, H. (2002).** Cryptosporidiosis: biology, pathogenesis and disease. *Microbes and Infection*, **4**(10):1047-1058.
- **Ungar, B. L. P. (1990).** Enzyme-linked immunoassay for detection of *Cryptosporidium* antigens in fecal specimens. *Journal of clinical microbiology*, **28**(11): 2491-2495.
- **Ungar, B. L., Gilman, R. H., Lanata, C. F. and Perez-Schael, I. (1988).**Seroepidemiology of *Cryptosporidium* infection in two Latin American populations. *Journal of Infectious Diseases*, **157**(3):551-556.
- **Ungar, B. L., Soave, R., Fayer, R. and Nash, T. E. (1986).** Enzyme immunoassay detection of immunoglobulin M and G antibodies to *Cryptosporidium* in immunocompetent and immunocompromised persons. *Journal of Infectious Diseases*, **153**(3): 570-578.

- **Valdez, L. M., Dang, H. A. N., Okhuysen, P. C. and Chappell, C. L. (1997).** Flow cytometric detection of *Cryptosporidium* oocysts in human stool samples. *Journal of clinical microbiology*, **35**(8):2013-2017.
- **Van Nieuwenhoven, A. L. V., Bouman, A., Moes, H., Heineman, M. J., de Leij, L. F., Santema, J. andFaas, M. M. (2003).** Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the c cycle. *American journal of obstetrics and gynecology*, **188**(4):1073-1077.
- **Vohra, P., Sharma, M. and Chaudary, U. (2012).** A comprehensive review of diagnostic techniques for detection of *Cryptosporidium parvum* in stool samples. *J Pharm*, **2**(5):15-26.
- **Weitzel, T., Dittrich, S., Möhl, I., Adusu, E. andJelinek, T. (2006).** Evaluation of seven commercial antigen detection tests for *Giardia* and *Cryptosporidium* in stool samples. *Clinical Microbiology and Infection*, **12**(7): 656-659.
- **Wells, M. (2007).** The pathology of gestational trophoblastic disease: *recent advances Pathology*, **39**(1):88-96.
- **Widmer, G. (1998).** Genetic heterogeneity and PCR detection of *Cryptosporidiumparvum*. *Advances in parasitology*, **40**:223-239.
- **Wilcox, C. M. and Mönkemüller, K. E. (1998).** Hepatobiliary diseases in patients with AIDS: focus on AIDS cholangiopathy and gallbladder disease. *Digestive Diseases*, **16**(4):205-213.
- **Yoder, J. S. and Beach, M. J. (2010).***Cryptosporidium* surveillance and risk factors in the United States. *Experimental parasitology*, **124**(1):31-39.