

## REFERENCES

- Adcock, D. (1962). The effect of catalase on the inhibine and peroxide values of various honey. *J. Apic. Res.*, **1**:38-40.
- Ali, H.I. (1983). Chemical composition of Sudanese honey. *Sud. J. Fd. Sci. Tech.*, **84**:15.
- Al-Khalifa,A.S. and Al-Arify,I.A. (1999). Physico-chemical characteristics and pollen spectrum of some Saudi honey. *Fd. Chem.*, **67**:21-25.
- Allen, K.L.; Molan, P.C. and Reid, G.M. (1991). A survey or the antibacterial activity of some New Zealand honeys. *J. Pharm. Pharmacol.*, **43**(12):817-822.
- Al-Malah, K.I.M.; Abu-Jdayil, B.; Zaitoun, S and Al-Majeed Ghazwi, A. (2001). Application of WLF and Arrhenius kinetics to rheology of selected dark-coloured honey. *J. Fd. Proc. Engin.*, **24**:341-357.
- Al-Mamary, M.; Al-Meeri, A. and Al-Habori, M. (2002). Antioxidant activities and total phenolics of different types of Yemeni honey. *Nutr. Res*, **22**(9). 1041-1047.
- Ames, B.N.; Shigenaga, M.K. and Hagen, T.M. (1993). Oxidant, antioxidant and the degenerative diseases of aging. Proceedings of the National Academy of Science of the United States of America, **90**, 7915-7922.
- Amiot, M.J.; Aubert, S.; Gonnet, M. and Tacchini, M. (1989). The pheolic compounds in honeys: preliminary study upon identification and family quantification. *Apidologie*, **20**(2):115-125.
- Andrade, P.; Ferreres, F.A. and Amaral, M.T. (1997). Analysis of honey phenolic acids by HPLC, its application to honey botanical charaterization. *J. Liq. Chrom. Rel. Technol.*, **20**(14):2281-2288.

- Anklam, E. (1998). A review of the analytical methods to determine the geographical and botanical origin of honey. *Fd. Chem.*, **63**(4):549-562.
- Anupama, D.; Bhat, K.K. and Sapna, V.K. (2003). Sensory and physico-chemical properties of commercial samples of honey. *Fd. Res. Int.*, **36**:83-191.
- AOAC (1990). Official Methods of Analysis (15<sup>th</sup> ed.). Arlington, VA: Association of Official Analytical Chemists.
- Ayers, G.S. (1992). Characteristics of black locust as bee forage. In Proceedings: International Conference on Black Locust Biology, Culture and Utilization, 17-21 June 1991, Department of Forestry, Michigan State University, East Lansing, Michigan. PP. 243-257.
- Beckman, K.B. and Ames, B.N. (1997). Oxidative decay at DNA. *J. Biol.*
- Beckman, K.B. and Ames, B.N. (1998). The free-radical theory of aging matures. *Physiol. Rev.*, **78**:547-581.
- Benzie, I.F.F. and Strain, J.J. (1999). Ferric reducing antioxidant power assay: direct measure of total antioxidant activity of biological fluids and modified version for simultaneous measurement of total antioxidant power and ascorbic acid concentration. *Methods in Enzymology*, **299**:15-27.
- Berahia, T.; Cerrati, C.; Sabatier, S. and Amiot, M.J. (1993). Gas chromatography-mass spectrometry analysis of flavonoids in honey. *Sci. Des. Aliment*, **13**:15-24.
- Bogdanov, S. (1984). Characterization of antibacterial substances in honey. *Lebensm-Wiss.Techn.*, **17**(2):74-76.(cited in Bruce,2005).
- Bogdanov, S. (1997). Nature and origin of the antibacterial substances in honey. *Lebensm-Wiss.Techn.*, **30**(7):748-753..(cited in Bruce,2005).
- Bowry, V.W. and Stocker, R. (1993). Tocopherol-mediated peroxidation. The antioxidant effect of vitamin E on the radical-initiated

- oxidation of human low-density lipoprotein. *J. Am. Chem. Soc.*, **115**:6029.
- Brovo, L. (1998). Polyphenols: chemistry, dietary sources, metabolism and nutritional significance. *Nutr. Rev.*, **56**(11):317-333.
- Bruce R. D'Arcy (2005). A review of antioxidant in Australian floral honeys. A report for the rural industries research and development corporation .RIRDC publication No 05/040.
- Buege, J.D. and Aust, S. (1978). Microsomal lipid peroxidation. *Methods in Enzymology*, **30**:303-310.
- Bunting, C.M. (2001). The production of hydrogen peroxide by honey and its relevance to wound healing. M.Sc. Thesis. University of Waikato.
- Burdock, G.A. (1997). Encyclopedia of food colour and additives (Vol. 1). Boca Raton: CRC Press.
- Caffin, N.; Squires, N. and D'Arcy, B. (1996). Australian honey in dry food mixes. Rural Industries Research and Development Corporation (RIRDC) Final Report, The University of Queensland, Gatton.
- Campos, M.; Sabatier, S.; Amiot, M.J. and Aubert, S. (1990). Characterization of flavonoids in three hive products: bee pollen, propolis and honey. *Plant Med.*, **56**:580-581.
- Cao, G.; Sofic, E. and Prior, R.L. (1997). Antioxidant and prooxidant behavior of flavonoids: structure-activity relationship. *Free Rad. Biol. Med.*, **22**:749-760.
- Castro, R.M.; Escamilla, M.J. and Reig, R.B. (1992). Evaluation of colour of some Spanish unifloral honey types as a characterization parameter. *J. AOAC Int.*, **75**(3):737-542.
- Chaplin, M.F. and Bucke, C. (1990). Enzymic Technology, Cambridge University Press, Cambridge.

- Chen, L.; Metha, A.; Berenbaum, M.; Zangerl, A.R. and Engeseth, N.J. (2000). Honey from different floral sources as inhibitors of enzymatic browning in fruits and vegetables homogenates. *J. Agric. Fd Chem.*, **40**(10):4997-5000.
- Cherchi, A.; Spanedda, L.; Tuberoso, C. and Cabras, P. (1994). Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey. *J. Chromato.*, **A(669)**:59-64.
- Chung, G.J. (1999). Effects of butylated hydroxyanisole (BHA) and butylated hydroxytoluene (BHT) on the acetylation of 2-amino-fluorene and DNA-2-amino-fluorine adducts in the rat. *Tox. Sci.*, **51**:202-210.
- CIE (1976). Committee TC-1.3 CIE, technical note (1974). *J. Opt. Soc. Am.* **64**:896-897.
- Clifford, M.N. (1995). Understanding the biological effects of dietary complex phenols and tannins and their implications for the consumer's health and well being. European Community Programme for Research. *Technological Development and Demonstration in the Field of Agriculture and Fisheries J.*
- Cocker, L.J. (1951). The enzymatic production of acid honey. *J. Sci. Fd. Agric.* **2**:411.
- Coulston, A.M. (2000). Honey ... how sweet it is! *Nutrition Today*, **35**(3):96-100.
- Crane, E. (1975). Honey: a comprehensive survey. New York, USA: Crane Russak and Company.
- Das, S. and Bose, N.M. (1949). Physical and chemical properties of Indian honey, *Indian J. Agric. Sci.*, **16**:405-410 (Cited in Ibrahim, 1985).

- Decker, E.A. (1995). The role of phenolics, conjugated linoleic acid, eamosine and pyrrolquinolinequinone as nonessential dietary antioxidants. *Nutr. Rev.*, **53**:49.
- Doner, L.W. (1977). The sugars of honey-a review. *J. Sci. Fd Agric.*, **28**:443-456.
- Doner, L.W. and Hicks, K.B. (1982). Lactose and the sugars of honey and maple: reactions, properties, and analysis. In D.R. Lineback and G.E. Inglett (Eds.), *Food Carbohydrates* (PP. 74-112) Westport, CT:AVI Publishing Company.
- Efem SE. (1988). Clinical observations on the wound healing properties of honey. *Br. J. Surg.*(75):679 – 681.
- El-sarrag, M.S.A. (1977). Morphomotrical and biological studies on Sudanese honeybees (*Apis mellifera* L.). Ph.D Thesis; Cairo University (Cited in Ibrahim, 1985).
- Esti, M.; Panfili, G.; Marconi, E. and Trivisonno, M.C. (1997). Valorization of honeys from the Molise region through physicochemical, organoleptic and nutritional assessment. *Food Chem.*, **58**(1-2):125-128.
- Evans, P. and Halliwell, B. (2001). Micronutrients: oxidant/antioxidant status. *Br. J. Nutr.*, **85**(Suppl. 2):567.
- Fahey, J.W. and Stephenson, K.K. (2002). Pinostrobin from honey and Thai ginger (*Boesenbergia pandurata*): a potent flavonoid inducer of mammalian phase 2 chemoprotective and antioxidant enzymes. *J. Agric. Fd. Chem.*, **50**(25):7472-7476.
- Fang, Y.Z. (2002). Free radical and nutrition. In: Fang Z.Y eds. *Theory and application of free radical biology*. Beijing: Scientific Press; 647.

- Fang, Y.Z.; Sun, C.P. and Tian, X.H.(1998<sup>a</sup>). Effect of Lu-Wei on scavenging superoxide and hydroxyl radicals in vitro. *Am. J. Clin. Med.*, **26**:153.
- Fang, Y.Z.; You, Y.G. and Chen, G.M. (1998<sup>b</sup>). Clinical observation on health care effects on tea polyphenol compounds (Lu-Dou-Wei): prevention of coronary heart diseases, hypertension and type II diabetes. Paper presented to the Symposium on Tea and Anticoronaranogenesis, Shanghai, 40.
- FAO (1996). Value-added products from beekeeping. FAO Agricultural Services Bulletin No. 124. Rome, Italy.
- FAO (1998). Some facts about honey. [www.fao.org/docrep/to104e](http://www.fao.org/docrep/to104e).
- Farouk, A.; Hassan, T.; Kashif, H.; Khalid, S.A.; Mutwali, L. and Wadi, M. (1988). Studies on Sudanese honey. Waikato honey research unit.
- Ferreres, F.; Ortiz, A.; Silva, C. and Garcia-Viguera, C. (1992). Flavonoids of “La Al Carria” Honey. A study of their botanical origin. *Z. Lebensm. Unters. Forsch.*, **194**:139-143.
- Frankel, S.; Robinson, G.E. and Breenbaum, M.R. (1998). Antioxidant capacity and correlated characteristics of 14 unifloral honeys. *J. Apicul. Res.*, **37**(1):27-52.
- Freidovich, I. (1999). Fundamental aspects of reactive oxygen species, or what's the matter with oxygen? *Ann. NY Acad. Sci.*, **893**:13.
- Garca, C.D. and Ortiz, P.I. (1998). Determination of tert-butylhydroxytoluene by flow injection analysis at polymer modified glassy carbon electrodes. *Electroanalysis*, **10**:83-835.
- Gazzani, G.; Papetti, A.; Daglia, M.; Berte, F. and Gregotti, C. (1998). Protective activity of water-soluble components of some common diet vegetables on rat liver microsomes and the effect of thermal treatment. *J. Agric. Fd. Chem.*, **46**:4123-7.

- Gerster, H. (1989). Antioxidant vitamins in cataract prevention. *Z. Ernahrungswiss*, **28**:56-75.
- Gheldorf, N. and Engesth, N.J. (2002). Antioxidant capacity of honey from various floral sources based on the determination of oxygen medical absorbance capacity and inhibition of in vitro lipoprotein oxidation in human serum samples. *J. Agric. Food Chem.*, **50**:3050-3055..
- Gheldorf, N.; Wang, X.H. and Engeseth, N.J. (2002). Identification and quantification of antioxidant compounds of honeys from various floral sources. *J. Agric. Fd. Chem.*, **50**:5870-5877.
- Gilbert, D.L. (2000). Fifty years of radical ideas. *Ann. NY Acad. Sci.*, **899**:1.
- Ginter, E. (1995). The role of antioxidant in the prevention of tumors. *Bratisl Lek Lisy*, **96**:195-209.
- Gomez Barez, J.A.; Garcia-Villanova, R.J.; Elvira Garcia, S.; Rivas Pala T.; Gonzalez Paramas, A.M. and Sanchez Sanchez, J. (2000). Geographical discrimination of honey through the employment of sugar patterns and common chemical quality parameters. *Euro.Fd. Res. Technol.*, **210**:437-444.
- Guan, Y.; Chu, Q.; Fu, L.; Wu, T. and Ye, J. (2006). Determination of phenolic antioxidants by micellar electrokinetic capillary chromatography with electrochemical detection. *Food Chem.*, **94**:157-162.
- Halliwell, B. (1990). How to characterize a biological antioxidant? *Free Radical Res. Commun.*, **9**:1-32.
- Halliwell, B. (1996). Antioxidants in human health and disease. *Annu. Rev. Nutr.*, **16**:33-50.
- Hertog, M.G.L.; Feskens, E.J.; Hollman, P.C.; Katan, M.B. and Kromhout, D. (1993). Dietary antioxidants flavonoids and risk of

- coronary heart disease; the Zutphen Elderly Study. *Lancet*, **342**:1007-1011.
- Hirano, R.; Sasamoto, W.; Matsumoto, A. and Itakura, H. (2001). Antioxidant ability of various flavonoids against radicals and LDL oxidation. *J. Nutr. Sci. Vitaminol.*, **47**:357-362.
- IARC (1986). IARC monograph on the evaluation of carcinogenic risks to humans. Some naturally occurring and synthetic food components. International Agency for Research on Cancer (Vol. 40, PP. 123-206) IARC Press.
- Ibrahim, A.O. (1985). Studies on Sudanese honeys. M.Sc. Thesis, University of Khartoum, Sudan.
- Ignarro, L.J.; Cirino, G.; Gasini, A. and Napoli, C. (1999). Nitric oxide as a signaling molecule in the vascular system: an overview. *J. Cardiov. Pharm.*, **34**:879.
- IRFAN-Health (1998). Science and Alternative Medicine. (Sci. News, Sep. 12, 1998, Vol. 154, PP 170-172.
- Jialal, I. and Grundy, S.M. (1993). Effect of supplementation with alpha tocopherol, ascorbate and beta-carotene on low-density lipoprotein oxidation. *Circulation*, **88**:2780-2786.
- Joe, O'Neul (2002). Honey in a glass. The how-to home Brew Beer Maganize. [www.byo.com/feature](http://www.byo.com/feature).
- Joerg, E. and Sontag, G. (1992). Determination of phenolic acids in honey by HPLC using coulometric dual electrode detection. *Deuts.Lebensm. Runds.* **80(6)**:179-183.
- Junzheng, P. and Changying, J. (1998). General rheological model for natural honey in China. *J. Fd. Eng.*, **36**:165-168.
- Karovicova, J. and Simko, P. (2000<sup>a</sup>). Determination of synthetic phenolic antioxidants in food by high performance liquid chromatography. *J. Chromatog. A*, **882**:271-281.

- Karovicova, J. and Simko, P. (2000<sup>b</sup>). Preservatives and antioxidants. IN: M.L. Nollet (Ed.), food analysis by HPLC (2<sup>nd</sup> ed., PP> 575-620. New York: Marcel Dekker.
- Kenneth, W. Whitten; Kenneth, D. Dailey; Raymond, E. Davis (1983). General Chemistry. 3<sup>rd</sup> Edition.
- Kirk, R.S. and Sawyer, R. (1991). Sugars and preserves in Pearson's composition and analysis of foods, 9<sup>th</sup> end. Longman Scientific and Technical, ESSEX.
- Kohlmeir, L. and Hastings, S.B. (1995). *Am. J Clin. Nutr.*, **62** (suppl.), 1370S-1376S.
- Lander, H.M. (1997). An essential role for free radicals and derived species in signal transudation. *FASEB J.* **11**:118.
- Latorre, M.J.; Pena, R.; Pita, C.; Botana, A.; Garcia, S. and Herrero, C. (1999). Chemometric classification of honeys according to their type. II. Metal content data. *Fd. Chem.*, **66**(2):263-268.
- Lazaridou, A.; Biliaderis, C.; Bacandritsos, N. and Sabatini, A.G. (2004). Composition, thermal and rheological behaviour of selected Greek honeys. *J. Fd. Eng.*, **64**:9-21.
- Lopez, B.; Latorre, M.J.; Fernandez, M.I.; Garcia, M.A.; Garcia, S. and Herrero, C. (1996). Chemometric classification of honeys according to their type based on quality control data. *Food Chem.*, **55**(3):281-287.
- Loyrish, N. (1974). Bees and people. Moscow, USSR: MIR Publisher.
- Manzocco, L.; Galligaris, S.; Mastrocola, D.; Nicoli, M.C. and Lerici, C.R. (2001). Review of non-enzymatic browning and antioxidant capacity in processed foods. *Trends Fd. Sci. Technol.*, **11**:340-346.
- Martos, I.; Ferreres, F.; Yao, L.H.; D'Arcy, B.R. Caffin, N. and Tomas-Barberan, F.A. (2000). Flavonoids in monospecific Eucalyptus honeys from Australia. *J. Agric. Fd. Chem.*, **48**(10):4744-4748.

- Martyniuk, S. (1994). Some inhibitors of polyphenol oxidase in Honey. *Pszczelnicze Zeszyty Naukowe*, **38**:67-78.
- Maskan, M. (2001). Kinetics of colour change of kiwifruits during hot air and microwave drying. *Journal of Food Engineering*, volume 48, issue 2, May 2001, page 169-175.
- Mateo, R. and Bosch-Reig, F. (1998). Classification of Spanish unifloral honeys by discriminant analysis of electrical conductivity, color, water content, sugars and pH. *J. Agric. Food Chem.*, **46**(2):393-400.
- Mates, J.M.; Perez-Gomez, C. and Castro, I.N.D. (1999). Antioxidant enzymes and human diseases. *Clin. Biochem.*, **32**:595-603.
- Mayer, A.S.; Donovan, J.L.; Pearson, D.A; Waterhouse, E.N. and Frankel, E.N. (1998). Fruit hydroxycinnamic acids inhibit human low-density lipoprotein oxidation in vitro. *J. Agric. Food Chem.*, **46**:1783-1787.
- McCord, J.M. (1992). Superoxide production and human diseases. In: Jesaitis, A.; Dratz, E. Eds. *Molecular Basis of Oxidative Damage by Leukocytes*. Boca Raton, FL:Press, 225-239.
- McCord, J.M. (2000). The evolution of free radicals and oxidative stress. *Am. J. Med.* **108**:652.
- McCord, J.M. and Marecki, J.C. (1997). Superoxide dismutases. In: Sipes IG, MC-Queen CA. Gandolfi, A.J. Guengerich, F.B., eds. *Comprehensive Toxicology*, Vol. 3, Biotransformation. New York: Elsevier Science, 199-216.
- Mckibben, J. and Engeseth, N.J. (2002). Honey as a protective agent against lipid oxidation in ground turkey. *J. Agric. Fd. Chem.*, **50**(3):592-595.
- Mead, B. and Gurnow, R.W. (1983). *Statistical Methods in Agricultural Experimental Biology*, London, New York, Chapman and Hall.

- Meda, A.; Lamien, Ch.E.; Romito, M.; Millogo, J. and Nacoulma, O.G. (2005). Determination of total phenolic, flavonoid and proline contents in Burkina Fasan honey, as well as their radical scavenging activity. *Food Chem.*, **91**:571-577.
- Miana, G.A. and Al-Najjar, I.M. (1987). Organic Chemistry. An Introduction..
- Molan, P.C. (1992). The antibacterial activity of honey. I. The nature of antibacterial activity. 2. Variation in the potency of the antibacterial activity. *Bee World*, **73**(1):5-28; **73**(2):59-76.
- Molan, P.C. (1996). Authenticity in honey, in PR Ashurst and MJ Dennis (ed.), Food Authentication, Blackie Academic and Professional, London.
- Munro, J.A. (1943). The viscosity and thixotropy of honey. *J. Econ. Ent.*, **35**(5):769-777.
- Oszmianski, J. and Lee, C.Y. (1990). Inhibition of polyphenol oxidase activity and browning by honey. *J. Agric. Fd. Chem.*, **38**(10):1892-1895.
- Perez-Arquille, C.; Conchello, P.; Arino, A.; Juan, T. and Herresa, A. (1994). Quality evaluation of Spanish rosemary (*Rosmarinus officinalis*) honey. *Fd. Chem.*, **51**:207-210.
- Persano, Oddo, L.; Piazza, M.G.; Sabatini, A.G. and Accorti, M. (1995). Characterization of unifloral honey. *Apidologie*, **26**:453-465.
- Peterson, J. and Dwyer, J. (1998). Flavonoids: dietary occurrence and biochemical activity. *Nutr. Res.*, **18**(12):1995-2018.
- Popek, S. (2002). A procedure to identify a honey type. *Fd. Chem.*, **79**:401-406.
- Popek, S. (2003). Identification of honey types. *Nahrung/Food*, **47**:39-40.
- Postmes, T.; Van den Bogaard, A.E., and Hazen, M. (1993). Honey for wounds ulcers and skin graft preservation. *Lancel.*, **341**:756-757.

- Pruitt, K.M. and Reiter, B. (1985). Biochemistry of peroxidase system: Antimicrobial effects In; Pruitt KM, Tenovuo, J.O. editors. The lactoperoxidase system: Chemistry and Biological Significance. New York. Marcel Dekker; 144-178.
- Rice, Evans, C.A.; Miller, N.J. and Povganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends Pant Csi.*, **2**(4):152-159.
- Robbins, R.J. (2003). Phenolic acids in foods: an overview of analytical methodology. *J. Agric. Fd. Chem.*, **51**(10):2866-2887.
- Russell, K.M.; Molan, P.C.; Wilkins, A.L. and Holland, P.T. (1990). Identification of some antibacterial constituents of New Zealand manuka honey. *J. Agric. Fd. Chem.*, **38**(1):10-13.
- Sackett, W.G. (1919). Honey as carrier of intestinal diseases. *Bull. Colorado Univ. Agrie. Exp. Stn.*, **252**:1-18.
- Santos-Buelga; C. and Scalbert, A. (2000). Proanthocyanidine and tannin-like compounds: nature, occurrence, dietary intake and affects on nutrition and health (review). *J. Sci. Food Agric.*, **80**:1094-1117.
- Sanz, M.L.; Gonzalez, M.; deLorenzo, C.; Sanz, J. and Martinez-Castro, I. (2005). A contribution to the differentiation between nectar honey and honeydew honey. *Food Chem.*, **91**:313-317.
- Schepartz, A.I. (1966). Honey catalase: occurrence and some kinetic properties. *J. Apic. Res.*, **5**:167-176.
- Shahidi, F. and Naczk, M. (1995). Contribution of phenolic compounds to sensory characteristics of foods in food phenolics: sources, chemistry, effects and application. Technomic Publishing Company, In., Lancaster.
- Shang@humterlab. (<http://food.oregonstate.edu>).
- Siess, M.H.; LeBon, A.M.; Ganivenec-Lavier, M.C.; Amoit, M.J.; Sabatier, S.; Aubert, S.Y. and Suschetet, M. (1996). Flavonoids of honey and propolis: characterization and effects on hepatic drug-

- metabolizing enzymes and benzo[a]pyrene-DNA binding in rats. *J. Agric. Fd. Chem.*, **40**(8):2297-2301.
- Singh, N. and Bath, P.K. (1997). Quality evaluation of different types of Indian honey. *Fd. Chem.*, **58**(1-2)129-133.
- Singleton, V.L.; Orthofer, R. and Lamuela-Raventos, R.M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods in Enzymology*, **299**:152-178.
- Smirnov, D.A. (1994). Acute pancreatitis and biological antioxidant. *Khirurgiia*, **3**:30-32.
- Sopade, P.A.; Halley, P.; Bhandari, B.; D'Arcy, B. and Caffin, N. (2003). Application of the Williams-Landel-Ferry model to the viscosity-temperature relationship of Australian honeys. *J. Fd. Eng.*, **56**:67-75.
- Sun, Y. (1995). A Chemical Investigation of Some New Zealand Native Honeys. M. Phil. Thesis. University of Waikato, Hamilton, New Zealand. 40-51.
- Tan, S.T.; Wilkins, A.L.; Molan, P.T.; Holland, P.T. and Reid, M.A. (1989). A chemical approach to the deterioration of floral sources of New Zealand honeys. *J. Apic. Res.*, **28**:212-222.
- Taormina, P.J.; Niemira, B.A. and Beuchat, L.R. (2001). Inhibitory activity of honey against foodborne pathogens as influenced by the presence of hydrogen peroxide and level of antioxidant power. *Int. J. Fd. Microbiol.*, **69**(3):217-225.
- Terrab, A.; Diez, M.J. and Henedia, F.J. (2002). Characterization of Moroccan unifloral honeys by their physicochemical characteristics. *Fd. Chem.*, **79**:373-379.
- The National Honey Board (1998). <http://www.nhb.org>. Longmont, Colorado, USA.

The National Honey Board (2001). Honey's nutrition and health facts..

[www.nhb.org](http://www.nhb.org).

The National Honey Board (2003<sup>a</sup>). Definition of honey and honey products. [www.nhb.org](http://www.nhb.org).

The National Honey Board (2003<sup>b</sup>). Honey Composition and Allergens. [www.nhb.org/health](http://www.nhb.org/health).

The National Honey Board (2003<sup>c</sup>). Honey-health and therapeutic qualities. 390 Lashley Street Longmont. [www.nhb.org](http://www.nhb.org).

Thomas, M.C. and Schumann, D.R. (1992). Seeing the forest instead of the trees-income opportunities in special forest products. Kansas City, Missouri, Midwest Research Institute.

Tomas-Barberan, F.A.; Ferreres, F.; Garcia-Viguera, C. and Tomas-Lorente, F (1993). Flavonoids in honey of different geographical origin. *Z. Lebensm. Unters. Forsch.*, **196**:38-44.

Turner, F. (1983). Hydrogen peroxide and other oxidant disinfectants (3<sup>rd</sup> ed). Philadelphia: Lea and Febiger.

Uhlig, H. (1990). Industrial uses of enzymes in W-Gerhartz (ed.), Enzymes in industry: production and applications, VCH Publishers, New York.

USDA (1985). Agricultural Marketing Service. United States Standards for Grades of Extracted Honey. USDA, Washington, DC.

Villanueva, V.R.; Barbeir, M.; Gonnet, M. and Lavic, P. (1976). les flavonoids de la propolis isolemet d'une nouve lle substance bacteriostatique La pinocembrin.

Vinson, J.A.; Dabbagh, Y.A.; Serry, M.M. and Jang, J. (1995). Plant flavonoids, especially tea flavonols, are powerful antoxitants using an in vitro oxidation model for heart diseases. *J. Agric. Fd. Chem.*, **43**:2800-2802.

- Voudin, K.A.; Shukit-Hale B.; Mckonnons, Klat W. and Joseph, J.A. (2000) Polyphenols enhance red blood cell resistance to oxidative stress in vitro and in vivo. *Biochem. Biophys. Acta*, **1523**:117.
- Wahdan, H.A.L. (1998). Causes of the antimicrobial activity of honey. *Infection*, **26**(1):26-31.
- Weisburger, J.H. (1999). Mechanisms of action of antioxidants as exemplified in vegetables tomatoes and tea. *Fd. Chem. Toxicol.*, **37**(9/10), 943-948.
- Weston, R.J. (2000). The contribution of catalase and other natural products to the antibacterial activity of honey: a review. *Fd. Chem.*, **71**:235-239.
- Weston, R.J.; Brocklebank, L.K. and Lu, Y. (2000). Identification and quantitative levels of antibacterial components of some New Zealand honeys. *Fd. Chem.*, **70**(4):427-435.
- Weston, R.J.; Mitchell, K.R. and Allen, K.L. (1999). Antibacterial phenolic components of New Zealand manuka honey. *Fd. Chem.*, **64**(3):295-301.
- White, J.W. (1975). Physical characteristics of honey. In: Honey, a comprehensive survey, Crane (ed.), Heinemann, London, U.K:207-239.
- White, J.W. (1980). Detection of honey adulteration by carbohydrate analysis. *J. Assoc. Off. Anal. Chem.*, **63**:11-18.
- White, J.W. and Landis, W. (1980). Honey composition and properties. Agricultural Handbook No. 335. Reviewed 1980.  
[www.beesourcecom/pov/usda/beekpusa82](http://www.beesourcecom/pov/usda/beekpusa82).
- White, J.W. Jr. (1962). Composition of American honeys. *Tech. Bull.*, **1261**, Agricultural Research Service, U.S. Department of Agriculture, Washington, D.C.

- White, J.W. Jr. (1978). The protein content of honey. *J. Apicul. Res.*, **17**(4):234-238.
- White, J.W. Jr. (1992). Honey in JM Graham (ed.). The hives and the honeybee, revised edn, Dadant and Sons, Illinois.
- White, J.W.; Subers M.I.L. and Schepartz, A.L. (1963). The identification of inhibine, the antibacterial factor in honey, as hydrogen peroxide and its origin in a honey glucose-oxidase system. *Biochem. Biophys.*, **73**:57-70.
- Woods, L.F.J. and Swinton, S.J. (1995). Enzymes in the starch and sugar industries in GA Tucker and LFJ woods (ed.), enzymes in food processing, 2<sup>nd</sup> edn, Blackie Academic and Professional, London.
- Zheng, W. and Wang, S.Y. (2001). Antioxidants in selected medicinal and culinary herbs. *J. Agric. Food Chem.*, **49**:5165-5170.