

# Table of Contents

Page	Topics
I.....	الآية.....II
Dedication.....	II
Acknowledgement .....	III
Abstract.....	IV
V.....	المستخلص.....V
Table of Contents .....	VI
List of Tables.....	VIII
List of Figures.....	IX
Abbreviation.....	X

## Chapter One: introduction

1.1Background History.....	1
problem definition.....	4 1.2
Objective of the project.....	5 1.3
research mythology.....	5 1.4
research Layout.....	5 1.5

## Chapter II: Wideband Code Division Multiple Access

2.1Introduction .....	6
Spread Spectrum Characteristics of CDMA.....	7 2.2
2.2.1 Direct Sequence (Pseudonoise) (DS).....	8
Frequency Hopping.....	12 2.2.2
Time Hopping.....	13 2.2.3
Conventional Detector.....	14 2.2.4
power control.....	15 2.3
Open-Loop Power Control.....	16 2.3.1
Closed-Loop Power Control.....	28 2.3.2
Soft Handover.....	19 2.4
Specification of WCDMA.....	20 2.5
Roaming.....	21 2.6
International Roaming on CDMA.....	21 2.6.1

WCDMA Architecture.....	23 2.7
User equipment (UE).....	23 2.7.1
UMTS Radio Network Subsystem.....	25 2.7.2
UMTS Core Network.....	26 2.7.3
Code Sequences For Spread Spectrum Systems.....	29 2.8
M-Sequences (maximum length sequences).....	29 2.8.1
Gold sequences.....	31 2.8.2
Small set Kasami sequences.....	34 2.8.3
Walsh Sequences.....	35 2.8.4

### **Chapter Three: Performance analysis of DS-SS**

The System Model.....	37 3.1
Transmitter.....	38 3.1.1
The Transponder Travelling Wave Tube Amplifier (TWTA).....	39 3.1.2
Performance Analysis Of DS-SS In Satellite Channel.....	41 3.2
Performance Analysis of DS-SS In Mobile Satellite Channel.....	47 3.3
Performance analysis under Rayleigh fading.....	47 3.3.1

### **Chapter four: Disscion & Result**

satellite performance result:.....	49 4.1
Mobile Satellite Channel result .....	51 4.2

### **Chapter five: Conclusions & Recommendations**

Conclusions.....	54 5.1
Recommendation.....	54 5.2
References.....	55
Appendixes.....	57

## **List of tables**

**Table**

**Page**

Table 2.1 below show the most important specification for WCDMA.....20  
Table 2.2 Peak cross correlation of m-sequences and Gold sequences.....33

## **List of figures**

**Figure**

**Page**

Figure 2.1 A block diagram of direct sequence-spread spectrum (DS-SS). a)	
Transmitter and b) receiver.....	11
Figure. 2.2 Conventional matched filter receiver for simultaneous demodulation	
of K synchronous DS-CDMA user signals.....	15
Figure 2.3. no Power control overcomes Near-Far Effect.....	16
Figure2.4. Power control overcomes Near-Far Effect.....	17
Figure2.5. shows the basic soft handoff process.....	19
Figure 2.6 shows the architecture of WCDMA.....	23
Figure2.7 Block diagram of a linear feedback shift registers.....	30
Figure 2.8 Generation of Gold sequences of length 31.....	32
Figure. 3.1 System model.....	37
Figure3.2 Demodulator principle block diagram.....	42
Figure 4.1 (A, B). Performance of DS-SS system, with TWTA, AWAG, for	
different input back-off.....	50
Figure 4.2 Performance dependence on input back-off (IBO) of TWTA, for variable	
down-link signal to noise ratio .....	51
Figure 4.3. Performance dependence on input back-off (IBO) of TWTA and average	
shadowing effect, for variable down-link signal to noise ratio (SNRd).....	52
Figure 4.4 (A, B) Rayleigh channel performance for different input back-off	
values.....	53