Dedication

We dedicate this graduate project to our dear mothers and fathers

to our sisters and brothers

to our friends

to everyone who taught us through our educational levels

to each of you ,without your support ,this dream would not have come true.

Acknowledgment

First and foremost we would like to thank **Allah** our creator and creator of all assets, glorified and exalted, for His blessing that cannot be counted.

We wish to express our deep gratitude and our sincere thanks to **Prof. Ahmed** Elsadig for supervision, directing us and provide us with beneficial information.

We wish to express our deep sense of gratitude to **D**. **Sarra Abdelhafeez**, Head of the Department of chemistry for providing us wonderful atmosphere for academic activities. we also grateful to all staff members and lad assistants of our department in helping to complete this project.

A great deal of time and effort has been gone in preparing this project.

Several special people have guided us and have contributed significantly to this effort .we wish to recognize and thank them and wish to express our sense of gratitude.

Last but not least we wish to thank our Beloved parents and dear friends who were source of help to complete our project effectively.

ii

Abstract

In this work, $2-\{5-[(2-phenylhydrazinylidene)methyl]$ furan-2-yl}naphthalene-1,4-dione and $2-\{4-[(2-phenylhydrazinyliden)methyl]phenyl\}naphthalene-1,4-dione$ have been synthesized by reaction of 1-(furan-2-ylmethlidene)-2-phenylhydrazine and 1-benzylidene-2-phenylhydrazine ashydrazones with 1,4-naphthoquinone according to a welldocumented procedure. Access to furylnaphthoquinones fromun activated quinones requires acid-inuced conditions, howeveroxidation coupling reaction of activated quinones proceed underneutral condition. The hydrazones were prepared from thecommercially aldehydes and phenyl hydrazine.

Abbreviations

symbol	Meaning of Abbreviation
AIDS	Acquired immunodeficiency syndrome
AMV	Avian myeloblastosis Virus .
AMVRT	Avian myeloblastosis virus reverse transcriptase.
¹³ C-NMR	Carbon-13 Nuclear magnetic resonance
DDQ	2,3-Dichloro-5,6-dicyano -1,4- benzoquinone.
DNA	Deoxyribonucleic Acid.
GC-MS	Gas chromatography –Mass spectrometer
HIV -1	Human immunodeficiency virus type 1
HIV-2	Human immunodeficiency virus type 2
HIVRT	Human immunodeficiency virus reverse
	transcriptase
¹ H-NMR	Proton(1) Nuclear magnetic resonance
HPLC	High performance liquid chromatography
IR	Infrared
RT	Reverse transcriptase
STN	Streptonigrin

List of Tables

Table	Subject	Page
No.		no.
1	IR spectral data of 1-(furan-2-ylmethylidene)-	27
	2-phenylhydrazine page	
2	IR spectral data of 1-benzylidene-2-	28
	phenylhydrazine	
3	IR spectral data of 2-{5-[(2-	29
	phenylhydrazinylidene)methyl]furan-2-yl}	
	naphthalene-1,4-dione.	
4	IR spectral data of 2-{4-[(2-	30
	phenylhydrazinylidene) methyl]phenyl}	
	naphthalene -1,4-dione	

List of Figures

Figure	Subject	Page
No.		no.
1	The results of Thin layer	26
	chromatography(TLC).	
2	IR spectrum of 1-(furan-2-ylmethlidene)-2-	32
	phenylhydrazine.	
3	IR spectrum of 2-{5-[(2-	33
	phenylhydrazinylidene) methyl] furan-2-	
	yl}naphthalene-1,4-dione.	
4	IR spectrum of 1-benzylidene-2-	34
	phenylhydrazine.	
5	IR spectrum of 2-{4-[(2-	35
	phenylhydrazinylidene)methyl]phenyl}naph	
	thalene -1,4-dione.	

Table of contents

No.	Subject	Page
	Dedication	Ι
	Acknowledgements	II
	Abstract	III
	List of Abbreviations	IV
	List of tables	V
	List of figures	VI
	Chapter - one	
1.1	Natural Occurring Quinones	1
1.1.2	Chemistry of Quinones	2
1.1.2.1	Chemical synthesis and Preparation of	4
	Quinones	
1.1.2.2	Reactions of Quinones	7
1.1.3	Physical Properties and Spectral Data of	10
	Quinones	
1.1.4	Biological activities of Quinones	12
1.1.5	Aims of project	14
	Chapter - two	
	Experimental – Materials and Methods	
2.1	Materials	15
2.1.1	Chemicals	15
2.1.2	Reagents	15
2.1.3	Solvents	15
2.2	Instrumentations	16
2.3	Methods	17
2.3.1	Preparation of 1–(Furan–2–yl methylidene)–2–	17
	phenyl hydrazine	
2.3.2	Synthesis of $2-\{5-[(2-phenylhydrazinylidene)$	17
	methyl] furan –2– yl}- 1,4-naphthoquinone	
2.3.3	Preparation of 1–(Benzylidene)–2–phenyl hydrazine	18
2.3.4	Synthesis of 2–{4 -[(2–phenylhydrazinyliden)methyl]	18

	phenyl }-1,4-naphthoquinone		
2.4	The Schemes	19	
Chapter - three			
3.1	Results and Disscution	20	
3.1.1	Synthetic Designing and mechanisms of reactions		
3.1.1.	. Retrosythesis analysis of 1–(Furan–2–yl		
1	methylidene)–2– phenyl hydrazine		
3.1.1.	Reaction Mechanism of 1–(Furan–2–ylmethylidene		
2)–2– phenyl hydrazine		
3.1.1.	Synthesis of 2–{5–[(2–phenylhydrazinylidene)methyl]furan–		
3	2-yl}-1,4-naphthoquinone		
3.1.1.	Retro Synthesis of 1– (Benzylidene)–2–phenyl	23	
4	hydrazine		
3.1.1.	Reaction Mechanism of 1–(Benzylidene)–2–phenyl	24	
5	hydrazine		
3.1.1.	Synthesis of 2–{4-[(2–phenylhydrazinyliden)methyl]	25	
6	phenyl}naphthalene-1,4-dione		
3.1.2	Thin layer chromatography (TLC)	26	
3.1.3	Infrared data analysis	27	
3.1.4	IR spectrum data analysis of 1–(Furan–2–yl	27	
	methylidene)–2–phenyl hydrazine		
3.1.5	IR spectrum data analysis of 1–(Benzylidene)–2–	28	
	phenyl hydrazine		
3.1.6	IR spectrum data analysis of $2-\{5-[(2-$	29	
	phenylhydrazinylidene)methyl]furan-2-yl}		
	naphthalene-1,4-dione		
3.1.7	IR spectrum data analysis of 2-{4-[(2-	30	
	phenylhydrazinyliden)methyl]phenyl }naphthalene-1,4		
	dione		
3.2	Conclusion and Recommendations	31	
Chapter Four			
4.1	References	36	