

الآية

بسم الله الرحمن الرحيم

قال تعالى :

وَلَهُمْ طَيْرٌ مَّا يَشْتَهِ وَنَّ {

صدق الله العظيم

سورة الواقعة

الآية (21)

Dedication

To my parents,

To my uncles,

To my sisters,

To my brothers,

To my husband,

To my son,

To my friends,

To My colleagues,

Acknowledgments

Thanks to God before and after

If Boxing express even a part of the fulfillment of Valahdae to:

Prophet Muhammad, peace be upon him)) teacher and the source of human science My special thanks to Professor Kamal AbdElbagi Mohammed who helped bring this search in its final form and then Dr. Awad Elkrem Eltigani Elfke , who help me a lot and gave me the information needed to complete this search.

As well as thank the family members of Animal Production, University of Sudan for Science and Technology who have submitted to me a lot of facilities.

Forget not Alguar plant represented in the character of Dr. Mohammed and Mr. Alaa and the Organization of Labena, which gave me a lot even managed to reach this stage.

Abstract

This study was conducted to evaluate the nutritive value of guar meal for conventional protein sources. Complete randomized block design (CRBD) was used in this experiment. Total number of 224, 7 days-old unsexed Ross-308 strain broiler chicks of approximately similar initial weight were randomly divided into 8 experimental groups with 4 replicates, each of 7 chicks. Eight iso-nitrogenous and iso-caloric rations were formulated and allotted randomly to the 8 groups with guar meal as unconventional protein source was incorporated in broiler diets by replacing groundnut cake at 0, 33, 66 and 100% with and without dietary commercial enzyme (xylam500). Chicks were fed for 6 weeks. Experimental parameters covered performance, carcass yield meat quality and economic appraisal.

No apparent health ill effects were recorded on guar meal feeding at all levels of replacement but, live weight gain, feed intake and feed conversion efficiency values were decreased significantly ($P<0.05$) in descending order as the level of guar meal increased in the diets. The enzyme addition had no significant ($P<0.05$) effect on the body weight gain and feed conversion efficiency, in all treatment groups whereas, the feed intake was increased significantly ($P<0.05$) at all dietary treatment groups by enzyme addition but, the groups fed on guar meal were still significantly ($P<0.05$) below the control group in feed intake values.

The results indicated that there were no significant differences among all treatment groups in the percent of carcass dressing, giblets, commercial cuts and their percent of separable meat, meat chemical composition and subjective meat quality parameters of broiler chicks.

The result of economical evaluation showed that as the level of guar meal with or without enzyme supplementation increased in the diets the profitability ratio decreases in broiler production.

الملخص

أجريت هذه التجربة لتقييم إحلال وجة القوار محل المصادر البروتينية التقليدية، تم استخدام نظام القطاعات العشوائية الكاملة في تصميم هذه التجربة، استخدم عدد (224) كتكوت لاحم، غير مجنس في عمر (7) أيام من سلالة الروس 308، متساوية تقريباً في الوزن الإبتدائي، قسمت عشوائياً إلى 8 مجاميع تجريبية، كل مجموعة ضمت 4 مكررات، بكل مكرر 7 كتاكيت. تم تركيب 8 علائق تجريبية تكون متماثلة في البروتين الخام والطاقة المماثلة وزوّدت عشوائياً على الثمانيةمجموعات حيث تم إحلال وجة القوار كمصدر غير تقليدي للبروتين محل أمبار الفول السوداني بالمعدلات صفر، %33، %66، 100% مع وبدون إضافة الإنزيم التجاري الزيلام 500. تم تغذية الكتاكيت على العلائق التجريبية لمدة 6 أسابيع. شملت قياسات التجربة الأداء الإنتاجي ، قيم الصفات الكمية والنوعية للذبيحة والتقييم الاقتصادي.

لم يكن هناك تأثير مرضي مقدر خلال فترة التغذية بوجة القوار في كل مستويات الإحلال ولكن كانت قيم الوزن المكتسب، إستهلاك العليقة والكافأة التحويلية للغذاء تتحفظ معنوياً ($P<0.05$) وبنسق تنازلي كلما زاد مستوى نسبة وجة القوار في العليقة. لم يكن لإضافة الإنزيم إلى العلائق التجريبية أي تأثير معنوي على الوزن المكتسب والكافأة التحويلية للغذاء في حين أن كمية الغذاء المستهلكة قد زادت معنويًا ($P<0.05$) في كل المجموعات التجريبية نتيجة لإضافة الإنزيم إليها ولكن المجموعات المغذاء على وجة القوار ما زالت لذني معنويًا ($P<0.05$) من المجموعة القياسية في معدل إستهلاك العليقة.

دللت النتائج على أنه لم توجد أي فورقات معنوية بين مجموعات المعاملات المختلفة في نسب التصافي، الأعضاء الداخلية، القطع التجارية ونسبة اللحم لكل منها، مكونات التحليل الكيميائي للحم وقياسات اللحم الإنطباعية للدجاج اللحم.

أظهر نتائج التقييم الاقتصادي أنه كلما زاد مستوى نسبة القوار سواء مع أو بدون إضافة الإنزيم التجاري في العليقة كلما إنخفضت الربحية النسبية من إنتاج الدجاج اللحم.

List of contents

Title	Page No.
الغلاف	I
Dedication	II
Acknowledgments	III
Abstract (English)	IV
Abstract (Arabic)	V
List of contents	VI
List of Tables	VII
List of figures	IX
Chapter One Introduction	
Introduction	1
Chapter Two Literature Review	
2. Guar	4
2.1 Scientific classification of guar	4
2.2 Guar production	4
2.3 Biology of guar plant	5
2.4 Uses of guar	6
2.4.1 Guar Plant	6
2.4.2 Domestic use	6
2.5 Guar gum	6
2.5.1 Food	6
2.5.2 Industry	6
2.6 Guar meal as plant protein source for poultry	7
2.6.1 Guar meal	7
2.6.2 Chemical composition of guar meal	7
2.6.3 Ant-nutritive factors in G M	9
2.7 Effects of dietary inclusion of guar meal on broiler performance	12

2.8Effects of dietary inclusion of guar meal supplementation with commercial enzyme on the performance of broiler	16
Chapter There	
Materials And Methods	
3.1 Experimental chicks	22
3. 2. Housing	23
3.3. Preparation of guar meal	23
3.4. Experimental diets	23
3.5 Data collected	24
3.5.1 performance data	24
3.5.2 Slaughter procedure and data	24
3.5.3 Carcass data	24
3.6 Methods used for meat quality assessment	25
3.6.1 meat chemical analysis	25
3.6.2 The taste panel	25
3-7 Statistical analysis	26
Chapter Four	
Results	
4-1 Performance	28
4-2 Carcass Measurements	30
4-2-1 Carcass and non-carcass yield	30
4.2.2 commercial cut	32
4.3 Meat quality parameters	36
4.3.1 Meat chemical composition	36
4.3.2 Panel test (subjective meat attributes)	38
4.4 Economic appraisal	40
Chapter Five	
Discussion Conclusion And Recommendations	
Discussion	42
Conclusion And Recommendations	49
References	51

List of Tables

Table	Title	Page
Table 1:	Percent inclusion rates (as fed basis) and calculated analysis (dry matter basis) of experimental diets fed to broiler chicks for 42 days.	27
Table 2:	Effect of dietary inclusion of guar meal and enzyme supplementation on performance of broiler chicks.	29
Table 3:	Effect of dietary inclusion of guar meal and enzyme supplementation on percent of carcass dressing and giblets (Dressing, Gizzard, Liver and Heart) broiler chicks for 6 weeks.	31
Table 4:	Effect of dietary inclusion of guar meal and enzyme supplementation on percentage of commercial cuts (Drumstick, Thigh and Breast) percentage values of broiler chicks.	33
Table 5:	Effect of dietary inclusion of guar meal and enzyme supplementation on the values of meat expressed as percentages form total weight of commercial cuts of broiler chicks.	35
Table 6:	Effect of dietary inclusion of guar meal and enzyme supplementation on chemical meat composition of broiler chicks for 6 weeks.	37
Table 7:	Effect of dietary inclusion of guar meal and enzyme supplementation on Subjective attribute of broiler chicks	39
Table 8:	Total cost ,revenues , net profit and profitability ratio of broiler chick fed different levels of guar meal with or without enzyme	41

List of figures

Figure No.	Title	Page No.
1	Effect of dietary inclusion of guar meal and enzyme supplementation on performance of broiler chicks.	64
2	Effect of dietary inclusion of guar meal and enzyme supplementation on percent of carcass dressing and giblets (Dressing, Gizzard, Liver and Heart) broiler chicks.	65
3	Effect of dietary inclusion of guar meal and enzyme supplementation on percentage of commercial cuts (Drumstick, Thigh and Breast) percentage values of broiler chicks.	66
4	Effect of dietary inclusion of guar meal and enzyme. Supplementation on the values of meat expressed as percentages form total weight of commercial cuts of broiler chicks.	67
5	Effect of dietary inclusion of guar meal and enzyme supplementation on chemical meat composition of broiler chicks for 6 weeks.	68
6	Effect of dietary inclusion of guar meal and enzyme supplementation on Subjective attribute of broiler chicks.	69
7	Total cost, revenues, net profit and profitability ratio of broiler chick fed different levels of guar meal with or without enzyme.	70