List of contents

subject	page
List of contents	I-II
List of figures	III
List of tables	V
Abstract(in English)	VI
Abstract (in Arabic)	VII
Acknowledgement	VIII
Dedication	IX

Chapter one	Page
1-1 Introduction	1
1-2 Objectives of the study	2
1-3 The problems of the study	2
1-4 Hypothesis	2
1-5 The importance of the study	3
1-6 Methodology	3
1-7 Thesis scope	4

Chapter two

Part one	page
2.1 Anatomy & physiology of the tooth	5
2.1.1 Introduction	5-6
2.1.2 Tissues of the tooth and it's location	7-8
2.1.3 Junctions of the tooth tissues	10
2.1.4 The shape of the individual teeth	10

Part two	page
2.2 Pathology (prelude)	12
2.2.1 Trauma of the teeth	12-13
2.2.2 Inflammatory diseases	13-16
2.2.3 Developmental abnormalities	16-20

Chapter three

T	
Materials and methods	Page
3.1 materials	21
3.1.1 x-ray machine	21
3.1.2 accessories materials	21
3.2 methods	22
3.2. 1 the applied intra oral techniques	22-27
3.2.2 the applied extra oral techniques	27-30

Chapter four

Data presentation (results)	32-40
-----------------------------	-------

Chapter five

Discussion / Conclusion and recommendations	41-44
References	45-47
Appendices	48-56

List of figures

Figures	page
Fig (2-1) Normal radiographic tooth anatomy.	6
Fig (2-2) Tooth structures	9
Fig (2-3) The alveolar process	9
Fig (3-2-1) Showed angulations of applied central ray.	23
Fig (3-2-2) Maxillary occlusal film	25
Fig (3-2-3) Lateral oblique projection of mandible	27
Fig (3-2-4) Panoramic film	31
Fig (4.1.1) Periapical technique showed the tooth and	33
it's tissue in percentage	
Fig (4.1.2) Occlusal technique showed the tooth and	33
it's tissue in percentage	
Fig (4.1.3) O.P.G technique showed the tooth and it's	34
tissue in percentage	
Fig (4.1.4) Lateral oblique technique showed the tooth	34
and it's tissue in percentage	
Fig (4.2.1) Periapical technique showed the	36
surrounding structure of the teeth in percentage	
Fig (4.2.2) Occlusal technique showed the	36
surrounding structure of the teeth in percentage	
Fig (4.2.3) O.P.G technique showed the surrounding	37
structure of the teeth in percentage	
Fig (4.2.4) Lateral oblique technique showed the	37
surrounding structure of the teeth in percentage	

Fig (4.3.1) Perapical technique showed the radiographic faults in percentage. Fig (4.3.2) Occlusal technique showed the radiographic faults in percentage. Fig (4.3.3) O.P.G technique showed the radiographic faults in percentage. Fig (4.3.4) Lateral oblique technique showed the radiographic faults in percentage. Fig B.1A fractured central incisor Fig B.2 A root fracture Fig B.3 Root caries Fig B.4 Recurrent caries Fig B.5 Inter proximal caries Fig B.6 Buccal caries Fig B.7 Occlusal caries Fig B.8 Moderate periodontitis Fig B.9 Advanced periodontitis Fig C.1 Dental x-ray machine Fig C.2 The main component of the panoramic unit		
Fig (4.3.2) Occlusal technique showed the radiographic faults in percentage.39Fig (4.3.3) O.P.G technique showed the radiographic faults in percentage.40Fig (4.3.4) Lateral oblique technique showed the radiographic faults in percentage.40Fig B.1A fractured central incisor51Fig B.2 A root fracture51Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56		39
radiographic faults in percentage. Fig (4.3.3) O.P.G technique showed the radiographic faults in percentage. Fig (4.3.4) Lateral oblique technique showed the radiographic faults in percentage. Fig B.1A fractured central incisor Fig B.2 A root fracture 51 Fig B.3 Root caries 52 Fig B.4 Recurrent caries 52 Fig B.5 Inter proximal caries 53 Fig B.6 Buccal caries 53 Fig B.7 Occlusal caries 53 Fig B.8 Moderate periodontitis 54 Fig C.1 Dental x-ray machine Fig C.2 The main component of the panoramic 50 40 40 40 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 40 41 41	radiographic faults in percentage.	
Fig (4.3.3) O.P.G technique showed the radiographic faults in percentage.40Fig (4.3.4) Lateral oblique technique showed the radiographic faults in percentage.40Fig B.1A fractured central incisor51Fig B.2 A root fracture51Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	1	39
radiographic faults in percentage. Fig (4.3.4) Lateral oblique technique showed the radiographic faults in percentage. Fig B.1A fractured central incisor Fig B.2 A root fracture Fig B.3 Root caries Fig B.4 Recurrent caries Fig B.5 Inter proximal caries Fig B.6 Buccal caries Fig B.7 Occlusal caries Fig B.8 Moderate periodontitis Fig B.9 Advanced periodontitis Fig C.1 Dental x-ray machine Fig C.2 The main component of the panoramic 50 40 40 40 40 40 Fig C.1 Dental x-ray machine Fig C.2 The main component of the panoramic	radiographic faults in percentage.	
Fig (4.3.4) Lateral oblique technique showed the radiographic faults in percentage.40Fig B.1A fractured central incisor51Fig B.2 A root fracture51Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	1	40
radiographic faults in percentage. Fig B.1A fractured central incisor Fig B.2 A root fracture 51 Fig B.3 Root caries 52 Fig B.4 Recurrent caries 52 Fig B.5 Inter proximal caries 53 Fig B.6 Buccal caries 53 Fig B.7 Occlusal caries 53 Fig B.8 Moderate periodontitis 54 Fig B.9 Advanced periodontitis 55 Fig C.1 Dental x-ray machine 55 Fig C.2 The main component of the panoramic 56	radiographic faults in percentage.	
Fig B.1A fractured central incisor Fig B.2 A root fracture 51 Fig B.3 Root caries 52 Fig B.4 Recurrent caries 52 Fig B.5 Inter proximal caries 53 Fig B.6 Buccal caries 53 Fig B.7 Occlusal caries 53 Fig B.8 Moderate periodontitis 54 Fig B.9 Advanced periodontitis 55 Fig C.1 Dental x-ray machine 55 Fig C.2 The main component of the panoramic 56	Fig (4.3.4) Lateral oblique technique showed the	40
Fig B.2 A root fracture51Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	radiographic faults in percentage.	
Fig B.2 A root fracture51Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56		
Fig B.2 A root fracture51Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56		
Fig B.3 Root caries52Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	Fig B.1A fractured central incisor	51
Fig B.4 Recurrent caries52Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	Fig B.2 A root fracture	51
Fig B.5 Inter proximal caries52Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	Fig B.3 Root caries	52
Fig B.6 Buccal caries53Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	Fig B.4 Recurrent caries	52
Fig B.7 Occlusal caries53Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	Fig B.5 Inter proximal caries	52
Fig B.8 Moderate periodontitis54Fig B.9 Advanced periodontitis54Fig C.1 Dental x-ray machine55Fig C.2 The main component of the panoramic56	Fig B.6 Buccal caries	53
Fig B.9 Advanced periodontitis 54 Fig C.1 Dental x-ray machine 55 Fig C.2 The main component of the panoramic 56	Fig B.7 Occlusal caries	53
Fig C.1 Dental x-ray machine 55 Fig C.2 The main component of the panoramic 56	Fig B.8 Moderate periodontitis	54
Fig C.2 The main component of the panoramic 56	Fig B.9 Advanced periodontitis	54
Fig C.2 The main component of the panoramic 56		
	Fig C.1 Dental x-ray machine	55
unit	Fig C.2 The main component of the panoramic	56
	unit	

List of tables

Table	page
Table (A) Applied x-ray unit	(21)
Table (1) The statistical results as percentage for each tooth anatomical structures and the applied techniques.	(32)
Table (2) The statistical results as percentage for the surrounding structures and the applied techniques.	(35)
Table (3) The statistical results as percentage for the dental radiographic fault and the applied techniques.	(38)

Abstract

This study was conduct at Academic charity teaching hospital and Khartoum teaching dental hospital, in the period from December 2005 to April 2007.

This study was done to number of (120) patients, 30 patients for each technique, by using different types of dental machines (Philips, Siemens & Shimadzu).

This thesis had studied different anatomical finding and different technical faults by using different type of techniques (periapical, occlusal, lateral /oblique and O.P.G).

This study aimed to choose the best and suitable technique use for detecting pathology, and also to evaluate and compare between the dental techniques to find out the best technique used for each case.

The results of this study was that the periapical examination is the best technique to demonstrate the tooth and it's main tissue, and it cause less technical fault compare with the other techniques. Also O.P.G is the superior technique when demonstrating the surrounding structures of the teeth.

بسم الله الرحمن الرحيم

ملخص الدراسة

أجريت هذه الدراسة بمستشفى الأكاديمية الخيرى التعليمي ومستشفى الأسنان التعليمي- الخرطوم ، في الفترة ما بين ديسمبر 2005 م وحتى أبريل 2007 م .

أجريت الدراسة على عدد 120 مريض، بمعدل 30 مريض لكل تقنية، وذلك بإستخدام أجريت الدراسة على عدد 120 مريض، بمعدل أنواع مختلفة من أجهزة الأسنان (فيليب، سيمينس، وشيمادزو).

درس البحث مختلف الأجزاء التشريحية ومختلف الأخطاء التقنية الناتجة عن إستخدام تقنيات التصوير المختلفة (الفحص القمى الأفقى, فحص إطباق الأسنان, الفحص المائل الجانبى، تقنية فحص الفك العلوى والسفلى).

تهدف هذه الدراسة لإختيار أفضل وأنسب تقنية تستخدم لتحديد المرض، أيضا التعميم والمقارنة بين تقنيات الأسنان لإيجاد أفضل تقنية تستخدم لكل حالة.

نتائج الدراسة أن تقنية الفحص القمى الأفقى هى أفضل تقنية لفحص الأسنان وأنسجتها الأساسية وهى أقبل التقنيات الأخرى أخطاءاً تقنية كذلك أن تقنية تصوير الفك العلوى والسفلى أفضل تقنية عند فحص التراكيب المحيطة بالإسنان.

Acknowledgement

I wish to express my deepest appreciation to my friendly teacher and supervisor (Caroline Edward Ayad) for her advising and unending support during the preparation of this thesis.

I would also like to acknowledge the staff of the x-ray department of the Academy charity teaching hospital & Khartoum teaching dental hospital for their understanding and helping to complete this research.

Also I would like to thanks the staff of the library of college of Medical Radiologic Sciences for their assistant and endurance.

Dedication

To my mother

To soul of my kind father

To my dear husband

To my lovely son

To my supervisor for her appreciable, great help, advice and endurance

To my friends and colleagues

To every one who ever help me

To all of them I dedicate this work