قال تعالى :

أُمَّنْ هُوَ قَانِتُ آنَاءَ اللَّيْلِ سَاجِدًا
وَقَائِمًا يَحْذَرُ الْآخِرَةَ وَيَرْجُو رَحْمَةَ
رَبِّهِ قُلْ هَلْ يَسْتَوِي الَّذِينَ يَعْلَمُونَ
وَالَّذِينَ لَا يَعْلَمُونَ إِنَّمَا يَتَذَكَّرُ أُولُو
الْآذِينَ لَا يَعْلَمُونَ إِنَّمَا يَتَذَكَّرُ أُولُو
الْأَلْبَابِ }

صدق الله العظيم

[الزمر : 9[

Dedication

This research is dedicated to

My dear father

My dear mother

My Brothers & sisters Source of support in my life and my Nephew and my Nieces

My Loyal Friends

And all my teachers

Acknowledgment

I would like to take this opportunity to express my profound gratitude and deep regard to Dr. YOUSIF MOHAMED YOUSIF, for his exemplary guidance, valuable feedback and constant encouragement throughout the duration of the project. His valuable suggestions were of immense help throughout my project work. His perceptive criticism kept me working to make this project in a much better way. Working under him was an extremely knowledgeable experience for me. And also thank everyone who helped me to complete this search

Abstract

Advanced technologies in image processing and analysis are used extensively in nuclear medicine, working to improve nuclear medicine images, image data are used to gather details from location of the diseases or physiological processes. This study aims to enhancement of bone scintigraphy Image by using image processing technique and have been using MATLAB program is used to enhance the quality of the images, The random sampling consists of 10 patients who underwent bone scintigraphy scan ,the study was conducted and taking information from Niles Center for Nuclear Medicine, data were collected in the period between July 2014 to January 2015. MATLAB program techniques such as Contrast-limited adaptive histogram equalization (CLAHE), histogram equalization, Adjust image intensity values or colormap, 2-D median filtering and contrast stretch image, are used on this study to analyzed and Enhanced data (bone scan images). This study showing a significant difference between the original image and the image that processed using MATLAB techniques, in terms of contrast especially in homogeneous areas and had been avoided the amplifying of any noise that might be present in the image by (CLAHE), extracting of the foreground from the background by using histogram as guide for threshold value and enhance the contrast of images (bone scan) by using histogram code and

Contrast stretch image ,the Adjust image code used to enhance the images by increasing of contrast, the reduce of the "salt and pepper" noise by using 2-D median filtering; median filter was more effective than convolution when the goal is simultaneously reduce noise and preserve edges.

الخلاصة

التقنيات المتقدمة في معالجة الصور و تحليلها تستخدم على نطاق واسع في الطب النووي و ذلك لانها تعمل على تحسين صور الطب النووي بشكل كبير جدا و ايضا يمكنها فصل المعلومات المطلوبة عن باقى الصورة , وتستخدم بيانات الصورة لجمع تفاصيل عن مكان وجود الامراض أو العمليات الفيزيولوجية. هذه الدراسة تهدف الى تحسين صور فحص العظام الومضاني باستخدام تقنيات معالجة الصور و قد تم استخدام برنامج الماتلاب لتحسين جودة الصور, تم اخذ عينات عشوائية تتكون من 10 مرضى خضعوا لالفحص الومضاني للعظام, وقد تمت الدراسة و اخذ المعلومات من مركز النيلين للطب النووي، وتم جمع البيانات في الفترة بين يوليو 2014 الي يناير ٢٠١٥. تقنيات تحسين الصور الموجودة في برنامج الماتلاب مثل معادلة تباين تكيف الرسم البياني المحدودة (م ت ت ا ا) ، معادلة التمثيل البياني، وضبط صورة قيم الكثافة أو خارطة الألوان، 2- د متوسط الترشيح وتباين الصورة الممتد. وقد استخدمت في هذه الدراسة لتحليل و تعزيز البيانات (صور فحص العظام). هذه الدراسة توجد الفرق الكبير بين الصورة الأصلية والصورة التي تم تحسينها باستخدام تقنيات الماتلاب من حيث التباين وخاصة في

المناطق المتجانسة وتجنبت تضخيم أي ضوضاء قد تكون موجودة في الصورة عن طريق استخدام (م ت ت ا ا), وفصلت المقدمة من الخلفية باستخدام الرسم البياني كدليل لقيمة العتبة وتم تعزيز تباين البيانات (صور فحص العظام) باستخدام تقنية معادلة الرسم البياني، وايضا تعزيز (صور فحص العظام) من خلال زيادة التباين في الصورة باستخدام تقنية ضبط الصورة، وتم خفض الضوضاء "الملح والفلفل" باستخدام 2- د متوسط الترشيح ، وهذا المرشح أكثر فعالية من الإلتواء عندما يكون الهدف هو هو الحد من الضوضاء والحفاظ على الحواف في وقت واحد.

List of Abbreviations

MRI: magnetic resonance imaging

CT: computed tomography

SPECT: photon emission computed tomography

PET: positron emission tomography

DEXA or DXA: Dual-energy X-ray absorptiometry

MDP: methylene-diphosphonate

X: Gamma rays

NM: Nuclear medicine

¹⁸F-FDG: fluorodeoxyglucose (is a radiopharmaceutical used in the medical imaging modality (PET))

FoV: Field of View

RGB image: Red, Green and Blueimage

Ft : Fourier transform

[BW]: bwboundaries traces the exterior boundaries of objects, as well as

boundaries of holes inside these objects in the binary image

CLAHE: Contrast-limited adaptive histogram equalization

List of figure:

Figure 2-1. Gamma Decay (Karl, 2003)	7
Figure 2-2.Mutual Annihilation after Positron Decay (Rickey et al 1992)	7
Figure 2-3. Human skeleton (Heller et al,2003)	8
Figure 2-4.bone scintigraphy (Cook GJ, 2002	10
Figure 2-5.bone scans (Hess KR, 2006)	11
Figure 2-6. Whole-body PET scan using ¹⁸ F-FDG (Newberg A, 2002)	11
Figure 2-7. Whole-body bone scan with Oral metastases (Van and Buter, 2003)	14
Figure 2-8. diagram of a gamma camera (Gunter DL, 2006)	16
Figure 2-9. A bone scan of a patient's hand displayed with digital image resolutions of	23
256x256x8 bits, 32x32x8 bits and 256x256x2 bits (Maher et al, 2006)	
Figure 2-10. A digital image is a 2D array of pixels each pixel is characterized by its (x,	23
y) coordinates and its value (Lyra, et al, 2011)	
Figure 2-11 Binary image (MathWorks, 2001)	24
Figure 2-12. Intensity image of class double (MathWorks, 2001)	2 5
Figure 2-13. RGB image of class double (MathWorks, 2001)	26
Figure 2-14. Indexed image of class double (MathWorks, 2001)	27
Figure 2-15. Filtering process in spatial domain (lyra et al, 2011)	29
Figure 2-16. Function of Mean filter (lyra et al, 2011)	29
Figure 2-17. Function of Median filter (lyra, 2011)	30

Figure 2-18. Image processing options based on the same unprocessed bone scan shown	31
in top left (Maher et al, 2006) Figure 2-19. Fourier transform convert image data (<u>Maher</u> et al, 2006) Figure 2-20. Interpolation applied to zooming an image by a factor of two (Maher et al,	32 36
2006) Figure 2-21. Mean filter applied on kidneys image (a) Original image, (b) average filter	37
3x3, (c) average filter 9x9, (d) average filter 15x15, (e) average filter 20x20 and, (f)	0,
average filter 25x25 [(a) to (f) from left to right] (Lyra, et al, 2011) Figure 2-22. Impulse noise elimination by median filter (a) Original image (b) the	38
image with impulse noise (c) the image on which the noise is suppressed with the	
median filter. [(a) to (c) from left to right] (Lyra, et al, 2011) Figure 2-23. Background subtraction: (a) Original image, (b) segmented binary image	40
after thresholding depicting only sharp organ boundaries, (c) image after background	
removal, (d) change of colour to nuclear medicine pattern. [(a) to (d) from left to right]	
(Lyra, et al, 2011) Figure 4-1. The original bone scan image test (A1) Figure 4-2. CLAHE technique; at left side the original image with histogram and at	47 48
right side the enhanced image using CLAHE technique from test (A1) Figure 4-3. The original bone scan image test (A2) Figure 4-4. histogram equalization technique; at left side the original image with	49 50
histogram and at right side the enhanced image using histogram equalization	
technique from test (A2) Figure 4-5. The original bone scan image test (A3) Figure 4-6. Adjust technique; at left side the original image with histogram and at right	50 51
side the enhanced image using Adjust technique from test (A3) Figure 4-7. The original bone scan image test (A4) Figure 4-8. 2-D median filtering technique; at left side the blurring image with	52 53
histogram and at right side the enhanced image using 2-D median filtering technique	
from test (A4) Figure 4-9. The original bone scan image test (A5) Figure 4-10. Contrast stretch image technique; at left side the original image with	53 54
histogram and at right side the enhanced image using contrast stretch image technique	
from test (A5) Figure 4-11. The original bone scan image test (B1) Figure 4-12. CLAHE technique; at left side the original image with histogram and at	55 56
right side the enhanced image using CLAHE technique from test (B1) Figure 4-13. The original bone scan image test (B2)	56

Figure 4-14. histogram equalization technique; at left side the original image with	57
histogram and at right side the enhanced image using histogram equalization	
technique from test (B2) Figure 4-15. The original bone scan image test (B3) Figure 4-16. Adjust technique; at left side the original image with histogram and at	58 59
right side the enhanced image using Adjust technique from test (B3) Figure 4-17. The original bone scan image test (B4) Figure 4-18. 2-D median filtering technique; at left side the blurring image with	59 60
histogram and at right side the enhanced image using 2-D median filtering technique	
from test (B4) Figure 4-19. The original bone scan image test (B5) Figure 4-20. Contrast stretch image technique; at left side the original image with	61 62
histogram and at right side the enhanced image using contrast stretch image technique	
from test (B5) Figure 4-21. The original bone scan image test (C1) Figure 4-22. CLAHE technique; at left side the original image with histogram and at	62 63
right side the enhanced image using CLAHE technique from test (C1) Figure 4-23. The original bone scan image test (C2) Figure 4-24. histogram equalization technique; at left side the original image with	64 65
histogram and at right side the enhanced image using histogram equalization	
technique from test (C2) Figure 4-25. The original bone scan image test (C3) Figure 4-26. 2-D median filtering technique; at left side the blurring image with	65 66
histogram and at right side the enhanced image using 2-D median filtering technique	
from test (C3) Figure 4-27. The original bone scan image test (C4) Figure 4-28. Contrast stretch image technique; at left side the original image with	67 68
histogram and at right side the enhanced image using contrast stretch image technique	
from test (C4) Figure 4-29. The original bone scan image test (D1) Figure 4-30. CLAHE technique; at left side the original image with histogram and at	68 69
right side the enhanced image using CLAHE technique from test (D1) Figure 4-31. The original bone scan image test (D2) Figure 4-32. histogram equalization technique; at left side the original image with	70 71
histogram and at right side the enhanced image using histogram equalization	
technique from test (D2) Figure 4-33. The original bone scan image test (D3) Figure 4-34. 2-D median filtering technique; at left side the blurring image with	71 72

histogram and at right side the enhanced image using 2-D median filtering technique	
from test (D3) Figure 4-35. The original bone scan image test (D4) Figure 4-36. Contrast stretch image technique; at left side the original image with	73 74
histogram and at right side the enhanced image using contrast stretch image technique	
from test (D4) Figure 4-37. The original bone scan image test (E1) Figure 4-38. CLAHE technique; at left side the original image with histogram and at	74 75
right side the enhanced image using CLAHE technique from test (E1) Figure 4-39. The original bone scan image test (E2) Figure 4-40. histogram equalization technique; at left side the original image with	76 77
histogram and at right side the enhanced image using histogram equalization	
technique from test (E2) Figure 4-41. The original bone scan image test (E3) Figure 4-42. 2-D median filtering technique; at left side the blurring image with	77 78
histogram and at right side the enhanced image using 2-D median filtering technique	
from test (E3) Figure 4-43. The original bone scan image test (E4)	78

List of Contents