

Declaration

Here it is to declare that this research work entitled: (The Efficacy of Sulphadimidine, Gentamicin, Oxytetracycline and their combination in Nubian goats experimentally infected with *Trypanosoma evansi* (isolated from Eastern Sudan) was carried out in the Department of Parasitology, College of Veterinary Medicine, Sudan University of Science and Technology under the supervision of Prof. Osman Saad Ali Mohamed.

Dedication

To My parents, My friends, My colleagues Atif Abushieba and Maluit Bony Deng for their unlimited appreciations.

Acknowledgements

I would like to express my deepest gratitude and sincere appreciation to my supervisors. Professor Osman Saad Ali Mohammed, Department of Veterinary Medicine and Surgery, College of Veterinary Medicine, Sudan University of Science and Technology and Dr. Fairouz Mohammed Youssif, Central Veterinary Research Laboratories (CVRL)- Animal Resource Research Corporation for their unfailing guidance, constructive criticism, provision of facilities, statistical analysis, encouragement and for their considerable assistance throughout this work.

Special thanks are due to late Professor Mohamed Ali Ismail, Department of parasitology- Sudan University for Science and Technology - College of Veterinary Medicine for the help with equipments and experimental support during the study.

Above all, I praise the almighty God for giving me the health and strength to carry out this work.

Abstract:

The objective of the study was to evaluate the efficacy of sulphadimidine, gentamicin, oxytetracycline and their combination in Nubian goats experimentally infected with *Trypanosoma evansi*. Eleven groups (1-11) were used each of three. Sulphadimidine was given at single i/m dose of (100, 200 and 400 mg/kg). Gentamicin were given at (2, 4 and 8 mg/kg), while oxytetracycline long acting was given at (20 mg/kg). Combinations of sulphadimidine and gentamicin at (200 + 4) and (400 + 8) mg/kg respectively, combinations of sulphadimidine and oxytetracycline (200 + 20) and gentamicin and oxytetracycline (4 + 20) mg/kg respectively were also tested. Sulphadimidine, gentamicin and oxytetracycline at single doses of (200, 400), (4, 8) and 20 mg/kg respectively were succeeded to eliminate the parasite from the peripheral blood at (4), (8 and 7) and (4) weeks post infection respectively. Doses of sulphadimidine and gentamicin at 100 and 2 mg/kg respectively failed to eliminate the parasite from the peripheral blood and the animals were slaughtered at weeks 4 post infection in moribund condition. No significant changes were observed in clinical and haematological parameters of the tested groups. Significant decrease ($p \leq 0.05$) in the serum glucose concentration and significant increase ($p \leq 0.05$) in the serum urea concentration and in the activity of GOT of the tested groups.

الملخص :

هدفت هذه الدراسة لتقدير فاعلية عقار سلفادايمدين وجنتاميسين وأوكسيتيتراسيكلين ومخالطيهم في الماعز النبوي المصابة تجريبياً بالطفيل تريبياناسوما إيبانسي استخدمت إحدى عشر مجموعة يتكون كل منها من ثلاثة ماعز حقن كل ماعز في كل مجموعة في العضل مرة واحدة بعقار سلفادايمدين بمعدل (100 ، 200 ، 400 ملغ/ك.م) والجنتاميسين (2 ، 4 ، 8 ملغ/ك.م) وأوكسيتيتراسيكلين طويل الأمد بمعدل (20 ملغ/ك.م) على التوالي. كما حققت أربعةمجموعات منهم بمخالط سلفادايمدين + الجنتاميسين (200 + 4 ملغ/ك.م ، 400 + 8 ملغ/ك.م) وملح سلفادايمدين + أوكسيتيتراسيكلين (4 + 20 ملغ/ك.م) على التوالي . نجح عقار سلفادايمدين والجنتاميسين والأوكس تتراسيكلين في تنظيف الدم الطرفي من الطفيلي من الجرعات (200 ، 4/400 ، 8/4 و 20 ملغ/ك.م) على التوالي في الإسبوع (4 ، 8/4 ، 4/7) بعد الإصابة على التوالي . فشلت الجرعات من عقار سلفادايمدين والجنتاميسين (100 و 2 ملغ/ك.م) على التوالي في تنظيف الدم الطرفي من الطفيلي، ودبت الحيوانات في الإسبوع الرابع بعد الإصابة على التوالي. نجحت مخالط سلفادايمدين والجنتاميسين، ومخالط سلفادايمدين والأوكسيتيتراسيكلين، والجنتاميسين ولاوكسيتيتراسيكلين في تنظيف الدم عند الإسبوع (8 و 4/7 و 4) بعد الإصابة وحتى نهاية التجربة . لا توجد فروقات معنوية في المقاييس الإكلينيكية ومقاييس الدم . توجد فروقات معنوية منخفضة ($p \leq 0.05$) في تركيز معدل السكر وزيادات ($p \leq 0.05$) في تركيز مصل اليوريا ونشاط إنزيم GOT في الحيوانات المختبرة .

TABLE OF CONTENTS

Acknowledgement.....	i
Abstract.....	ii
Arabic abstract.....	iii
Table of contents.....	iv
List of tables.....	vi
List of figures.....	vii
List of abbreviations.....	viii
Introduction.....	1

CHAPTER ONE

LITERATURE REVIEW

1.1	<i>Trypanosoma evansi</i>	4
1.2	Origin.....	5
1.3	Transmission.....	9
1.4	Diagnosis.....	10
1.5	Clinical signs in goats and sheep.....	14
1.6	Drugs Resistance.....	15
1.7	Drug Resistance in Sudanese Trypanosomes.....	15
1.8	Chemotherapy.....	16
1.9	Measures aimed at combating drug resistance in the field.....	19
1.9.1	Change of drugs.....	19
1.9.2	Sanative treatment.....	20
1.9.3	Increased dosage.....	21
1.9.4	Repetitive treatments.....	21
1.10	Antibiotics.....	22
1.10.1	Sulphonamides.....	24
1.10.2	Sulphadimidine.....	25

1.10.2.1	Mode of action.....	25
1.10.2.2	Uses of Sulphadimidine.....	26
1.10.2.3	Side effects.....	27
1.10.3	Gentamicin.....	27
1.10.3.1	Mode of action.....	27
1.10.3.2	Uses of Gentamicin.....	28
1.10.3.3	Side effects.....	29
1.10.4	Tetracycline.....	30
1.10.5	Oxytetracycline Long Acting (Oxy-LA).....	31
1.10.5.1	Mode of action.....	32
1.10.5.2	Uses of tetracycline.....	32
1.10.5.3	Side effects.....	32
1.10.6	Mechanisms of Resistance.....	33

Chapter Two

MATERIALS AND METHODS

2.1	Experimental animals.....	34
2.2	Animal accommodation.....	34
2.3	Pre-infection screening of the animals (Acclimatization period).....	34
2.4	The classifications of experimental groups and their subgroups.....	35
2.4.1.1	Subgroup (3) infected and treated with single half recommended dose of Sulphadimidine administered intramuscularly (100mg/kg of body weight).	35
2.4.1.2	Subgroup (4) infected and treated with single recommended dose of Sulphadimidine administered intramuscularly (200mg/kg of body weight).	35
2.4.1.3	Subgroup (5) infected and treated with single double recommended dose of Sulphadimidine administered intramuscularly (400mg/kg of body weight).....	35
2.4.2	Efficacy of Gentamicin in Nubian goats infected experimentally with <i>Trypanasoma evansi</i>	35
2.4.2.1	Subgroup (6) infected and treated with single half recommended dose of Gentamicin administered intramuscularly (2mg/kg of body weight).....	36
2.4.2.2	Subgroup (7) infected and treated with single recommended dose of Gentamicin administered intramuscularly (4mg/kg of body weight).....	36
2.4.2.3	Subgroup (8) infected and treated with single double recommended dose	36

	of Gentamicin administered intramuscularly (8mg/kg of body weight).....	
2.4.3	Efficacy of Oxytetracycline in Nubian goats infected experimentally with <i>Trypanasoma evansi</i> , and consisted of one subgroups as follows.....	36
2.4.3.1	Subgroup (9) infected and treated with single recommended dose of Oxytetracycline (20mg/kg of body weight) administered intramuscularly.	36
2.4.4	Efficacy of Gentamicin and Sulphadimidine combination in Nubian goats infected experimentally with <i>Trypanasoma evansi</i>	36
2.4.4.1	Subgroup (10) infected and treated with single recommended dose of combination of Gentamicin (4mg/kg of body weight) and Sulphadimidine (200mg/kg of body weight) administered intramuscularly.....	36
2.4.4.2	Subgroup (11) infected and treated with single double recommended dose of combination of Gentamicin (8mg/kg of body weight) and Sulphadimidine (400mg/kg of body weight) administered intramuscularly.	36
2.4.5	Efficacy of Sulphadimidine, Gentamicin and Oxytetracycline combination in Nubian goats infected experimentally with <i>Trypanasoma evansi</i>	37
2.4.5.1	Subgroup (12) infected and treated with single recommended dose of combination of Sulphadimidine (200mg/kg of body weight) and Oxytetracycline (20mg/kg of body weight) administered intramuscularly.	37
2.4.5.2	Subgroup (13) infected and treated with single recommended dose of combination of Gentamicin (4mg/kg of body weight) and Oxytetracycline (20mg/kg of body weight) administered intramuscularly.....	37

2.5	Treatment.....	37
2.6	Drugs.....	37
2.6.1	Gentamycin 20% injection (Univet, Ireland).....	37
2.6.2	Sulphadimidine Sodium 33.3% injection (Iterchemie Werken, Holland).....	37
2.6.3	Oxytetracycline Long Acting (OXY-LA) 20% injection Hebei Yuanzheng, China.....	37
2.7	The Parasite and infection.....	37
2.8	Techniques used for blood collection.....	38
2.9	Investigations.....	39
2.9.1	General body condition.....	39
2.10	Parasite detection.....	39
2.10.1	Wet blood film.....	39
2.10.2	Buffy coat technique.....	40
2.10.3	Parasite count using haemocytometers.....	40
2.11	Clinical parameters.....	40
2.12	Haematological examinations.....	41
2.12.1	Haemoglobin concentration (Hb).....	41

2.12.2	Packed cell volume (PCV %).....	41
2.13	Blood cells count.....	42
2.14	Differential white blood cells count.....	42
2.14.1	Erythrocyte indices.....	42
2.15	Serobiochemical examinations.....	43
2.15.1	Serum total proteins.....	43
2.15.2	Serum albumin.....	44
2.15.3	Serum glucose.....	44
2.15.4	Serum urea.....	45
2.15.5	Serum glutamate oxaloacetate transaminase (GOT).....	45
2.15.6	Globulins.....	46
2.16	Statistical analysis.....	46

CHAPTER THREE

RESULTS

3.1	Efficacy of Sulphadimidine in Nubian goats infected experimentally with <i>Trypanosoma evansi</i>	47
3.1.1	Clinical signs and morbidity.....	47
3.1.2	Clinical Parameters.....	47
3.1.3	Haematological parameters.....	49
3.1.4	White blood cells count.....	51
3.1.5	Serobiochemical parameters.....	53
3.1.6	The efficacy of Sulphadimidine.....	55
3.2	Efficacy of Gentamicin in Nubian goats infected experimentally with <i>Trypanosoma evansi</i>	58
3.2.1	Clinical signs and morbidity.....	58
3.2.2	Clinical parameters.....	58
3.2.3	Haematological parameters.....	60
3.2.4	White blood cells count.....	62
3.2.5	Serobiochemical parameters.....	64
3.2.6	The efficacy of Gentamicin.....	66

3.5	Efficacy of Oxytetracycline in Nubian goats infected experimentally with <i>Trypanosoma evansi</i>	69
3.5.1	Clinical signs and morbidity.....	69
3.3.2	Clinical parameters.....	69
3.3.3	Haematological parameters.....	70
3.3.4	White blood cells count.....	71
3.3.5	Serobiochemical parameters.....	72
3.5.6	The efficacy of Oxytetracycline.....	73
3.3	Efficacy of Sulphadimidine and Gentamicin combination in Nubian goats infected experimentally with <i>Trypanosoma evansi</i>	75
3.3.1	Clinical signs and morbidity.....	75
3.3.2	Clinical parameters.....	75
3.3.3	Haematological parameters.....	77
3.3.4	White blood cells count.....	78
3.3.5	Serobiochemical parameters.....	79
3.3.6	The efficacy of Sulphadimidine and Gentamicin combination.....	80
3.4	Efficacy of Sulphadimidine, Gentamicin, Oxytetracycline combination in Nubian goats infected experimentally with <i>Trypanosoma evansi</i>	83

3.4.1	Clinical signs and morbidity.....	83
3.4.2	Clinical parameters.....	83
3.4.3	Haematological parameters.....	85
3.4.4	White blood cells count.....	86
3.4.5	Serobiochemical parameters.....	88
3.4.6	The efficacy of combination of Sulphadimidine, Gentamicin and Oxytetracycline.....	90

CHAPTER FOUR

DISCUSSION

4.1	Discussion.....	94
	Conclusion.....	107
	Recommendations.....	107
	References.....	108
	Appendix.....	139

NO	LIST OF TABLES	Page NO
3.1	Clinical parameters in Nubian goats infected with <i>T.evansi</i> and treated with Sulphadimidine Mean±SE.....	48
3.2	Haematological parameters in Nubian goats experimentally infected with <i>T. evansi</i> and treated with Sulphadimidine Mean±SE.....	50
3.3	White blood cells count in Nubian goats experimentally infected with <i>T.evansi</i> and treated with Sulphadimidine Mean±SE.....	52
3.4	Serobiochemical parameters in Nubian goats experimentally infected with <i>T.evansi</i> and treated with Sulphadimidine Mean±SE.....	54
3.5	Efficacy of Sulphadimidine in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method Mean±SE.....	56
3.6	Clinical parameters in Nubian goats infected with <i>T.evansi</i> and treated with Gentamicin Mean±SE.....	59
3.7	Haematological parameters in Nubian goats infected with <i>T.evansi</i> and treated with Gentamicin Mean±SE.....	61
3.8	White blood cells count in Nubian goats infected with <i>T.evansi</i> and treated with Gentamicin Mean±SE.....	63
3.9	Serobiochemical parameters in Nubian goats infected with <i>T.evansi</i> and treated with Gentamicin Mean±SE.....	65
3.10	Efficacy of Gentamicin in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method Mean±SE.....	67
3.11	Clinical parameters in Nubian Goats infected experimentally with <i>T.evansi</i>	69

	and treated with Oxytetracycline Mean±SE.....	
3.12	Haematological parameters in Nubian goats infected with <i>T.evansi</i> and treated with Oxytetracycline Mean±SE.....	70
3.13	White blood cells count in Nubian goats experimentally infected with <i>T.evansi</i> and treated with Oxytetracycline Mean±SE.....	71
3.14	Serobiochemical parameters in Nubian goats infected with <i>T.evansi</i> and treated with Oxytetracycline Mean±SE.....	72
3.15	Efficacy of Oxytetracycline in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method Mean±SE.....	73
3.16	Clinical parameters in Nubian goats infected with <i>T.evansi</i> and treated with combination of Sulphadimidine and Gentamicin Mean±SE.....	76
3.17	Hematological parameters in Nubian goats infected with <i>T.evansi</i> and treated with combination of Sulphadimidine and Gentamicin Mean±SE...	77
3.18	White blood cells in Nubian goats infected with <i>T.evansi</i> and treated with combination of Sulphadimidine and Gentamicin Mean±SE.....	78
3.19	Serobiochemical parameters in Nubian goats infected with <i>T.evansi</i> and treated with combination of Sulphadimidine and Gentamicin Mean±SE...	79
3.20	Efficacy of combination of Sulphadimidine and Gentamicin in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method Mean±SE.....	81
3.21	Clinical parameters in Nubian goats infected with <i>T.evansi</i> and treated with combination of Oxytetracycline with Sulphadimidine and Gentamicin	84

	Mean±SE.....	
3.22	Haematological parameters in Nubian goats infected with <i>T.evansi</i> and treated with combination of Oxytetracycline with Sulphadimidine and Gentamicin Mean±SE.....	85
3.23	White blood cells count in Nubian goats infected with <i>T.evansi</i> and treated with combination of Oxytetracycline with Sulphadimidine and Gentamicin Mean±SE.....	87
3.24	Serobiochemical parameters in Nubian goats infected with <i>T.evansi</i> and treated with combination of Oxytetracycline with Sulphadimidine and Gentamicin Mean±SE.....	89
3.25	Efficacy of Sulphadimidine, Gentamicin, Oxytetracycline and their combination in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method Mean±SE.....	91
3.26	Summary of the results.....	93

TABLES OF FIGURES		
3.1	Efficacy of Sulphadimidine in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method (Parasitaemia Mean±SE).....	57
3.2	Efficacy of Gentamicin in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method (Parasitaemia Mean±SE).....	68
3.3	Efficacy of Oxytetracycline in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method (parasitaemia Mean±SE).....	74
3.4	Efficacy of Sulphadimidine and Gentamicin combination in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method (Parasitaemia Mean±SE).....	82
3.5	Efficacy of Sulphadimidine, Gentamicin, Oxytetracycline and their combination in Nubian goats infected experimentally with <i>T.evansi</i> using wet smear method (Parasitaemia Mean±SE).....	92

LIST OF ABBREVIATIONS

AST	Aspartate aminotransferase.....
HAT	Human African Trypanosomiasis.....
WHO	World Health Organization.....
DNA	Deoxynucleid acid.....
HCT	haematocrit centrifugation technique
BCM	buffy coat method
MAEC	miniature anion-exchange centrifugation method.....
SCM	silicone centrifugation method
LCM	lysis centrifugation method.....
ELISA	enzyme-linked immunosorbent assay.....
PCR	polymerase chain reactions
NAPRI	National Animal Production Research Institute.....
THFA	tetrahydrofolic acid.....
No	Number.....
RNA	Ribosomal Nucleid Acid.....
SD	Standard deviation.....

PABA	Para-aminobenzoic acid.....
DHFR	dihydrofolate reductase
CNS	Central nervous system.....
Oxy-LA	Oxytetracycline Long Acting.....
PSG	phosphate buffered saline with glucose.....
EDTA	ethylene diamine tetraacetic acid.....
L.N	liquid nitrogen.....
Hb	Haemoglobin.....
RBCs	Red blood cells count.....
WBCs	White blood cells count.....
PCV	Packed cell volume.....
MCV	Mean corpuscular volume.....
MCH	Mean corpuscular haemoglobin.....
MCHC	Mean corpuscular haemoglobin concentration.....
BCG	Bromocresol Green complex.....
GOT	Serum Glutamate Oxaloacetate Transaminase.....
MDH	Malate dehydrogenase.....

b.w	Body weight.....
SE	Standard errors.....
DHF	Dihydrofolic.....
THF	Tetrahydrofolate.....
GFR	Glomerular Filtration rate.....
UN	urea nitrogen.....
CT	Creatinine.....