

References

1. Brandt, A.M., “**Fiber Reinforced Cement-Based Composites (FRC) after 40 Years of Development in Building and Civil Engineering**”, (the article is in press) cited as composite structure, Elsevier Ltd, 2008, 7pp.
2. Schmidt, M., Stephan, D., Krelaus. R. & Geisenhanslueke, C. “**The Promising Dimension in Building and Construction: Nanoparticles, Nanoscopic Structures and Interface Phenomena**”. Cement International 5(4): 86-100 and 5(6),2007,PP. 72-85.
3. Teichmann, T. & Schmidt, M. ,” **Influence of the Packing Density of Fine Particles on Structure, Strength and Durability of UHPC**”, Proc. of the 1st International Symposium on UHPC, Kassel: Kassel University Press,2004,PP. 313-323.
4. Stephan, D., Tänzer, R. & Schmidt, M. ,” **Alternative Bindemittel auf Basis alkalisch angeregter Gemische aus Hüttensandmehl und Flugasche**”. Proc. 17th Ibausil. Weimar,2009,PP.457-468.
5. Haroun, M., And Sedky, S., “**Application of Nanotechnology in Construction Engineering.**”Proceedings of the Sixth International Conference on Structural and Geotechnical Engineering, Alexandria University, Egypt, April 2007, pp. 75-89.
6. Drexler, K., Peterson, C. And Pergamit, G.,”**Unbounding the Future: the Nanotechnology Revolution**”, New York: William Morrow,1991.
7. Sobolev, K., Gutirrez M.F., “**How Nanotechnology can Change the Concrete World**”, American Ceramic Society Bulletin, 2005; 84: 14.
8. Zhang, W., Li, L., Yao, S., And Zheng, G., “**Corrosion Protection Properties of Lacquer Coatings on Steel Modified by Carbon Black Nanoparticles in NaCl Solution**”, Corrosion Science, Vol.49, No.2, January 2007, pp.654-661.
9. Sanchez, F. And Sobolev, K., “**Nanotechnology in Concrete – A review**”, Construction and Building Materials, 24, May, 2010, pp. 2060–2071.

- 10.** ARI News, “*Nanotechnology in Construction – One of the Top Ten Answers to World’s Biggest Problems.*”, June 2007.
- 11.** Mann, S., “*Nanotechnology and Construction.*” Nanoforum Report, 2006. www.nanoforum.org.
- 12.** Larsen, J., and Chong, K., “*Nanomaterials in construction and Rehabilitation: Contributions and Perspectives of the U.S. National Science Foundation.*” Proc., 2nd Int. Symp. on Nanotechnology in Construction, Centre for Nanomaterials Applications in Construction, Bilbao, Spain, 2005.
- 13.** Li, G., “*Properties of High-volume Fly Ash Concrete Incorporating Nano-SiO₂*”, Cement and Concrete Research, Vol.34, No.6, June 2004, pp.1043-1049.
- 14.** Xuetao, L., “*Preparation, Mechanical Properties, Strengthening and Toughening Mechanisms of Si₃N₄/SiC nanocomposites*”. J Nanchang Instit Aeronaut Technol, vol. 14, 2000, pp. 2–5.
- 15.** Quercia, G., Hüsken G., Brouwers H.J.H., " *Water demand of amorphous nano silica and its impact on the workability of cement paste*", Cement and Concrete Research, 2011.
- 16.** Korpa, A., Kowald, T., and Trettin, R." *Principles of Development, Phase Composition and Nanostructural Features of Multiscale Ultra High Performance Concrete Modified with Pyrogenic Nanoparticles – A Review Article*". American Journal of Materials Science and Application. Vol. 2, No. 2, 2014, pp. 17-30.
- 17.** Korpa, A., Trettin, R. , " *Nanoskalige Puzzolane zur Verbesserung von Zementhaltigen Ultra-Hochleistungs-Bindemitteln*", Cement International, Jg.: 5, Nr.1, 2007, Seite 74-83.

- 18.**Korpa, A., Kowald, T., Trettin, R., Kota, T., Xhaxhiu, K., Mele, .,"*Pyrogenic Tiny Particles for Large Contributions on the Properties of Advanced Ultra High Performance Cement-Based Composites*", 4th International Symposium on Nanotechnology in Construction, May 2012.
- 19.**Dunster, A., "*Silica fume in concrete*", Information paper IP 5/09, IHS BRE Press, Garston, U.K. (2009).
- 20.**Sakka,S., and Kosuko,H., "*Handbook of Sol-Gel Science and Technology*", Volume I: Solgel Processing", Kluwer Academic Publisher, New York, USA ,2000, pp 9-10.
- 21.**Bjornstrom, J., Martinelli, A., Matic, A., Johnson, J.R.T., and Panas,I., "*Accelerating Effects of Colloidal Nano-Silica for Beneficial Calcium–Silicate–Hydrate Formation in Cement*", Chemical Physics Letters 392 ,2004, pp 242–248.
- 22.**Collepardi, M., Collepardi, S., Skarp, U., Troli, R., "*Optimization of Silica Fume,Fly Ash and Amorphous Nano-Silica in Superplasticized High-Performance Concretes*", Proceedings of 8th CANMET/ACI International Conference on Fly Ash, Silica Fume, Slag and Natural Pozzolans in Concrete, SP-221, Las Vegas, USA, 2004, pp. 495-506.
- 23.**Li,H., Xiao,H-G., and Ou,J-P.,"*A Study on Mechanical and Pressure-Sensitive Properties of Cement Mortar with Nanophase Materials*", Cement and Concrete Research, Vol. 34, 2004, pp. 435–438.
- 24.**Ji, T., "*Preliminary study on the water permeability and microstructure of concrete incorporating nano-SiO₂*", Cement and Concrete Research Vol. 35(10),2005, pp 1943 – 1947.
- 25.**Green, B. H., "*Development of a High-density, High-strength, Cementitious Grout Using Nano-particles*" 1st International Conference on Advanced Construction Materials, December 2006, pp.77-88.
- 26.**Sobolev , K., Flores, I., Hermosillo, R., H., Torres-Martinez ,L.M "*Nanomaterials and Nanotechnology for High-Performance Cement Composites*". Proceedings of ACI Session on :Nanotechnology of Concrete Recent Developments and Future Perspectives,2006.

- 27.**Flores, I., Garza-Tovar, L.L., Torres-Martínez, L.M., and Sobolev, K., (2006), “*Effect of Nano-SiO₂ on Properties of Cement Based Materials*”1st International Conference Advanced Construction Materials,2006, pp.59-76 .
- 28.**Jo, B-W., Kim, C-H., and Lim, J-H., “*Characteristics of Cement Mortar with Nano-SiO₂ Particles*” ACI materials journal, Aug. vol. 104, No. 4,2007, pp. 404-407.
- 29.**Qing, Y., Zenan, Z., Deyu,K., and Rongshen,C.,” *Influence of Nano-SiO₂ Addition on Properties of Hardened Cement Paste as Compared with Silica Fume*”, Construction and Building Materials, Vol. 21, No. 3, 2007, pp. 539–545.
- 30.**Remzi, S. and Meral, Q., “*New Materials for concrete Technology: Nano powders*”, 33rd conference on our world in concrete & structures, Singapore,2008, pp 399-406.
- 31.**Lin, D. F., Lin, K. L., Chang, W. C., Luo, H. L. and Cai, M. Q., “*Improvements of Nano-SiO₂ on Sludge/Fly Ash Mortar*”, Waste Management Vol. 28,2008, pp 1081–1087.
- 32.**Roddy, G., Chatterji, J. and Cromwell, R., , “*Well Treatment Composition and Methods Utilizing Nano-Particles*”, Halliburton Enery Services, United States of America Patent Application no 20080277116 A1, Vol. 13, November 2008, pp 1-12.
- 33.**Sobolev, K., Flores, I., Torres- Martinez, L. M., Valdez, P. L., Zarazua, E. & Cuellar, E. L. “*Engineering of SiO₂ Nanoparticles for Optimal Performance in Nano Cement-Based Materials*”, In: 3rd International Symposium on Nanotechnology in Construction 2009,PP. 139-148.
- 34.**Abbas, R.,“*Influence of Nano-Silica Addition on Properties of Conventional and Ultra-High Performance Concretes*”, HBRC Journal, vol.20, No. 20,April 2009, pp. 1-13.

- 35.**Khanzadi, M., Tadayon, M., Sepehri ,H., and Sepehri, M., (2010)," *Influence of Nano-Silica Particles on Mechanical Properties and Permeability of Concrete*",2nd international conference on sustainable construction materials and technologies,2010, ISBN978-1-4507-1490-7, <http://www.claisse.info/proceedings.htm>.
- 36.**Boshehrian, A., Hosseini,P.," *Effect of Nano-SiO₂ Particles on Properties of Cement Mortar Applicable for Ferro Cement Elements*", Concrete Research Letters ,Vol. 2 (1) , March 2011,PP. 167-180.
- 37.**Querciam, G., Spiesz,P., Hüsken,G., and Brouwers,J.," *Effects of Morphous Nano-Silica Additions on Mechanical and Durability Performance of SCC Mixtures*", International Congress on Durability of Concrete,2012.
- 38.**Jalal, M., Pouladkhan, A.R., Ramezanianpour, A.A., and Norouzi, H., "Effect of Silica Nanopowder and Silica fume on Rheology and Strength of High Strength Self Compacting Concrete", Journal of American Science Vol. 8, No. 4, 2012, pp. 270-277.
- 39.**Park,C-G.,Lee,J-W., "Effect of Nanosilica and Silica Fume Content on the Bond Properties of Macro-Synthetic Fiber in Cement -Based Composites",Magazine of concrete Research ,Vol ,65,Issue 3, 2012, PP. 148-157.
- 40.**Beigi,M. H., Berenjian, J., Omran,O.L. and Nik,A.S., "An Experimental Survey on Combined Effects of Fibers and Nanosilica on the Mechanical, Rheological, and Urability Properties of Self-Compacting Concrete".Material and Design, Vol 50, September 2013, pages 1019-1029.
- 41.**Hashemi S. H., MirzaeiMoghadam ,I.," *Influence of Nano-Silica and Polypropylene Fibers on Bond Strength of Reinforcement and Structural Lightweight Concrete*" International Journal of Engineering, Vol. 27, No. 2, February 2014,pp. 261-268.
- 42.**Voo, J. Y. L., Foster, S. J., Gilbert, R. I. and Gowripalan, N., "Behavior of Reactive Powder Concrete Deep Beams", Advances in Mechanics of Structures and Materials, N.2002,PP.235-240.

- 43.**Graybeal, B., and Hartman, J., "*Ultra High Performance Concrete Material Properties*", Transportation Research Board Conference, No.15, November, 2002, PP.1-14.
- 44.**Voo, L. Y., Foster, S. J, and Gilbert, R. I., "*Shear Strength of Fiber Reinforced Reactive Powder Concrete Prestressed Girders Without Stirrups*", Journal of Advanced concrete Technology, Vol.4, No.1, February, 2006, PP.123-132.
- 45.**Kirllos W., "*Mechanical And Structural Properties Of Ultra High Performance Fiber Reinforced Concrete*", MSC, thesis, Ryerson University ,Toronto, Ontario, Canada, 2012,79 pp.
- 46.**Omar, Q. A., Msheer, H. A., "*Shear Strength and Behavior of Ultra-High Performance Fiber Reinforced Concrete (UHPC) Deep Beams without Web Reinforcement*", International Journal of Civil Engineering (IJCE),ISSN 2278-9987 Vol. 2, Issue 3, July 2013, PP.85-96.
- 47.**MacGregor J.G., Wight J.W. and James, G.,"*Reinforced concrete: Mechanics and Design*",5th Edition, Prentice Hall.2008.
- 48.**Elzanaty, A.H.,Nilson, A. H.,Slate,F.O.,"*Shear Capacity of Reinforced Concrete Beams Using High-Strength Concrete*", ACI Journal ,Vol. 83,1986,PP. 290-296.
- 49.**Narayanan, R., & Darwish, I. , "*Use of Steel Fibers as Shear Reinforcement*". ACI Structural Journal, V84, No3 , 1987,PP.216-227.
- 50.**Ashour, S., Hasanain, G., & Wafa, F.,"*Shear Behavior of High-Strength Fiber Reinforced Concrete Beams*", ACI Structural Journal, V89, No 2 ,1992,pp. 176-184.
- 51.**Bunni, Z. J. , "*Shear Strength in High-Strength Fiber Reinforced Concrete Beams*" , M. Sc. Thesis , University of Technology , Baghdad , 1998 , PP.105.

- 52.**Al-Sakiny, Z. H., "*Engineering Properties of Ultra High Strength Fiber Reinforced Concrete*", M.Sc. Thesis, University of Technology, March-2002,109 PP.
- 53.**Jatale, V. B., and Kalurkar L. G., " *Flexural Strength of High Strength Steel Fiber-Reinforced Concrete Beams with Stirrups*", Int. Journal of Engineering Research and Application ,ISSN : 2248-9622, Vol. 3, Issue 6, Nov-Dec 2013, pp.1580-1586.
- 54.**Iraqi specification, No.5/1984., "*Portland cement*".
- 55.**B.S.882, "*Specification for Aggregates from Natural Sources for Concrete*", British Standards Institution, 1992.
- 56.**ASTM C 1240 – 2003, "*Standard Specification for Use of Silica Fume as a Mineral Admixture in Hydraulic-Cement Concrete, Mortar, and Grout*", Vol. 04.02, 2003, pp.1-6.
- 57.**Gaitero, J. J., I. Campillo, P. Mondal, and S. P. Shah. "*Small Changes Can Make a Great Difference*", In *Transportation Research Record: Journal of the Transportation Research Board*, No. 2141, Transportation Research Board of the National Academies, Washington, D.C., 2010, pp. 1–5.
- 58.**National Ready Mixed Concrete Association, "*What, Why and How? supplementary cementitious materials*", Concrete in Practice, CIP30, VSA, 2000, PP.1-2.
- 59.**U.S. Department of Transportation, "*Silica Fume User's Manual*", Federal Highway Administration, April, 2005, p. 183.
- 60.**ASTM C 494/C 494M – 1999a, "*Standard Specification for Chemical Admixtures for Concrete*", Vol. 04.02, 1999, pp. 1-9.
- 61.**ASTM A615/615M-05a, "*Standard Specification for Deformed and Plain Carbon Structural Steel Bars for Concrete Reinforcement*", Annual Book of ASTM Standards, Vol. 01.02, 2005.
- 62.**Collerpardi, S., Coppola, L., Troli, R., and Zaffaroni, P., "*Influence of The Superplasticizer Type on The Compressive Strength of Reactive*

Powder Concrete for Precast Structure", Published by: Congress International BIBM' 99 Venezia, 25-28 Maggio, 1999, PP. 25-30.

- 63.** Philippot, S., Masse, S., Zanni, H., Nieto, P., Maret, V., and Cheyrez, M., "*Study of Hydration and Pozzolanic Reactions in Reactive Powder Concrete (RPC)*", Magnetic Resonance Imaging, Vol. 114, No. 8, 1996, PP. 891-893.
- 64.** Saderkarimi, A., "*Development of a Lightweight Reactive Powder Concrete*", Journal of Advanced Concrete Technology, Vol.2, No.3, October 2004, pp.409-417.
- 65.** ASTM C39-86, "*Standard Test Method for Compressive Strength of Cylindrical Test Specimens*", Annual Book of Standard American Society for Testing and Materials, ol.04.02, 2003.
- 66.** ASTM C 496-86, "*Standard Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens*", Annual Book of ASTM Standards, Vol. 04.02, pp.259-262, 2003.
- 67.** ASTM C192-88, "*Standard Practice for Making and Curing Concrete Test Specimens in the Laboratory*", Annual Book of ASTM Standard, Vol. 04.02, 2003.
- 68.** ASTM C78-84, "*Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Two Points Loading)*", Annual Book of ASTM Standard, Vol. 04.02, 2003.
- 69.** ASTM C469-87a, "*Standard Test Method for Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression*", Annual Book of ASTM Standards, Vol. 04-02, 1989, PP.236-289.
- 70.** Bahadori, H., Hosseini, P., "*Reduction of Cement Consumption by the Aid of Silica Nano-Particles (Investigation on Concrete Properties)*". Journal Civil Eng Manage 2012;18(3):416.
- 71.** Li H, Xiao HG, Yuan J, Ou J., "*Microstructure of Cement Mortar with Nanoparticles*", Composites: Part B 2005;35:185–9.

- 72.**Li G, Zhao X., " *Properties of Concrete Incorporating Fly Ash and Ground Granulated Blast-Furnace Slag*", Cement Concrete Composite 2003;25:293–9.
- 73.**Bosiljkov, VB., " *SCC Mixes with Poorly Graded Aggregate and High Volume of Limestone Filler*", Cement Concrcrete Res 2003;33(9):1279–86.
- 74.**Nehdi M, Mindess, Aitcin P-C., " *Rheology of High Performance Concrete: Effect of Ultra-Fine Particles*", Cement Concr Res 1998;28(5):687–97.
- 75.**Li H, Zhang MH, Ou JP., " *Abrasion Resistance of Concrete Containing Nanoparticles for Pavement*", Wear 2006;260(11–12):1262–6.
- 76.**Al-Kadhi, A., " *Durability and Dynamic Properties of Reactive Powder Concrete Exposed to Aggressive Ions*", Ph.D these, University of Technology , Baghdad, 2007, 201pp.
- 77.**Deha, L. S., " *Tensile Behaviour of Reactive Powder Concrete* " M.Sc thesis , University of Technology , Baghdad , 2012, 145pp.
- 78.**Mahdi, B.S., " *Properties of Self Compacted Reactive Powder Concrete Exposed to Saline Solution*", Ph.D these, Building and Contraction Engineering Department, University of Technology, Baghdad, 2009, 233pp.
- 79.**ANSYS manual reference help Ver 11.0 ANSYS Multiphasic, ANSYS ,Inc. is a UL registered ISO 9001-2000 Company.
- 80.**ACI318M-11," *Building Code Requirements for Structural Concrete*" (ACI318M-11)an ACI Standard and Commentary.
- 81.**SPSS Regression Models 18.0

- 82.**Mukharjee,B.B.,Barai,S.V.,"*Influence of Nano-Silica on The Compressive Strength of Recycled Aggregate Concrete*",International Journal of Civil Engineering and Application Vol:3,No:2,2013,PP.
- 83.**Sohrabi,M.R.,Karbalaie,M.,"*An Experimental Study on Compressive Strength of Concrete Containing Crumb Rubber*", International Journal of Civil & Envirnmental Engineering ,Vol:11 No:03,2011,PP.(23-27).
- 84.**Elkady,H., Serag,M.I., and Elfeky,M. S.,"*Effect of Nano Silica De-agglomeration, and Methods of Adding Super-Plasticizer on the Compressive Strength, and Workability of Nano Silica Concrete*", Civil and Environmental Research,Vol:3,No:2,2013,PP.(21-34)
- 85.**Graybeal, B., and Davis, M., "*Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber –Reinforced Concrete*", ACI Materials Journal, V.105, No.6, Nov-Dec, 2008, pp. 603-609.
- 86.**Cwirzen, A., Penttala, V., Vornanen, C., "*Reactive Powder Based Concrete: Mechanical Properties, Durability and Hybrid Use With OPC*", cement and concrete research,2008
- 87.**Yang, J. U., YuDan, J. I. A., HongBin, L. I. U. and Jian, C. H. E. N., "*Mesomechanism of Steel Fiber Reinforcement and Toughening of Reactive Powder Concrete*", Science China Series E-Technological Science,Vol.50, No.6, 2007, PP.815-832.
- 88.**Al-Ne'aime, S. S., "*Static and Impact Properties of Reactive Powder Concrete*", PhD. Thesis, University of Technology, Baghdad, 2006, 190 PP.
- 89.**Bonneau, O., Lachemi, M., Dallaire, E., Dugat, J., Aïtcin, P., "*Mechanical and durability of two industrial reactive powder concretes*", ACI Materials Journal, V. 94, No. 4, 1997, pp. 286-290.
- 90.**Wen-yu, J., Ming-zhe, A., Gui-ping, Y., and Jun-min, W., "*Study on Reactive Powder Concrete Used in the Sidewalk System of the Qinghai-Tibet Railway Bridge*", International Workshop on Sustainable Development and Concrete Technology, pp.333-338.

- 91.**.. Fujikake, K., Senga, T., Ueda, N., Ohno, T. and Katagiri, M., "***Effect of Strain Rate on Tensile Behavior of Reactive Powder Concrete***", Journal of Advanced Concrete Technology, Vol.4, No.1, February, 2006, PP.79-84.
- 92.**Gao, R., Stroeven, P., and Hendriks, C. F., "***Mechanical Properties of Reactive Powder Concrete Beams***", ACI Special Publications, Vol.2, No.228, 2005, PP.1237-1252.