# الآيـة

# يست الكوالرَّحْمَنِ الرَّحِيدِ

الرَّحْمَنُ (١) عَلَمَ الْقُرْإَنَ (٢) خَلِقَ الإِنسَانَ (٣) عَلَمَهُ الْبَيَانَ (٤)

صدق الله العظيم

سوسرة الرحمن الآيات (١-٤)

# Dedication

To my dear mother, Father

Sister, Brothers,

HusbandandChildren

### Acknowledgement

First of all, my thanks to almighty Allah, forgiving me the strength and patience to conduct this study.

I would like to express my gratitude to my supervisor Prof. Humodi Ahmed Saeed, for his keen supervision, generous help, advice and guidance throughout this study.

Thanks are extended to Miss. Suhair Ramadan and all other members of Research Laboratory of Sudan University of Science and Technology.

Thanks are also extended toDr. MogahidM. Elhassan, Engineer Sati Mirghany, EngineerGalalAbdelkareem and Dr. suhairAbdelgayoum for their assistance.

Finally, my love and thanks go to allmembers of my family.

#### Abstract

This study was conducted to isolate biosurfactant producing bacteria. Samples of crude oil and soil contaminated with hydrocarbons were collected from oil wells in Paleela Oil Field, South Kordufan, and from Adar, Northern Upper Nile state. Seven strains were isolated. These showed rich growth on nutrient agar medium. The isolated strains were identified by morphological feature and biochemical tests. The isolates were found belong to different genera of bacteria including: *Bacillus*, *Pseudomonas* and *micrococcus*. Only two strains named *Bacillus subtilis*and *Pseudomonas aeruginosa*, produced biosurfactant. To confirm the ability of isolates in biosurfactant production, haemolysis test, emulsification test, oil displacement test and drop collapsing test were conducted. These findings indicate that the biosurfactant produced by the isolates could be useful for bioremediation application. Further studies are needed to validate the result of the present study.

#### المستخلص

أجريت هذه الدراسة لعزل البكتيرياالمنتجة للمواد المخفضة للتوتر السطحي, جمعت العينات من النفط الخام والتربة الملوثة بالمواد الهيدروكربونية من آبار النفط في حقل بليلة الذي يقع في جنوب كردفان ومن عدار الذي يقع في شمال منطقة أعالي النيل، وقد تم عزل سبعة سلالات . وقد اظهرت النمو الغني في وسط الاجار المغذى. تم التعرفعلي السلالات المعزولة بالاختبارات المورفولوجية والكيميائية الحيوية حيث وجدت تنتمي إلى أجناس مختلفة من البكتيريا العصوية, الزائفة والمكورات الرقيقة . فقط سلالتين من العصوية الرقيقة والزائفة الزنجارية أنتجتالمواد المخفضة للتوتر السطحي. للتأكد من قدرة البكتيريا المعزولة على انتاج المواد المخفضة للتوتر السطحياجريت بعض الاختبارات وهي التحليل الدموى ، اختبار الاستحلاب ، واختبار ازاحة النفط وتجربة هبوط الانهيار. هذه النتائج تشير الى أنالمواد المخفضة للتوتر السطحي التي تنتجها البكتيريا المعزولة يمكن أن تكون مفيدة لتطبيق المعالجة البيولوجية. وهناك حاجة الى المزيد من الدراسات للتحققمنصحة تتائجالدراسة الحالية.

## **TABLE OF CONTENTS**

NO	Subject	Page NO
1	الاية	I
2	Dedication	II
3	Acknowledgement	III
4	Abstract	IV
5	المستخلص	V
6	Table of Contents	VI
7	List of Tables	VIII
8	List of Figures	VIII
9	List of Abbreviations	IX
CHAPTER ONE INTRODUCTION AND LITERATURE REVIEW		
1.1	Introduction	1
1.1.1	Rationale	1
1.1.2	Research questions	2
1.1.3	Objectives	2
1.1.3.1	General objective	2
1.1.3.2	Specific objectives	2
1.2	Literature Review	2
1.2.1	Petroleum	2
1.2.2	Hydrocarbons components of crude oil	2
1.2.3	Biosurfactants	3
CHAPTER TWO MATERIALS AND METHODS		
2.1	Study design	5
2.1.1	Type of study	5
2.1.2	Study Area	5
2.1.3	Duration of study	5
2.1.4	Sample size	5
2.1.5	Collection of samples	5

2.2	Cultivation of the samples			
2.3	Bacterial identification	6		
2.3.1	Colonial morphology	6		
2.3.2	Gram stain	6		
2.4	Biochemical tests			
2.4.1	Catalase test 6			
2.4.2	Oxidase test			
2.4.3	Oxidase test 6 Nitrate Reduction test 7			
2.4.4	Citrate Utilization test 7			
2.4.5	Starch hydrolysis test	7		
2.4.6	Motility	7		
2.4.7	Digestion of casein	7		
2.4.8	API 20 E	8		
2.4.9	Growth in presence of sodium chloride	8		
2.4.10	Growth at various temperature 8			
2.5	Oil analysis 8			
2.6	Biosurfactant activity assays	9		
2.6.1	Haemolysis test	9		
2.6.2	Emulsification measurement	9		
2.6.3	Oil displacement test	9		
2.6.4	Drop collapse test 9			
2.6.5	Extraction of biosurfactants 10			
2.6.5.1	Growth of the biosurfactant-producing bacteria	10		
2.6.5.2	Extraction of the biosurfactants	10		
2.6.5.3	Biochemical characterization of biosurfactants	10		
	CHAPTER THREE RESULTS			
3.1	Isolation of biosurfactant bacteria	11		
3.2	Degradation percentage by weight	11		
3.3	Biosurfactant activity assays	11		
3.4	Extraction of biosurfactants	12		
CHAPTER FOUR DISCUSSION, CONCLUSION AND RECOMMENDATIONS				
4	Discussion	20		
4.1	Conclusion	21		
4.2	Recommendations	21		
	References	22		

Appendices	26

# LIST OF TABLES

NO	Subject	Page No
Table 1.	Biochemical tests for identification Gram-negative bacteria	13
Table 2.	Biochemical tests for identification Gram-positive bacteria	14
Table 3.	Estimation of degradation percentage by weight (gm)	15
Table 4.	Oil displacement activity, emulsification activity and drop collapsing test of culture supernatant	16

### LIST OF FIGERS

NO	Subject	Page No
Figure 1.	Positive starch hydrolysis test	17
Figure 2.	Positive casein digestion test	
Figure 3.	The Emulsion form of all isolates	18
Figure 4.	Biosurfacatant extraction using separation funnel 19	

## **List of Abbreviations**

NO	Abbreviations	Means
1	ADH	Arginine Dihydrolase
2	API 20 E	Analytical Profile Index.
3	C°	Centigrade
4	CIT	Citrate utilization
5	cm <sup>2</sup>	centimeter squared
6	GEL	Gelatinase
7	HCL	Hydrochloric acid
8	H <sub>2</sub> S	Hydrogen sulfide
9	H <sub>2</sub> SO <sub>4</sub>	Sulfuric acid
10	L	Liter
11	LDC	Lysine Decarboxylase
12	Na Cl	Sodium Chloride
13	μ1	Microliter
14	ml	Ml liter
15	mm	Ml meter
16	ODC	Ornithine Decarboxylase
17	PH	Potential of hydrogen
18	rpm	Round per minutes
19	TLC	Thin layer chromatography
20	URE	Urease
21	VP	VogesProskauer