

Reference

1. Le Marchand, L. Cancer preventive effects of flavonoids--a review. *Biomed. Pharmacother.*, **56**, 296-301 (2002).
2. Neuhouser, M.L. Dietary flavonoids and cancer risk: evidence from human population studies. *Nutr. Cancer*, **50**, 1-7(2004).
3. Maron, D.J. Flavonoids for reduction of atherosclerotic risk. *Curr. Atheroscler. Rep*, **6**, 73-8(2004).
4. Mojzisova, G. and Kuchta, M. Dietary flavonoids and risk of coronary heart disease. *Physiol. Res*, **50**, 529-35 (2001).
5. Hertog, M.G.; Feskens, E.J.; Hollman, P.C.; Katan, M.B.; Kromhout, D. Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *Lancet*, **342**, 1007-11(1993).
6. Garcia-Closas, R.; Gonzalez, C.A.; Agudo, A.; Riboli, E. Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. *Cancer Causes Control*, **10**, 71-5 (1999).
7. Middleton E Jr; Kandaswami, C.; Theoharides, T.C. The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease, and cancer. *Pharmacol. Rev*, **52**, 673-751(2000).
8. Ren, W.; Qiao, Z.; Wang, H.; Zhu, L.; Zhang, L. Flavonoids: promising anticancer agents. *Med. Res. Rev*, **23**, 519-34 (2003).

9. Wang, H.K. The therapeutic potential of flavonoids. *Expert Opin. Investig. Drugs*, **9**, 2103-19(2000).
10. Lopez-Lazaro, M. Flavonoids as anticancer agents: structureactivity relationship study. *Curr. Med. Chem. Anticancer Agents*, **2**, 691-714(2002).
- 11.Orbelt, J.R. “THE Biochemical Mode of Action ofPesticides”, Academic press, New york (1974).
- 12.Matsumura, F. , “Toxicity of Insecticides”. Plenium Press, New York (1985).
- 13.Harbone, J. B., “Phytochemical Methods”,Champun and Hall press, 2ndedn. London (1984).
- 14.Harbone, J. B., *Chromatog.*,**2**, 10 (1960).
- 15.Aser. Stewart, R.N. and Noris, K. H., *phytochemical.* , **11**, 1139 (1972).
- 16.Finar, I. L. , Organic Chemistry, Toppan Printing Co. Ltd, Singaphore (1975).
- 17.Brid, A.C., *J. Chem. Soc (C)*, 2418 (1969).
- 18.Harborne, J. B., “Comparative Chemistry of Flavonoid”.Academic Press, London (1967).

- 19.Harbone, J. B., Mabry, T. J. And Mabry, H., "The Flavonoid". Academic press U. S (1965).
- 20.Dictrichs. H.H. And Svhaich, E., *NaturwissensCrafts*. **50**, 47 (1963).
- 21.Shnaidman, L. And Kushchinskaya, I. N. Med., *Prom.SR*, **19**, 14, (1965).
- 22.Minaeva, V. G, Valutskaye, A. G. And Volkhinsky, T., "Rast, Resurt". **5**, 220 (1969).
- 23.Willians, Charles Evan., "Thease and pharmacognosy". Academic Press, Oxford, Landon (1989).
- 24.Harborne, J. B., *Phytochemistry*. ,**4**, 107 (1965).
- 25.Geissman, T. A., "Chemistry of flavonoid compound". Pregamon Press, Oxeford (1962).
- 26.Bost, A., Hacner, G. R. And Doelman, C., *J. Am. Med.*, ASSOC.,9125(1991).
27. Hollman P. C. H., M. N. C. P. Buijsman M. N. C. P, van Gameren Y., P.J.Cnossen, J. H. M. de Vries, andM. B. Katan, "The sugar moiety is a major determinant of the absorption of dietary flavonoid glycosides in man," *Free Radical Research*, vol. 31,no. 6, pp. 569–573(1999).

28. Day, A. J,Canada, . F. J , Diaz, J. C. et al., “Dietary flavonoid and isoflavone glycosides are hydrolysed by the lactase site of lactase phlorizin hydrolase,” *FEBS Letters*, vol. 468, no. 2-3,pp. 166–170(2000).
29. Walle,T “Serial review: flavonoids and isoflavones (phytoestrogens: absorption, metabolism, and bioactivity): absorption and metabolism of flavonoids,” *Free Radical Biology and Medicine*, vol. 36, no. 7, pp. 829–837(2004).
30. Scheline,R.R “Metabolism of foreign compounds by gastrointestinal microorganisms,” *Pharmacological Reviews*, vol. 25, no. 4, pp. 451–532(1973).
31. Bravo, L,“Polyphenols: chemistry, dietary sources,metabolism, and nutritional significance,” *Nutrition Reviews*, vol. 56, no. 11, pp. 317–333(1998).
32. Hollman,P.C.H, “Absorption, bioavailability and metabolism of flavonoids,” *Pharmaceutical Biology*, vol. 42, pp. 74–83(2004).
33. Hollman, P. C.H, van, J.M. P, Trijp,. Buysman, M. N. C. P etal., “Relative bioavailability of the antioxidant flavonoid quercetin from various foods in man,” *FEBS Letters*, vol. 418, no. 1-2, pp.152–156 (1997).
34. Spencer, J. E. Chaudry, F. Pannala, A. S.. Srai, S. K ,Debnam,E. and. Rice, E. C “Decomposition of cocoa

procyanidins in the gastric milieu," *Biochemical and Biophysical Research Communications*, vol. 272, no. 1, pp. 236–241(2000).

35. Benzie, I. F. F. Szeto, Y. T.. Strain, J. J and B. Tomlinson, "Consumption of green tea causes rapid increase in plasma antioxidant power in humans," *Nutrition and Cancer*, vol. 34,no. 1, pp. 83–87(1999).

36. Pandey, A. K., Mishra, A. K and Mishra, A. "Antifungal and antioxidative potential of oil and extracts derived from leaves of Indian spice plant *Cinnamomum tamala*," *Cellular and Molecular Biology*, vol. 58, pp. 142–147(2012).

37.Cao,G., Sofic,E. and Prior,R. "Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships," *Free Radical Biology and Medicine*, vol. 22, no. 5, pp. 749–760, 1997.

38. .Halliwell ,B.and Gutteridge,J.M., *Free Radicals in Biology and Medicine*, Oxford University Press, Oxford, UK(1998).

39. Mishra,A., Kumar,S. and Pandey,A. "Scientific validation of the medicinal efficacy of *Tinospora cordifolia*," *The Scientific World Journal*, vol. 2013,Article ID 292934(2013).

40. Brown,J.,Khodr,H Hider,R. and Rice-Evans,, "Structural dependence of flavonoid interactions with Cu²⁺ ions: implications for their antioxidant properties," *Biochemical Journal*, vol. 330, no. 3, pp. 1173–1178(1998).

41. Mishra,A., Sharma,A., Kumar,S., Saxena,A.K. and

Pandey,A., “*Bauhinia variegata* leaf extracts exhibit considerable antibacterial, antioxidant and anticancer activities,” *BioMed Research International*, vol. 2013, Article ID 915436, 10 pages (2013).

42. Van,A., van den Berg,S.A., Tromp ,D., “Structural aspects of antioxidant activity of flavonoids,” *FreeRadical Biology and Medicine*, vol. 20, no. 3, pp. 331–342(1996)

43.Kerry.N.L and Abbey .M, “Red wine and fractionated phenolic compounds prepared from redwine inhibit low density lipoprotein oxidation *in vitro*,” *Atherosclerosis*, vol. 135, no. 1,pp. 93-102(1997).

44. Sekher Pannala. A, Chan .T.S, Brien .P.J.O, and Rice-Evans.A .C, “Flavonoid B-ring chemistry and antioxidant activity: fast reaction kinetics,” *Biochemical and Biophysical Research Communications*, vol. 282, no. 5, pp. 1161–1168 (2001).

45. Rice-Evans .C.A, Miller .N.J, and Paganga .G, “Structureantioxidant activity relationships of flavonoids and phenolic acids,” *Free Radical Biology and Medicine*, vol. 20, no. 7, pp. 933–956 (1996).

46 Bors .W, Heller .W, Michel .C, and Saran .M, “Flavonoids as antioxidants: determination of radical-scavenging efficiencies,” *Methods in Enzymology*, vol. 186, pp. 343–35 (1990).

47. Ratty .A.K and Das .N.P, “Effects of flavonoids on nonenzymatic lipid peroxidation: structure-activity relationship,” *Biochemical Medicine and Metabolic Biology*, vol. 39, no. 1, pp. 69–79(1988).
48. Hollman .P.C, Bijsman .M.N, van Gameren .Y, Cnossen .E.B, de Vries .J.H, and Katan .M.B, “The sugar moiety is a major determinant of the absorption of dietary flavonoid glycosides in man,” *Free Radical Research*, vol. 31, no. 6, pp. 569–573(1999).
49. Vennat .B, Bos .M.A, Pourrat .A, and Bastide .P, “Procyanidins from tormentil: fractionation and study of the anti-radical activity towards superoxide anion,” *Biological and Pharmaceutical Bulletin*, vol. 17, no. 12, pp. 1613–1615(1994).
50. Tapas .A.R, Sakarkar .D.M, and Kakde .R.B, “Flavonoids as nutraceuticals: a review,” *Tropical Journal of Pharmaceutical Research*, vol. 7, pp. 1089–1099(2008).
51. Zhu .W, Jia .Q, Wang .Y, Zhang .Y, and Xia .M, “The anthocyanin cyanidin-3-O- β -glucoside, a flavonoid, increases hepatic glutathione synthesis and protects hepatocytes against reactive oxygen species during hyperglycemia: involvement of a cAMPPKA- dependent signaling pathway,” *Free Radical Biology and Medicine*, vol. 52, no. 2, pp. 314–327(2012).
52. Mishra .A, Kumar .S, Bhargava .A, Sharma .B and Pandey .A.K, “Studies on *in vitro* antioxidant and antistaphylococcal

activities of some important medicinal plants,” *Cellular and Molecular Biology*, vol. 57, no. 1, pp. 16–25(2011).

53. Pandey .A.K, Mishra .A.K, Mishra .A, Kumar .S, and Chandra .A, “Therapeutic potential of *zeylanicum* .C extracts: an antifungal and antioxidant perspective,” *International Journal of Biological and Medical Research*, vol. 1, pp. 228–233(2010).

54. Cushnie .T.P.T and Lamb .A.J, “Antimicrobial activity of flavonoids,” *International Journal of Antimicrobial Agents*, vol. 26, no. 5, pp. 343–356(2005).

55. Cowan .M.M, “Plant products as antimicrobial agents,” *Clinical Microbiology Reviews*, vol. 12, no. 4, pp. 564–582 (1999).

56. Mishra A.K, Mishra .A, Kehri .H.K,Sharma .B, and Pandey .A.K, “Inhibitory activity of Indian spice plant *Cinnamomum zeylanicum* extracts against *Alternaria solani* and *Curvularia lunata*, the pathogenic dematiaceousmoulds,” *Annals of Clinical Microbiology and Antimicrobials*, vol. 8, article 9(2009).

57. Borris R.P, “Natural products research: perspectives from a major pharmaceutical company,” *Journal of Ethnopharmacology*, vol. 51, no. 1–3, pp. 29–38(1996).

58. Moerman .D.E, “An analysis of the food plants and drug plants of native North America,” *Journal of Ethnopharmacology*, vol. 52, no. 1, pp. 1–22(1996).

59. Nakahara K, Kawabata .S, Ono .H et al., “Inhibitory effect of oolong tea polyphenols on glucosyltransferases of mutans streptococci,” *Applied and Environmental Microbiology*, vol. 59, no. 4, pp. 968–973(1993).
60. Mori, A., Nishino,C .,Enoki,N. and Tawata,S. “Antibacterial activity and mode of action of plant flavonoids against *Proteus vulgaris* and *Staphylococcus aureus*,” *Phytochemistry*, vol. 26, no. 8, pp. 2231–2234(1987).
61. Ohemeng .K.A, Schwender .C.F, Fu .K.P, and Barrett .J.F,“DNA gyrase inhibitory and antibacterial activity of some flavones(1),” *Bioorganic and Medicinal Chemistry Letters*, vol. 3, no. 2, pp. 225–230(1993).
- 62.Tsuchiya .H and Iinuma .M, “Reduction of membrane fluidity by antibacterial sophoraflavanone G isolated from *Sophora exigua*,” *Phytomedicine*, vol. 7, no. 2, pp. 161–165 (2000).
63. Haraguchi .H, Tanimoto .K,Tamura .Y, Mizutani .K, and Kinoshita .T, “Mode of antibacterial action of retrochalcones from *Glycyrrhiza inflata*,” *Phytochemistry*, vol. 48, no. 1, pp. 125–129(1998).
64. Alcaraz L.E, Blanco S.E, Puig .O.N,Tomas .F, and Ferretti F.H, “Antibacterial activity of flavonoids againstmethicillinresistant *Staphylococcus aureus* strains,” *Journal of Theoretical Biology*, vol. 205, no. 2, pp. 231–240 (2000).

65. Osawa .K, Yasuda .H, Maruyama .T,Morita .H, Takeya .K, and Itokawa .H, “Isoflavanones from the heartwood of *Swartzia polyphylla* and their antibacterial activity against cariogenic bacteria,” *Chemical and Pharmaceutical Bulletin*, vol. 40, no. 11, pp. 2970–2974(1992).
66. Maurya A, Chauhan .P, Mishra .A, and Pandey .A.K, “Surface functionalization of TiO₂ with plant extracts and their combined antimicrobial activities against *E. faecalis* and *E. Coli*,” *Journal of Research Updates in Polymer Science*, vol. 1, pp. 43–51(2012).
67. Mishra .A.K, Singh .B.K, and Pandey A.K, “*In vitro*antibacterial activity and phytochemical profiles of *Cinnamomum tamala* (Tejpat) leaf extracts and oil,” *Reviews in Infection*, vol. 1, pp. 134–139(2010).
68. Mishra .A.K, Mishra .A, Bhargava .A, and Pandey .A.K, “Antimicrobial activity of essential oils from the leaves of *Cinnamomum* spp.,” *National Academy Science Letters*, vol. 31, no. 11-12, pp. 341–345(2008).
69. Pan .M.H, Lai .C.S, and Ho .C.T, “Anti-inflammatory activity of natural dietary flavonoids,” *Food and Function*, vol. 1, no. 1, pp.15–31(2010).
70. Middleton .E and Kandaswami .C, “Effects of flavonoids on immune and inflammatory cell functions,” *Biochemical Pharmacology*, vol. 43, no. 6, pp. 1167–1179(1992).

71. Nishizuka .Y, “The molecular heterogeneity of protein kinase C and its implications for cellular regulation,” *Nature*, vol. 334, no. 6184, pp. 661–665(1988).
72. Hunter .T, “Protein kinases and phosphatases: the yin and yang of protein phosphorylation and signaling,” *Cell*, vol. 80, no. 2,pp. 225–236(1995).
73. Tunon .M.J, Garcia-Mediavilla .M.V, Sanchez-Campos .S, and Gonzalez-Gallego .J, “Potential of flavonoids as anti-inflammatory agents: modulation of pro-inflammatory gene expression and signal transduction pathways,” *Current Drug Metabolism*, vol. 10, no. 3, pp. 256–271(2009).
74. Manthey .J.A, “Biological properties of flavonoids pertaining to inflammation,” *Microcirculation*, vol. 7, no. 1, pp. S29–S34(2000).
75. Cumella .J.C, Faden .H, and Middleton .F, “Selective activity of plant flavonoids on neutrophil chemiluminescence (CL),” *Journal of Allergy and Clinical Immunology*, vol. 77, article 131(1987).
76. Beretz .A and Cazenave .J.P, “The effect of flavonoids on bloodvessel wall interactions,” in *Plant Flavonoids in Biology and Medicine II: Biochemical, Cellular and Medicinal Properties*, V. Cody, E.Middleton, J.B.Harborne, and.Beretz .A, Eds.,pp. 187–200, Alan R. Liss, New York, NY, USA, (1988).

77. Corvazier .E and Maclouf .J, “Interference of some flavonoids and non-steroidal anti-inflammatory drugs with oxidative metabolism of arachidonic acid by human platelets and neutrophils,” *Biochimica et Biophysica Acta*, vol. 835, no. 2, pp. 315–321(1985).
78. Ho .C.T, Osawa .T, Huang M.T, and Rosen R.T, *Food Phytochemicals for Cancer Prevention II. Teas, Spices, and Herbs*, American Chemical Society, Oxford University Press, (1994).
79. Block .G, Patterson .B, and Subar .A, “Fruit, vegetables, and cancer prevention: a review of the epidemiological evidence,” *Nutrition and Cancer*, vol. 18, no. 1, pp. 1–29 (1992).
80. Duthie G.G, Duthie S.J, and Kyle .J .A .M, “Plant polyphenols in cancer and heart disease: implications as nutritional antioxidants,” *Nutrition Research Reviews*, vol. 13, no. 1, pp. 79–106(2000).
81. Davis .W.L and Matthew .S.B, “Antioxidants and cancer III: quercetin,” *Alternative Medicine Review*, vol. 5, no. 3, pp.196–208(2000).
82. Ferry .D.R, Smith .A, and Malkhandi .J, “Phase I clinical trial of the flavonoid quercetin: pharmacokinetics and evidence for *in vivo* tyrosine kinase inhibition,” *Clinical Cancer Research*, vol. 2, no. 4, pp. 659–668(1996).

83. Brusselmans .K, de .E Schrijver, Heyns .W, Verhoeven .G and Swinnen .J.V, “Epigallocatechin-3-gallate is a potent natural inhibitor of fatty acid synthase in intact cells and selectively induces apoptosis in prostate cancer cells,” *International Journal of Cancer*, vol. 106, no. 6, pp. 856–862 (2003).
84. Swinnen .J.V, Roskams .T, Joniau .S et al., “Overexpression of fatty acid synthase is an early and common event in the development of prostate cancer,” *International Journal of Cancer*, vol. 98, no. 1, pp. 19–22 (2002).
85. Markaverich .B.M, Roberts .R.R, Alejandro .M.A, Johnson .G.A, Middleditch .B.S, and Clark .J.H, “Bioflavonoid interaction with rat uterine type II binding sites and cell growth inhibition,” *Journal of Steroid Biochemistry*, vol. 30, no. 1–6, pp. 71–78(1988).
86. Singhal .R.L, Yeh .Y.A, Prajda .N, Olah .A, Sledge .G.W, and Weber .G, “Quercetin down-regulates signal transduction in human breast carcinoma cells,” *Biochemical and Biophysical Research Communications*, vol. 208, no. 1, pp. 425–431(1995).
87. Barnes .S, “Effect of genistein on *in vitro* and *in vivo* models of cancer,” *Journal of Nutrition*, vol. 125, no. 3, pp. 777S–783S(1995).
88. Lamartiniere .C.A, Moore .J, Holland .M, and Barnes .S,

“Neonatal genistein chemoprevents mammary cancer,” *Proceedings of the Society for Experimental Biology and Medicine*, vol. 208, no. 1, pp. 120–123(1995).

89. Ren .W, Qiao .Z, Wang .H, Zhu .L, and Zhang .L, “Flavonoids: promising anticancer agents,” *Medicinal Research Reviews*, vol. 23, no. 4, pp. 519–534(2003).

90. Carroll .K.K, Guthrie .N, So .F.V, and Chambers .A.F, “Anticancer properties of flavonoids with emphasis on citrus flavonoids,” in *Flavonoids in Health and Disease*, C. A. Rice-Evans and L. Packer, Eds., pp. 437–446, Marcel Dekker, New York, NY, USA(1998).

91. Edenharder .R, Von .I.P, and Rauscher .R, “Antimutagenic effects of flavonoids, chalcones and structurally related compounds on the activity of 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) and other heterocyclic amine mutagens from cooked food,” *Mutation Research*, vol. 287, no. 2, pp. 261–274(1993).

92. Thomsen .L.L, Ching .L.M, Zhuang .L, Gavin .J .B, and Baguley .B.C, “Tumordependent increased plasma nitrate concentrations as an indication of the antitumor effect of flavone-8-acetic acid and analogues in mice,” *Cancer Research*, vol. 51, no. 1, pp. 77–81(1991).

93. Chang .R.L, Huang .M.T, Wood .A.W et al., “Effect of ellagic acid and hydroxylated flavonoids on the tumorigenicity of benzo[a]pyrene and (+/-)-7 beta, 8 alpha-dihydroxy-9 alpha, 10 alpha-epoxy-7,8,9,10-tetrahydrobenzo[a]pyrene on mouse skin and in the newborn mouse,” *Carcinogenesis*, vol. 6, no. 8, pp.1127–1133(1985).
94. Siess .M.H., Le Bon .A.M, Canivenc-Lavier .M.C et al., “Flavonoids of honey and propolis: characterization and effects on hepatic drug-metabolizing enzymes and benzo[a]pyrene-DNA binding in rats,” *Journal of Agricultural and Food Chemistry*, vol. 44, no. 8, pp. 2297–2301(1996).
95. Kumar .S, Chashoo .G, Saxena .A.K, and Pandey .A.K, “*Parthenium hysterophorus*: a probable source of anticancer, antioxidant and anti-HIV agents,” *BioMed Research International*, vol. 2013, Article ID 810734, 11 pages(2013).
96. Sawa .T, Nakao .M, Akaike .T, Ono .K, and Maeda .H, “Alkylperoxyl radical-scavenging activity of various flavonoids and other phenolic compounds: implications for the antitumor-promoter effect of vegetables,” *Journal of Agricultural and Food Chemistry*, vol. 47, no. 2, pp. 397–402(1999).
97. Harbone,J.B. ,”phytochemistry methods”, 2nd,edn. Chapman and Hall, London (1969).
98. Harborne, J.B., *Biochemistry*, 22 (1958).

- 99.Egger,K. ,*J.Chromatogr.b*,**5**,74 (1961).
- 100.Roux,D.B. ,maihs, E.A. and paulus,E. ,*J,chromatosr.*, **5** ,7 (1961).
- 101.Mabry,T.J. ,markham , K.R. , And Thomas, M.B. , "The systematic identification of flavonoid" , spring –verlax, Berlin (1970).
- 102.Done,J.N. ,Kenary ,G.J. And, Knox,J.H. ,*Nature*,**77**,237 (1972).
- 103.Zhao – Yuzhen, Wu-Fuheng.,*Hipponae*, **.10**(1) 39(1977).
- 104.Harborne, J.B.,"phytochemicalmethods".2nd. edn. Chapman and Hall, New York (1984).
- 105.Claudia, C.j. Lig., *chrom.relate.tech.*, **29** (718) 1125 (2006).
- 106.Miroslow, A., J. Lig.*chrom.relate.tech.*, **28** (14) 2245 (2005).
- 107.Douglas,A., "fundamentals of analytical chemistry",7thedn., 66 (2001).
108. Gmache, P., Ryan, E.J. *Chromatogra.*, 635,143 (1993).
- 109.Lunt, S.M.J., *Chromatogra.* 384, 371, (1987).

- 110.Bras, H.J. *Braz.Chem.Cos.*, **12**,2 (1987).
- 111.Harborne, J.B., Boardley, M. and Linder, H.P., *PhytoChemistry* , 24273 (1985).
- 112.Grozier,A., Jensen ,E. ,Lean, M.E. J.,MC-Douald, M.S. J. *Chromatogr.A*, **761**, 315 (1997).
- 113.Herken,H.M. ,Becchen,G.R.*J.Chromatagr.A* ,897 (1/2) 177 (2000).
114. Berhow, M.A. ,*Adv.Exp.Med.Boil.*,61,505 (2002).
- 115.Wilhiuson,A.P. ,Wahala,K. and Williamson,G., *J. Chromatogr .B*, 777, 43 (2002).
- 116.Harbone,J.B. ,Mabry,T.J. and Mabry,H. ,''TheFlavonoids '' ,Part I, Chapman and Hall, London (1975).
- 117.Prasain, J.K.; Wang, C.-C. & Barnes, S. (2004) Mass spectrometric methods for the determination of flavonoids in biological samples.*Free Radical Biology & Medicine*,**37**, 9, 1324-1350.
- 118.Cole, R.B. (2010) *Electrospray and MALDI Mass Spectrometry: Fundamentals, Instrumentation, Practicalities, and Biological Applications* (2nd edition), Wiley, ISB 978-0471741077,Great Britain.

- 119.Fossen, T. & Andersen, Ø.M. (2005) Spectroscopic Techniques Applied to Flavonoids, In: *Flavonoids – Chemistry, Biochemistry and Applications*, Andersen ØM, Markham KR, (37-142) Taylor & Francis, 978-0-8493-2021-7, USA.
120. Stobiecki, M. (2000) Application of mass spectrometry for identification and structural studies of flavonoid glycosides. *Phytochemistry*, 54, 3, 237-256.
- 121.De Hoffmann, E. &Stroobant, V. (2007) *Mass Spectrometry – Principles and Applications* (3rdedition) Wiley, ISBN 978-0-470-03311-1, Great Britain.
- 122.Madeira, P.J.A. &Florêncio, M.H. (2009) Flavonoid-matrix cluster ions in MALDI massspectrometry. *Journal of Mass Spectrometry*, 44, 7, 1105-1113.
- 123.Volná, K.; Holčapek, M.; Kolářová, L.; Lemr, K.; Čáslavský, J.; Kačer, P.; Poustka, J. &Hubálek, M. (2007) Comparison of negative ion electrospray mass spectrameasured by seven tandem mass analyzers towards library formation. *RapidCommunications in Mass Spectrometry*, 22, 2, 101-108.
124. Abrankó, L.; García-Reyes, J.F. & Molina-Díaz, A. (2011) In-source fragmentation and accurate mass analysis of multiclass flavonoid conjugates by electrospray ionization time-offlight mass spectrometry. *Journal of Mass Spectrometry*, 46, 5, 478-488.

- 125.Prasain, J.K.; Wang, C.-C. & Barnes, S. (2004) Mass spectrometric methods for thedetermination of flavonoids in biological samples.*Free Radical Biology & Medicine*,37, 9, 1324-1350.
- 126.Claridge, T. (1999) *High-Resolution NMR Techniques in Organic Chemistry* (1st edition), Elsevier, ISBN 978-0080427997, UK.
- 127.Gheysen, K.; Mihai, C.; Conrath, K. & Martins, J.C. (2008) Rapid Identification of CommonHexapyranose Monosaccharide Units by a Simple TOCSY Matching Approach.*Chemistry – A European Journal*, 14, 29, 8869-8878.
- 128.Krishnamurthy, V. (2000) 2J,3J-HMBC: A New Long-Range Heteronuclear Shift Correlation Technique Capable of Differentiating 2JCH from 3JCH Correlations to Protonated Carbons. *Journal of Magnetic Resonance*, 146, 1, 232-239.
- 129.Exarchou, V.; Troganis, A.; Gerothanassis, I.P.; Tsirimidou, M. &Boskou, D. Do strong intramolecular hydrogen bonds persist in aqueous solution? Variable temperature gradient ^1H , ^1H - ^{13}C GE-HSQC and GE-HMBC NMR studies of flavonols and flavones in organic and aqueous mixtures. *Tetrahedron*, 58, 37, 7423-7429(2002)

- 130.Kozerski, L.; Kamieński, B.; Kawecki, R.; Urbanczyk-Lipkowska, Z.; Bocian, W.; Bednarek, E.; Sitkowski, J.; Zakrzewska, K.; Nielsen, K.T. & Hansen, P.E. (2003) Solution and solid state ^{13}C NMR and X-ray studies of genistein complexes with amines. Potential biological function of the C-7, C-5, and C4'-OH groups. *Organic and Biomolecular Chemistry*, 1, 20, 3578-3585.
- 131.Olejniczak, S. &Potrzebowksi, M.J. (2004) Solid state NMR studies and density functional theory (DFT) calculations of conformers of quercetin. *Organic and Biomolecular Chemistry*, 2, 16, 2315-2322.
- 132.Giusti, M.M. &Wrolstad, R.E. (2001) Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy, In: *Current Protocols in Food Analytical Chemistry*, R.E. Wrolstad (F.1.2.1-F.1.2.13) John Wiley & Sons Inc, ISBN 0471325651, USA.
- 133.Moncada, M.C.; Fernández, D.; Lima, J.C.; Parola, J.; Lodeiro, C.; Folgosa, F.; Melo, J.M. &Pina, F. (2004) Multistate properties of 7-(N,N-diethylamino)-4'-hydroxyflavylium. An example of an unidirectional reaction cycle driven by pH. *Organic & Biomolecular Chemistry*, 2, 2802-2808.

- 134.Melo, M.J.; Moura, S.; Roque, A.; Maestri, M. &Pina, F. (2000) Photochemistry of luteolinidin - "Write-lock-read-unlock-erase" with a natural compound. *Journal of Photochemistry and Photobiology A: Chemistry*, 135, 1, 33-39
- 135.Rolo-Naranjo, A., Codorniu-Hernández, E. & Ferro, N. (2010) Quantum Chemical Associations Ligand–Residue: Their Role to Predict Flavonoid Binding Sites in Proteins. *Journal of Chemical Information and Modelling*, 50, 5, 924-933.
- 136.Harper, J.K., Doeblner, J.A., Jacques, E., Grant, D.M. & von Dreele, R.B. (2010) A Combined Solid-State NMR and Synchrotron X-ray Diffraction Powder Study on the Structure of the Antioxidant (+)-Catechin 4.5-hydrate. *Journal of the American Chemical Society*, 132, 9, 2928-2937.
- 137.Wallace, B.A. & Janes, R.W. (Eds.) (2009) *Modern Techniques for Circular Dichroism and Synchrotron Radiation Circular Dichroism Spectroscopy* (1st edition) IOS Press, ISBN978-1607500001, USA.
- 138.Ahmadi, S.M., Dehghan, G., Hosseinpurfeizi, M.A., Ezzati, J., Dolatabadi, N. & Kashanian,S. , Preparation, Characterization, and DNA Binding Studies of Water-Soluble Quercetin–Molybdenum(VI) Complex. *DNA and Cell Biology*, 30, 7, 517-523(2011).

139. Siebert, F. & Hildebrandt, P. (2007) *Vibrational Spectroscopy in Life Science* (1st edition), Wiley VCH, ISBN 978-3527405060, ISA.
140. Erdogan, Y.; Unsalan, O.; Sajan, D. & Gulluoglu, M.T. (2010) Structural conformations and vibrational spectral study of chloroflavone with density functional theoretical simulations. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 76,2, 130-136.
141. Bayton, Ross P. (2007). "A revision of *Borassus* L. (Arecaceae)". *Kew Bulletin*. **62**: 561–586.
142. Natural Resources Conservation Service (NRCS). "PLANTS Profile, *Annona squamosa*L.". The PLANTS Database. United States Department of Agriculture,. Retrieved 2008-04-17.
143. Dholvitayakhun A, Trachoo N; et al. (2013). "Potential applications for *Annona squamosa*leaf extract in the treatment and prevention of foodborne bacterial disease". *Natural Product Communications*. **8** (3): 385–388. PMID 23678817
144. Gajalakshmi S, Divya R; et al. (2011). "Pharmacological activities of *Annona squamosa*: A review". *International Journal of Pharmaceutical Sciences Review and Research*. **10** (2): 24–29.
- .