#### بسم الله الرحمن الرحيم

### Sudan University of Sciences& Technology

College of Graduate study

## Incidence of Cancers at Radiation and Isotopes Center (RICK) during the period between

(2014-2015)

احصاء الاصابة بالسرطانات بمستشفى الذرة في الفترة ما بين (2014-2015)

Study submitted for partial fulfillment of M.Sc. Academic Degree in Diagnostic Radiology Technology

### **Done By:**

Hana Jafar Al-Tahir Edress

B.Sc. in Diagnostic Radiology

**Supervisor:** 

Dr. Caroline Edward Ayad 2016-2017

# الآية

# بسم الله الرحمن الرحيم

قال تعالى: الله واستبحانك لا عِلم لانا إلا علم الله الله الله علم الله المعالية من العالية العليم الحكيم الحكيم الحكيم الحكيم الحكيم الحكيم المحكيم المحكيم

صدق الله العظيم

سورة البقرة الآية (32)

### **Dedication**

I dedicate the research to my teachers and colleagues.

A special feeling of gratitude for:

The spirit of my **father**...the source of my power and proud.

My mother.... The light of my way and his words of encouragement and push for tenacity ring in my ears.

My **husband**...who always supported and pushed me.

My sisters and brothers...my support.

### Acknowledgment

I should like to express my deep gratitude to my supervisor **Dr. Caroline Edward Ayad** for his valuable guidance, continuous efforts to finish this thesis as nice as possible, suggestions and concerned follow up for the duration of the study.

### **Abstract**

The objectives of the research was to study the incidence of cancers in Radiation and Isotopes Center (RICK) during the period between (2014-2015), to show the most common cancers frequency, to study the incidence of cancers according to age, gender, site of cancer, symptoms, diagnose and treatment, to correlate the findings with age, gender, symptoms, diagnose, treatment.

For laying out this research, the researcher collected the statistic information from statistic department in RICK from the patients (600 males and females), the data was analysed using the computer program.

The result cleared that the female patients' frequencywas 317 patients (52.8%) more than males' frequency was 283 patients (47.2%) and their ages between (4-93) years old. The most age group affected by cancer were in age (41-50).(51-60),The classes were (61-70).cancer common frequencieswereBreast cancerwas 78 patients (13%) followed by Lung cancer was 49 patients (8.2%), Ovary cancer 45 patients (7.5%), Mouth cancer 45 patients (7.5%), Liver cancer 41 patients (6.8%), Prostate cancer 35 patients (5.8%), Nasopharynx cancer 31 patients (5.2%), NHL 31 patients (5.2%), Cervix cancer 28 patients (4.7%) and Endometrium27 patients (4.5%)

In addition, the results showed that the most common treatment option for cancer was chemotherapy 283 patient (47.2%). The most common diagnostic tool for cancer was Biopsy 335 patient (55.8%). The most common symptom related to cancers was pain 205 patient (34.2%).

The analysis also showed that, there is significant relationship between site of cancer with gender, age, and diagnostic tool(P-value=0.00). As well as there is no significant relationship between site of cancer with treatment option(P-value=0.755), and symptoms(P-value=0.997).

### ملخص الدراسة

الاهداف من هذا البحث هي دراسة الاصابةبالسرطانات المترددة الى مركز العلاج بالإشعاع والنظائر المشعة بولاية الخرطوم خلال الفترة ما بين (2014-2015)، ولتوضيح أكثر انواع السرطانات ترددا في المركز، ولدراسة الاصابة بالسرطانات معتمدين على عدة عوامل هي عمر وجنس المرضي واعراض المرض وطريقة تشخيصه وعلاجه. ومعرفة العلاقة بين الاصابة بالسرطان وكل من هذه العوامل.

لإخراج هذا البحث قام الباحث بجمع المعلومات الاحصائية من قسم الاحصاء بالمركز وذلك بأخذ عينه عشوائية مكونة من 600 مريض تردد الى المركز من الجنسين الزكور والاناث، وتم تحليل المعلومات الاحصائية بواسطة جهاز الكومبيوتر.

اوضحت الدراسة ان معدلالنساء المصابات بالسرطان 317 مريض بنسبة (52.8%) أكثر من معدل الرجال المصابين بالسرطان 283 مريض بنسبة (47.2%)، وكانت اعمار هم تتراوح ما بين (43-47) سنه. وان أكثر فئات العمرية المصابة هي (41-50), (50-51), (60-51).

وان أكثر انواع السرطانات تكرارا في الجنسين هي سرطان الثدي78مريض بنسبة (13%)ثم سرطان الرئة 49 مريض بنسبة (8.2%)، المبايض 45 مريض (7.5%)، الفم 45 مريض (7.5%)، الكبد 41 مريض (6.8%)، البروستاتا 35 مريض (5.8%)، البلعوم الانفي 31 مريض (5.2%)، الغدد الليمفاوية 31 مريض (5.2%)، عنق الرحم 28 مريض (4.7%)، واخيرا بطانة الرحم 27 مريض (4.5%).

بالإضافة الى ذلك فان الدراسة اوضحت ان أكثر خيار للعلاج مستخدم هو العلاج الكيميائي283مريض بنسبة (47.2%). وان أكثر اداة تشخيصيه مستخدمه هي اخذ العينة 335 مريض بنسبة (55.8%). وان أكثر الاعراض تكررا ما بين المرضى هو الشعور بالألم 205 مريض بنسبة (34.2%). ايضا اوضحت الدراسة ان هنالك علاقة ملحوظة ما بين مكان السرطان وجنس وعمر المرضى المصابين بالسرطانوالاداة التشخيصية المستخدمة بقيمة (0.00). كما بينت

الدراسة عدم وجود علاقة ملحوظه بين مكان السرطان والعلاج بقيمة (0.755) والاعراض المرضية بقيمة (0.997).

#### **List of Abbreviations**

Abbreviations
RICK
DNA
TNM
HPVs
HIV
AIDS
EBV
HHV8
NHL
PET
FAP
TBI
BCG
NSAIDs
SCC
CLL

Breast Conserving Surgery	BCS
National Center for Biotechnology Information	NCBI
Magnetic Resonance Cholangio-Pancreatography	MRCP
Microscopically Verified	MV
Prostate Specific Antigen	PSA
Beta-Human Chorionic Gonadotropin	BHCG

### **List of Figures**

Figures caption	Page No.
Figure [2:1]: show benign and malignant tumor of the breast	6
Figure [2-2]: show cell division	7
Figure [2-3]: show cancer development	10
Figure [2-4]: show the stage of cancer	13
Figure [2-5]: show a digital mammogram-imaging unit	21
Figure [2-6]: show role of x-ray to diagnose cancer	21
Figure [2-7]: show role of CT scan to diagnose cancer	21
Figure [2-8]: show role of MRI to diagnose cancer	22
Figure [2-9]: show role of US Scan to diagnose cancer	22
Figure [2-10]: show role of PET scan to diagnose cancer	22
Figure [2-11]: show of role NM Scan to diagnose cancer	23
Figure [2-12]: show radiation therapy equipment	26
Figure [2-13]: show hormonal therapy	31
Figure [4-1]: Distribution of study sample according to Participant's Gender	40
Figure [4-2]: Distribution of study sample according to Participant's age	41
Figure [4-3]: Distribution of study sample according to Participant's Site	42
Figure [4-4]: Distribution of study sample according to Participant's Treatment	43
Figure [4-5]: Distribution of study sample according to Participant's Diagnose	44
Figure [4-6]: Distribution of study sample according to Participant's Symptoms	44

#### **List of Tables**

Tables caption	Page No.
Table [2-1]: show Grade of tumor from1 to 4	12
Table [2-2]: show (TNM) classification system	12
Table [2-3]: show numerical classification system	13
Table [2-4]: Number of new cases of specific cancers in the world and in Norway in 2012	36
Table [4-1]: Distribution of study sample according to Participant's Gender	40
Table [4-2]: Distribution of study sample according to Participant's age	40
Table [4-3]: Age Statistics	41
Table [4-4]: Distribution of study sample according to Participant's Site	41
Table [4-5]: Distribution of study sample according to Participant's Treatment	43
Table [4-6]: Distribution of study sample according to Participant's Diagnose	43
Table [4-7]: Distribution of study sample according to Participant's Symptoms	44
Table [4-8]: Cross Tabulation between Site of Cancer and Gender	45
Table [4-9]: Cross Tabulation between Site of Cancer and Treatment	46
Table [4-10]: Cross Tabulation between Site of Cancer and Diagnose	48
Table [4-11]: Cross Tabulation between Site of Cancer and Symptoms	49

### LIST OF CONTENTS

Contents	Page No.
الآية	II
Dedication	III
Acknowledgement	IV
Abstract (English)	V
Abstract (Arabic)	VI
List of Abbreviations	VII
List of Figures	IX
List of Tables	X
List of Contents	XI
Chapter one	
1-1 Introduction	1
1-2 Problem of Study	2
1-3 Objectives	2
1-4 Thesis Outline	3
Chapter two	
2.1 Cancer	4
2:2 Benign Versus Malignant tumors	4
2:3 Cancer Cell Development	6

2:4 Classification of Cancer	11
2:5 Cancer epidemiology	13
2:6 Symptoms of Cancer	17
2:7 Diagnosis of Cancer	20
2:8 Cancer Treatment	23
2:9 Side Effects of Cancer Treatment	33
2:10 Cancer Prevention	33
2:11 Previous Studies	34
Chapter three	
3:1 Materials	38
3:2 Methods	38
Chapter four	
Results	40
Chapter five	
5-1 discussion	54
5-2 conclusions	58
5-3 recommendation	59
References	60
Appendix	66