

List of contents

ID	Items	Page No.
	الآیه	
	Dedication	I
	Acknowledgements	II
	Contents	III
	List of tables	VI
	List of figures	VII
	ABBREVIATIONS	VIII
	Abstract [English]	IX
	Abstract [Arabic]	X
Chapter one: Introduction		
1.1	Back ground	1
1.2	Anatomy and Physiology	1
1.3	Nuclear medicine techniques	2
1.4	ECG Gating	4
1.5	Gated SPECT Acquisition.	4
1.6	Gated SPECT Wall Motion Analysis	4
1.7	Validation of Gated SPECT EF with Blood Pool Imaging.	5
1.8	Acquisition Options	5
1.9	Problem of study	6
1.10	Objectives	6
1.10.1	Main objective	6
1.10.2	Specific objectives	6
1.11	Thesis Outlines	6
Chapter two: literature view		
2.1	Heart Anatomy and Physiology	7
2.2	Imaging Sciences	9
2.3	1.1. Single Photon Emission Computed Tomography (SPECT)	10
2.3.1	Introduction	10

2.3.2	Purpose of SPECT and its advantage over planar imaging	11
2.3.3	Theory of SPECT	12
2.3.3.1	Projection, Back-projection	13
2.3.3.2	Filters	14
2.3.3.3	Data Sampling	18
2.3.3.4	Attenuation Correction	20
2.3.3.5	Iterative Reconstruction	23
2.3.3.6	Scatter	23
2.3.3.7	Noise	23
2.3.3.8	Collimation	24
2.4	Instrumentation	24
2.4.1	Rotating Gamma Cameras	24
2.4.2	Single or Multiple section Devices	26
2.5	Myocardial Perfusion Imaging	27
2.5.1	Introduction	27
2.5.2	Radiopharmaceuticals Thallium-201 Imaging	28
2.5.3	Technetium-99m Tracers	28
2.5.4	SPECT Image Acquisition	29
2.5.5	Processing Protocols	30
2.5.6	Quantitative Analysis of Perfusion	31
2.5.7	ECG Gating	31
2.5.8	Acquisition Options	33
2.5.9	Image Interpretation and Reporting	33
2.5.10	Generating a Report	37
2.5.11	Clinical Indications	37
2.5.11.1	Diagnosis of CAD	37
2.5.11.2	Ethnic and Racial Differences	38
2.6	Cardiac Imaging	38
2.7	Previous studies	40
Chapter three: Material and method		
3.1	Material	42

3.2	Methods	42
3.2.1	Stress Procedures	42
3.2.2	Imaging	43
3.2.3	Sampling	43
3.2.4	Technique	44
3.2.5	Study variable	44
3.2.6	Data analyze	44
3.8	Image protocol	44
Chapter four: Results		
4.1	Results	45
Chapter five: Discussion		
5.1	Discussion	55
5.2	Conclusion	58
5.3	Recommendations	59
	References	60
	Appendixes	

List of tables

Table	Item	Page No
2.1	Operator choices in SPECT	13
2.2	Myocardial perfusion imaging (^{99m} Tcagents)	27
2.3	Essential items to review on the rotating projection images as part of the quality control prior to interpretation of myocardial perfusion images	34
4.1	brightness of the heart in the rest and stress status	45
4.2	ejection fraction volumes of the heart in the stress status	46

List of figures

Figure	Item	Page No
1.1	Technetium-99m Radiotracers	4
2.1	A contrast of 4:1 in the object becomes a contrast of 2:1 in planar imaging.	12
2.2	Orientation in SPECT. The three orthogonal planes conventionally used are demonstrated using ^{99m} Tc-HMPAO cerebral blood flow images.	12
2.3	a. Profiles relating to a single transaxial section from a distribution of radioactivity comprising two point sources. b. Back-projection of these profiles builds up an image of the point sources by superimposition but at the expense of a high background.	14
2.4	Figure 2.4: a. The filter acts on each point in the profile in turn.	15
2.5	Figure 2.5: An idealized line spread function (top), a realistic line spread function (middle) and a filter typical of those used in SPECT (bottom) are shown in a “real” and b “frequency” space.	16
2.6	Normal ¹²³ I-FP-CIT SPECT images reconstructed using a Butterworth filter with cut-off values ranging from 0.2 to 0.7 cycles/cm.	18
2.7	In the pre-processing attenuation correction method the correction factor applied to each element in the profile collected at angle θ will depend on the patient thickness L at the appropriate angle.	21
2.8	Dual-headed gamma cameras with the heads at a 180° for brain imaging and b 90° for myocardial perfusion imaging.	26
2.9	stress (top) and rest (bottom) MPI images from a female subject showing areduction in counts anterior lying both stress and rest images.	29
2.10	Three view stress and rest Tc-99m/Tl-201 study that shows diminished perfusion on both.	35
2.11	End diastolic and systolic frames in the same patient as in Fig. 4.9 showing that there is movement and thickening or brightening in the anterior wall most consistent with breast attenuation and not infarction.	35
2.12	Three view Tc-99m/Tl-201 study in a patient with a clear anterior defect on stress (blue arrows) and a normal resting set of images (yellow arrows)	35

consistent with left anterior descending distribution ischemia.

2.13	Three view Tc-99m/Tl-201 study in a patient with a lateral wall defect on stress (blue arrows) and a normal resting set of images (yellow arrows) consistent with left anterior descending distribution lateral wall ischemia	37
4.1	<i>Original image of stress and rest quantitative polar map (left) converted to gray scale (right)</i>	45
4.2	correlation between the rest and stress in normal category	46
4.3	correlation between the rest and stress in MILD category	47
4.4	correlation between the rest and stress in moderate category	47
4.5	correlation between the rest and stress in sever category	48
4.6	heart ejection fraction	48
4.7	correlation between normal brightness of the heart and ejection fraction	49
4.8	correlation between mild brightness of the heart and ejection fraction	49
4.9	correlation between moderate brightness of the heart and ejection fraction	50
4.10	correlation between sever brightness of the heart and ejection fraction	50
4.11	correlation between normal brightness of the heart and end diastolic volume	51
4.12	correlation between mild brightness of the heart and end diastolic volume	51
4.13	correlation between moderate brightness of the heart and end diastolic volume	52
4.14	correlation between sever brightness of the heart and end diastolic volume	52
4.15	correlation between normal brightness of the heart and end systolic volume	53
4.16	correlation between mild brightness of the heart and end systolic volume	53
4.17	correlation between moderate brightness of the heart and end systolic volume	54
4.18	correlation between sever brightness of the heart and end systolic volume	54