Dedication

This Research is dedicated

To my Parents

Who taught me how to make my future

They have given me the drive and discipline to tackle and task with enthusiasm and determination without their love this project would not have been possible

To

My sister and brother for their valuable supports

And my teachers

I dedicate this work

Acknowledgement

I would like to my express my deepest gratitude to my supervisor Dr. Asma Ibrahim Ahmed Alamin for giving opportunity to carry out my work for trusting me with assignment of this very interesting subject as well as for their ongoing interest guidance and support throughout my project's application

Last but not least my truthful thanks go out to Dr.Nagla Hussein Mohammed Khalid for her supporting and helping to complete my project and interest during the length of my research

List of Contents

Title	Page
Dedication	II
Acknowledgements	III
List of Contents	IV
List of Figures	VIII
Abbreviations	IX
Abstract	X
ملخص الدراسة	XI
Chapter one	
Introduction	
1.1 Introduction	1
1.2. Problem of the study	2
1.3 Objectives	2
1.3.1General objectives	2
1.3.2 Spesefic objectives	3
1.4 Over view of the study	3
Chapter Two Literature review	
2.1 Anatomy of the Biliary Tract	4
2.1.1 Gall bladder and cystic duct	6
2.1.2Common bile duct	7
2.2. Physiology	10

2.2.1 Hepatobiliary Physiology	10
2.2.2 Physiology of the Gallbladder	10
2.2.2.1 Storage	10
2.2.2.2 Stimulation	11
2.2.2.3 Secretion	12
2.3 Pathology of Biliary tract and pancreatic duct	12
2.3.1.Cholelithiasis (Gallstone)	12
2.3.1.1. Cholesterol stones	13
2.3.1.2 Black Pigment stones	13
2.3.1.3 Mixed stones	13
2.3.2 Cholecystitis	13
2.3.2.1 Acute Cholecystitis	14
2.3.2.2 Chronic cholecystitis	14
2.3.2.3 A calculus cholecystitis	14
2.3.4 Carcinoma of the gallbladder	16
2.3.5Cholangiocarcinmas	16
2.3.6 Benign bile duct strictures	17
2.3.7 Malignant Jaundice	17
2.3.8 Biliary obstruction:	18
2.3.8.1Types of bile ducts	18
2.3.9 Biliary colic	19
2.3.10 Gallbladder cancer	19
2.3.11 Jaundice	20
2.3.12 Lesion	21
2.3.12.1 Types	21
2.3.12.2 Location	22

2.3.12.3 Cause and behavior	22
2.3.12.4 Size and shape	23
2.3.13 Cyst	23
2.3.14 Pancreatic and ability malignancy	
2.3.15 pancreatic cancer	24
2.3.16 Pancreatitis	25
2.4 Imaging of Biliary system	26
2.4.1 Plain abdominal radiography	26
2.4.2 Endoscopic retrograde cholangiopancreattography	26
(ERCP)	
2.4.3 Magnetic Resonance image (MRI) and Magnetic	27
Cholangiopancreatography (MRCP)	
2.4.3.1 Physics	27
2.4.3.2 Equipment	30
2.4.3.3 Patient Preparation	
2.4.3.4 Procedure	33
2.4.3.5. Benefits	36
2.4.3.6. Risks	37
2.5 Previous Study	40
Chapter Three Materials & Methods	
3.1 Material	50
3.2 Study design	50
3.3Area of study	50
3.4 Study population and sampling	50
3.4.1 The population	50
3.4.2 The sample	50

3.5 Inclusion criteria	50
3.6 Exclusion criteria	51
3.7 Study variable	51
3.7.1 Main variable	51
3.7.2 Dependant variable	51
3.8. Method of collecting data and instrumentation	51
3.8.1 Method of collecting data	51
3.9 Equipment	51
3.10 .Technique	51
3.11 data analysis	52
3.12 Ethical consideration	52
Chapter Four Results	
Results	53_64
Chapter Five Discussion, conclusions and recommendation	
5-1 Discussion	65
5-2 Conclusions	69
5-3 Recommendation	70
References	71
Appendices	

List of Figures

Figure No	Contents	Page
2.1	Anatomy of the extra hepatic bile duct	4
4.1	Shows frequency distribution of gender.	
4.2	Shows contrast frequency.	
4.3	shows history frequency distribution	
4.4	shows correlation between histories with gender female	
4.5	shows MRI finding frequency distribution	
4.6	Shows correlation between MRI Finding.	

Abbreviations:

ACR	American College of Radiology
ABPJ	Anamolousbiliopancreatic junction
CCK	Cholecystokinin
CBD	Common bile duct
CT	Computed tomography
ECG	Electrocardiography
ERCP	Endoscopic Retrograde Cholangiopancreatography
FSE	Fast spin echo
FOV	Field of view
IOC	Intraaoperative cholangiography
IV	Intravenous
LC	Laparoscopic cholecystectomy
MRCP	Magnetic Resonance Cholangiopancreatography
MRC	Magnetic Resonance Choleangiography
MRI	Magnetic Resonance Imaging
MIP	Maximum Intensity Projection
PTC	PercutaniousTranshepaticCholeangiography
PSC	Primary Sclerosing Cholangitis
3 D	Three dimentional
TSE	Turbo spin echo
U/S	Ultrasound Sound
VZV	Vermicelli zoster virus
T2	Weighted image that demonstrates the differences in the
	T2 times of the tissues

Abstract

Magnetic resonance Cholangiopancreatography (MRCP) is a technique that has evolved over the past two decades, and consider as a noninvasive diagnostic modality capable to produce high-quality images of the Biliary and pancreatic disorders.

This study was across sectional descriptive study aimed to Study of Biliary system diseases using magnetic resonance imaging carried out at king Khalid hospital- KSA from February 2017 to December 2018.

There were 92 patients scanned using two magnetic resonance machines of energy 1.5 tesla and 3 tesla, all those patients had age between 18 to 88 years and had Biliary disease, any patient with age out of this group or had normal Biliary system was excluded from this study.

Study showed that there was 61.3% of cases were female and 38.7 % were male, also study showed that the most affected age group was 31-45 years.

Study resulted magegnetic Resonance Imaging was very accurate in diagnosis and differentiated between Biliary system diseases and female was more affected than male Biliary system diseases. Also study revealed that the most diseases affected the Biliary system were stone and cyst respectively.

Study recommended that further studies should be done in this field with increasing number of sample, age groups and comparing with other motilities.

ملخص الدراسة:

يعتبر جهاز الرنين المغنطيسي وسيلة تشخيصية قادرة على إنتاج صور عالية الجودة للاضطرابات الصفراوية والبنكرياسية.

أجريت هذه الدراسة عبر دراسة وصفية مقطعية تهدف إلى دراسة أمراض نظام القنوات الصفراوية باستخدام التصوير بالرنين المغناطيسي في مستشفى الملك خالد بالمملكة العربية السعودية في الفتره من فبراير 2017 إلى ديسمبر 2018. تم دراسة 92 مريضا باستخدام جهازين للرنين المغنطيسي ذو شدة مغنطيسية 1.5 و 3 تسلا والتي تتراوح أعمارهم بين 18 إلى 88 سنة وكان لديهم مرض الصفراوي ، وتم استثناء اي مريض خارج هذه المجموعة. أظهرت الدراسة أن هناك 61.3 ٪ من الحالات كانت من الإناث و 38.7 ٪ من الذكور ، كما أظهرت الدراسة أن الفئة العمرية الأكثر تضررا كانت بين 31-45 سنة.

وأظهرت الدراسة أن التصوير بالرنين المغناطيسي كان دقيقًا جدًا في تشخيص مختلف أمراض الجهاز الصفراوي وكانت الأنثى أكثر تأثراً من أمراض الجهاز الصفراوي من الذكور, كما كشفت الدراسة أن معظم الأمراض التي تصيب النظام الصفراوي كانت الحصاوي والتكيس على التوالى.

وأوصت الدراسة بإجراء المزيد من الدراسات في هذا المجال مع زيادة عدد العينات والفئات العمرية ومقارنتها بالوسائل الأخرى.

بسم الله الرحمن الرحيم

Sudan University of Science & Technology

College of Graduate Studies

Study of Biliary System Diseases using Magnetic Resonance Imaging

A Thesis Submitted For Partial Full Fulfillment of M.S.C Degree in Diagnostic Radiologic Technology

Prepared:

Habab Hasab Elrasoul Abdullah Mohammed Alameen Supervisor:

Dr. Asma Ibrahim Ahmed Alamin 2018