

REFERENCES

1. Adams,B.A,Osikabor,B.Olomola,A and Adesope,A.A.A(2010) .Analysis of Physical and chemical composition of honey samples in selected market in Ibadan Metropolis ,Journal of agriculture and Social Research (JASR) VOL. 10, No. 2, 2010
2. Adebisi ,*etal* (2004).Chemical/ physical Characterization of Nigeria honey. Pakistan Journal of Nutrition 3(5):278 – 281.
3. Adesunkanmi, K. and O.A. Oyelami(1994). The pattern and outcome of burn injuries at Wesley Guide Hospital, Ilesha , Nigeria a review of 156 cases. J.Trop Med.Hgy.97:108-112.
4. Ali.H.I(1983).Chemical composition of Sudanese honeys. *Sudan J.Fd Sci.Tech.*15:22-25.
5. AOAC (1990). Official methods of analysis of the association of official analytical chemists.15th ed. Published by Wilson Boulevard, Alington ,Virginia-USA.PP.1025 -1034.
6. AOAD(1995a). A document of executive national project for improvement and production of honey bee in Arab world (in Arabic). Arab organization for Agricultural development P.O.Box :474 Khartoum –Sudan pp 37 -41.
7. AODA(1995b). Training session on new technologies of improved queen production and rearing (in Arabic) 18

- 30/3/1995. Dumuscus-Syria. Arab Organization for Agricultural Development P.O. Box :474 Khartoum- Sudan .pp. 6-21.
8. Bacon,J.S. and Dickinson ,B.(1957). The origin of melezitose : a biochemical relationship between the lime tree(*Tilia spp.*) and an aphid (*Eucallipterus tilliae*) Bioch.J.66: 289-297.
 9. Balan, O,1999. *Materii prime și materiale pentru industria alimentară*, Tipografia Universității Tehnice „Gh. Asachi” Iași,.
 10. Bogdanov,s(2006).Contaminants of bee products .*Apidologie* 38(1):1-18.
 11. Bogdanov,s.Bier,K;Figar,M;Figueiredo.V;IFF,D;Kanzig.A;Stocli,H.Z urcher K(1995) kapitel 23 Bieneprodukte :23AHonig schweiz Lebensmittelbuch(11)
 12. Bratu. 1. Studio aspra factorilor ce influenteaza culoarea sortimente de micro din Romanina *Buletin stiintific sibiu* 1998 Vol.IV .27-30.
 13. Chandler,B.V Fenwick,D.,O. Hara,T. and Reynolds ,T. (1974).Composition of Australian Honeys. CSIRO Aust Div. Fd. Res. Tech.pap No.38,1-39.
 14. Chatway ,H.D. (1935).*Canadian Bee Journal* 43(8):215.
 15. Clemansa, T., *Microbiologie alimentara*, Ed. Agir, Bucuresti, 2004, pp. 285;

16. Cliver,D O (2000) *Honey, human pathogens and HACCP .Dairy, Food and Environmental Sanitation*20(4);261-263.
17. Codex Alimentarius commission regional standards for honey CAC/RS12(1969). Official methods of analysis of the AOAC. Secretariat of the joint FAO/WHO Food standards Programme Rome Italy :31-168.
18. Crane, E.(1976). *Honey ,A comprehensive survey* .Heinmann. London.
19. Crane,E. (1982). Learning about honey through fructose. *Bee World* 63(4):174-176.
20. D,Arcy, B,Caffine. N,Bhandari,B,Squires, N.,Fedorow,p. and Mackey ,D.(1999). Australian liquid honey in commercial bakery products. RIRDC publication No 99/145.
21. De bodt, G; Vlayen, P (1994) Miel et botulisme. *Les carnets du CARI Abeilles et cie* (46): 14-16.
22. De bodt,G(1996) Les miels de rhododendrons. *Les Carnets du CARI Abeilles et Cie*(50):10-12 .
23. Doner,L.W. White ,J.W.:and Phillips J.G (1979).GLC test for honey adulteration by high fructose corn Syrup .*J.Assoc .Offic. Anal.Chem.*62(1) :186-189 .
24. Doner,L.W. and White ,J.W(1977). Carbon-13/carbon -12ratio is relatively uniform among honey. *Sci* 197:91-892.

25. Doner,L.W.(1977).The sugars of honey -areview.J.Sci Fd .Agri.28:443 - 456.
26. Edgar,JA;Roeder,E,L;Molyneux,R J (2002)Honey from plants containing pyrrolizidine alkaloids : A potential threat to heath . *Journal of food chemistry* 50(10):2719-2730..

Effect of accelerated storage conditions on chemical composition and properties of Australian honey *J .Apic .Res*15(1) :23-28 .
27. ElSarrag, M.S.A. (1977).Morphometrical and biological studies on Sudanese honey bees (*Apis mellifera*. L.) Ph.D Thesis. Cairo university -Egypt.
28. European Commission (2002)Honey and microbiological hazards. *Report European commission of Health & consumer to health & consumer protection Directorate-General: 1-40.*
29. Farris,G .A ;Fatichenti,D. P. and Forteleoni, M. . (1987).Further contribution to Knowledge of the microbiological composition of Sardinia honeys *Apic .Abst* 38(3): 1025/87.
30. Fox , B.A and Cameron , A.G. (1995). Carbohydrate Foods Science Nutrition and Health Printed in Great Britian by Richard Clay Ltd 6th ed.379pp.

31. Gasma, M.G .H. (1982) Biological and behavioral, studies on Sudanese honey bees(*Apis mellifera* L.) M.Sc. thesis, University of Khartoum.
32. Ghazali, H.M. and Sin ,M.K(1986). Coconut honey :The effect of temperature on some of its Physicochemical properties *J.Apic .Rec* .25(2)109-112.
33. Gillian, M.; Moffett, J.O.; Kauffeld, N. M, **1983** Examination of floral nectar of citrus, cotton and Arizona desert plants for microbes, *Apidologie*, 14, 299-302.
34. Gregg, A. I.(1949). The physiology and practice of beekeeping Lewes press-Great Britain 240 pp.
35. Haremi, F.R. and Hussein Z. (1990).Chemical composition of honey form fars Kohkilgeb province of Iran.
36. Harrigen (1998). Laboratory Methods in Food Microbiology 3rd edition, san Diego London Boston ,New York Sydner Tokyn Toronto pp 45-62.
37. Hodges D.(1984). The pollen Load of the honey bee. IBRA Prints .London .pp.52-85.
38. Huhtanen, C N; Knox D; Shimanuki, H (1981) Incidence and origin of Clostridium Botulinum spores in honey . Journal of food protection 44 (11): 812-814.
39. Ibrahim. A.O.(1985). Studies on Sudanese honeys. M.Sc. thesis, University of Khartoum.

40. Jay,J.M.(1986). Modern food microbiology .3rd ed Van Nostrand Reinhold company,NewYork.642pp.
41. Jermini M.F.G; Geiges,O.and Schmidt-lorenz ,W . (1990).Determination isolation and identification of osmotolerant yeasts from high sugar products *Fd.prot* 50(6): 468-472.Aplic Abst :637/190.
42. Jones, P: lowood. J. and Yorks,E.(1950).The composition and properties of honey. *Bee World* 31(1):2-6
43. Joslyn , M.A. (1970). Methods in food analysis . Academic press New York and London . pp36.
44. Kassaye , A. and Gadegoba .N.(1988). Moisture content determination of Ethiopian honey prco. 4th Int,conf. Apic in tropical climate .Cairo -Egypt .
45. Khalifman,1.(1953) Bees foreign languages. *Adv.carb.chem and biochem* . 25:285-309.
46. Krikwood ,K.C; Mitchell,T. and Smith,D.(1960).An examination for ocairrence of honey dew in honey. *Analyst* 85:412-416.
47. Levine, M. (1961). Factors and fancies of bacterial indeces in standard for water and foods.*Fd.tech.*15(11):29-34.
48. Lochhead, A .G (1933). Factors concerned with the fermentation in honey. *Zent. Bakt. Parasitk de* .88: 296-302.

Cited in:the hive and they honey(ed) Grout ,R.A. Standard printing company Hanibal ,Missori 556 pp.

49. Lower Clarences Skills centre(1996). The study into potential for expansion of Clarence Valley Honey Industry.
50. Marghits .L.A . 2008.Albinele si produsele lor, Editera Ceres ; Bucuresti . pp280.
51. Martins, H. M.; Martins, M. L**2003**. Bernardo, F. M. A., Bacillaceae spores, fungi and aflatoxins determination in honey, *Revista Portuguesa de Ciencias Veterinarias*, , 989 (546), 85-88
52. Maurizio .A. (1962). From the raw material to the finished product: honey. *Bee World* 43(3) : 66-79.
53. Minh ,H.V.; Mendoza ,B.V. and Laigon F.M . (1971). The chemical composition of honey produced by *Apis dorsate* .*J.Aplic.Res.*10(2) 91-97.
54. Mohammed,S.A.(1997).Studies on the Purity and Quality of the Sudanese Honey.M.sc. Thesis University of Khartoum. and Mohammed,S.A.and Ali.E.E.(2005).
55. Morse, R.A. (1980) . Bees and beekeeping. Constock Publishing Associate,I thaca and London .pp 163-193.
56. Nagi,S.K.(1990). Studies on Sudanese and Carniolan honey bees. PhD, these , University of Khartoum.
57. National Honey Board,(2002):Honey Health and Therapeutic qualities, Retrieved Januay 14,2004 from the

World Wide web:
http://www.nhb.org/infropub/month/2002/10_2002 monthly
report pdf.

58. Nelson,E. and Mottern.H.H.(1931).some organic acids in honey. *Ind Engng chem.*..23(3):335.
59. Papoff. C .M: Campus ,R. L.; Farris ,G. A .and Floris, I.. (1990) Physical ,Chemical ,microbiological and palynological characteristics of Somalian honeys. *Apiculture* (1988).(4) 147-172 *Apic.Abst.*4(1) ;263/90.
60. Pearson,s.(1976), Chemical Analysis of Foods.7th Edition ,141.
61. Poncini ,L; Wimmer,F .L. and Sheridanponcini G.F. (1990). An unusual honey colour resulting form bees feeding on factory waste *J.Apic.Rec.***26**(4)255-260.
Pp 45 -52.
62. Richard (1999); Bee keeping as a business, common wealth secretariat morlborough house pull mail, London Swiyshs United Kingdom .
63. Rodgers, P.E.W.(1975).Honey quality control ,pp.314-324 in: *Honey a comprehensive survey* ed. Crane ,E. printed by Morrison and Gibb ltd, London and Edinburgh 608pp.

64. Rostaim Faraji - Harem ,(1976) colour and Chemical Composition of Honey from known floral sources. PhD thesis UNSW.
65. Schuette, H.A and Huerink, D.J.(1937)Mineral constituents of honey.*F.Res.*2:529-538.
66. Sergeren, ;P Mulder,V; Beetsma, J .and Sommejer.R. (1991). Beekeeping in the tropics Agrodok 32, P.O.Box 41, wageningen - the Netherland CTA publication 83pp.
67. Siddiqui, I.R.(1970). The sugars of honey *Adv. Carbohyd. Chem and biochem.* 25: 285-309.
68. Smith,F. G.(1958). Beekeeping in the tropics, Longmans , Green and Co. Ltd London W1,pp.193-196.
69. Snowdon,J A and Cliver.D O.(1996)Microorganisms in honey ,international Journal of Food Microbiology 31(3/1);1-26.
70. SSMO(2007/3754)Sudanese Standards and Metrology Organization, Natural Honey Specification, P.O.Box 13573 Sudan- Khartoum ,SSMO@Sudanet .net.
71. Stern,R.(1999) What is the Glycaemic Index .The Australian Beekeeper.
72. Stinson ,E; Subers ,M.H;Petty,J. and White J.W.(1960). The composition of honey: separation and Identification of

organic acids. *Arch .biochem and bioph.*89(1) :6 -12-
Apic.Abst:150/162.

73. Subramanian,R;Hebbar.H.U;Rastogi.N K
(2007),Processing of honey: Areview International Journal of
Food Properties 10(1) :127-143.
74. Tabouret,T;Mathlouthi,M.(1972).Essia de pasteurization
de miel.*Rev franc.Apic* 299-261.
75. Tanzi;MG Gabay.MP(2002) Association between honey
consumption and infant botulism. *Pharmacotherapy*
22(11):1479 - 1483.
76. Thrasyvoulou,A.,(1997). Heating times for Geek honeys.
Melissokomiki Epitheorisi 11(2) :79-80.
77. Timmroth ,R; Speer ;Beckh,G; Lullmanm,C.,(2005)
Comparsion of European honeys to tropical honeys-effects
of yeast cell numbers on the concentration of especially
selected components Apimondia abstracts Ireland 2005.
Apimondia International Apicultural Congress Dublin Ireland
Dublin Ireland ; pp 110.
78. Vorwohl, G.(1976).,Honey from tropical Africa
microscopical analysis and qulity problems.Apic . in tropical
climate pp.93-101.

79. Vorwohl,G.(1971).The hydroxy methyl furfural content of German honeys .*Z.Bienenforsch.*9(11/12):504-508.*Apic.Abst.*22(3) 752/71.
80. Walker,H.S(1917) Determination of Sugars in honey ,*Journal of Industrial and Engineering Chemistry* 2,490.
81. Wedomre ,E.B (1955). Accurate determination of moisture of honey,*Bee World* 36(11) :197-206.
82. White ,J.W.(1975) Honey. pp 346 -46 in: the hive and honey bee (ed) Grout ,R.A. Standard printing Company Hannibal Missouri 556 pp.
83. White ,J.W.(1977). Sodium potassium ratio in honey and in high fructose corn syrup *Bee World* 58(1) :31-35.
84. White ,J.W.(1979). Spectrophotometric method for HMF in honey .*J.Assco. Offic. Anal.Chem.*62(3) 11-19.
85. White ,J.W; Riethof. M ,L.; Subers. M.H. and Kushnir ,L. (1962). Composition of American honey. *Tech.Bull .I.S.*(26) Dept. Agric.125pp.
86. White, J.W. (1981).Natural toxicants *Bee World* **62**(1): 23-30.
87. White, J.W. and Doner ,L.W.(1978). Mass Spectrophotometric determination of high fructose corn syrup in honey by use of C^{13} / C^{12} ratio . *J . Assoc . office Anal . Chem* 61(3) : 746-750.

88. White, J.W. Meloy , R.W.; and probst , J. L(1986). Detection of beet sugar adulteration in honey . J. Assoc . Offic Anal Chem 69(4) :652-654.
89. White,J.W (1980b). High fructose corn syrup adulteration of honey. confirmatory testing required with certain isotope ratio values .J. Assoc. Offic Anal Chem. 63(5) : 1168.
90. White,J.W (1980a).Determination of honey adulteration by carbohydrate analysis .J .Assoc. Offic Anal Chem 63(1) 11-19 .
91. White,J.W.;Meloy ,R.W.; and probst,J.L.(1986b). Detection of beet sugar adulteration in honey . J .Assoc. Offic Anal Chem. 69(4) :652-654.
92. White,J.W.and Underwood ,J.C.(1974). Maple syrup and honey .in symposium s+695sweeteners. G .E. intlett *et al.* (eds) AVI publishing Co.Westpoint U.S.A.
93. Winner,B.Capilano(2001),.Product Specification. www.capilano.com.au/honey/products/product-spec.22/2/2001.
94. Woods ,A .E. and Aurand, L.W.(1977). Laboratory manual in Food Chemistry. The AVI publishing company , pp62.

95. Wootton, M. Edwards. R.A.: Haremi, R.F. and Johnson, A.T.
(1976)
96. Zucchi, P.; Bassignani, V.; Carpana, E. (2001) Honey
microbiology. *Industrie Alimentari* 40(409):1346-1350