Chapter v

5.0 References

Addine, G., Erkine, Wald slaw, W., Socha.(1978) the principles and practice of blood grouping 2nd edition 154-204.

Addine, G., Erkine, Waldyslaw, W., Socha.(1978) the principles and practice of blood grouping 2th edition 154-204.

Bertelson, CJ. Pogo AO, Chaudhuri A et al. Localization of the McLeod locus (XK) within Xp21 by deletion analysis. American Journal of Human Genetics., 1988; 42: 703±711.

Chirs pilaster., (1994) blood physiology, comprises, England, 163-191.

Corcoran, PA., Allen FH, Lewis M. (1961) A new antibody, anti-Ku (anti-Peltz) in the Kell blood group system. Transfusion 1:81

Caine ME & Mueller-Heubach E. Kell sensitization in pregnancy. American Journal of Obstetrics andGynecology.1986; 154: 85±90

Dorland., (1981). Dorlnd'smedical dictionary. Twenty editions, W.B.Saunders Company, Philadelphia.P1468.

Dunstan, RA.,(1986) Status of major red cells blood group antigens on neutrophils, lymphocytes and monocyts. BrJ Amatol 62: 301-309

Denise, M., Harmening.(2000). Modern blood banking and transfusion practices, 3th edition, 88-175.

Denise ,M., Harmening. (2002). Modern blood banking and transfusion practices 3th edition, 88-175.

Engelfriet, CP.,(1978) Unpublished observation cited in the 7th

Ernest , B., Marshal ,A., lichtman.(1995). William's hemotology, 5th edition 1601-1603.

Eskine, Addine, G.O., D, S.E.(1978). The principle and practicle of blood grouping 2th, saitlouis UK, 55-61.

Frey, D., Machler M, Seger R et al. Gene deletion in a patient with chronic granulomatous disease and McLeod syndrome: ®ne mapping of the Xk gene locus. Blood 1988; 71: 252±255.

Geof Daniels.,(1990). Blood group system Kell (First edition) Barbra Laird Fryer, Judith Levitt. American Association of blood bank .Virgina, USA, P5-11, 79—86.

G. Richard., Lee, Johon ., forester.(1999). Wintrobe's clinical hemotoloy 10th edition volume 1 , 782-783.

Hameed, A., Wajahat, H., Janbaz, A., Fazil-Rai. & Javed, A. Q. (2002). Prevalence of phenotypes and genes of ABO and RH Rhesus blood group in Faisalabed Pakistan. Paki J boil scie, **5** (6):722-724.

Hoffbrand. , A.V., lewis, SM.(1991). Post graduate Hematology. 4th edition British library London, 164-201.

Hoffbrand, A.V., pettit, J.E.(1993) . Essential hemotlogy 4th edition, 393-394.

Ho, M., Chelly, J, Carter N et al.(1994) Isolation of gene for McLeod syndrome that encodes a novel membrane transport protein. Cell 77:869—880

Ho, M., Chelly J, Carter N et al. Isolation of the gene for McLeod syndrome that encodes a novelmembrane transports protein. Cell.1994; 77: 869±880.

Ho, MF., Chalmer RM, Davis MB et al. A novel point mutation in the McLeod syndrome gene inneuroacanthocytosis. Annals of Neurology .1996; 39: 672±675.

Hanaoka, N., Yoshida K, Nakamura A et al. A novel frameshift mutation in the McLeod syndrome gene in

Japanese family. Journal of the Neurological Sciences, 1999; 165: 6±9.

Hoffbrand, A.V.,(1999)., Lewis. S.M, Toddanhm E.G.Dpostgraduate hematology, 4th edition .Kell blood group system, British Library, London .P 85,182,185—190

Hughes- Jones, NC., Gardner B.(1971) The Kell system studied with radioactively – labeled anti-k. Vox sang 21:154

Hoffbrand, A.V.,(2001)., and Pettit, A. postgraduate hematology , British Library , London .4th . P164. Lee S. Molecular basis of Kell blood group phenotypes. Vox Sanguinis., 1997; 73: 1±11.

Lee, G.R., forester, J., (1999). Wintrobe's clinical hemotoloy 10th edition volume 1, 775-787.

Lerine, P., (1963). Human ' D-like antibody nature.

Masouredis, SP., Sudora E, Mahan LC et l.(1980a) immunoelectron microscopy o Kell and Cellano antigens on red cells ghost Hematological 13:59—64

Mayne, KM., Bowell PJ & Pratt GA. The signi®cance of anti-Kell sensitization in pregnancy. Clinical and Laboratory Haematology.1990; 12: 379±385.

Parvee, K., Michael, C.(2002). Kumar and Clark clinical medicine 5th edition, 445-449.

Parsons, SF., Gardner B, Anstee DJ., m.(1993) Monoclonal antibodies against Kell glycoprotein :serology, immunochemistry and quantification of the antigen sites. Transfusion Med 3:137—142

Petty, AC., Daniels GL & Tippett P. Application of the MAIEA assay to the Kell blood group system. VoxSanguinis . 1994; 66: 216±224.

Richard, H., Walker.(1999) the technical manual of the American Association blood banks 13th edition, 236-237.

Russo, D., Wu X, Redman CM.(2000) Expression of Kell blood group protein in nonerythroid tissue. Blood 96: 340—346

Southcott, M. J. G., Tanner, M. J. & Anstee, D. J.(1999). The expression of human blood group antigens during erythropoiesis in a cell culture system. Blood, 93:4425-4435.

Southcott, M.J.G., Tanner MJA & Anstee DJ. The expression of human blood group antigens duringerythropoiesis in a cell culture system. Blood, 1999; 93: 4425±4435.

Tournamille , C., coliny ., carton,J.P., le van kivnc.(1995). Nat Genet vo 10.p224.

Vaughan ,J.I, Warwick R, Welch CR & Letsky EA. Anti-Kell in pregnancy. British Journal of Obstetrics andGynaecology. (1991); 98: 944±945.

Taswell, H.G, Pineda AA, Brzica SM. (1976) chronic granulomatous disease: successful treatment of infection with granulocytes transfusion resulting in subsequent hemolytic transfusion reaction. San Francisco, CA: Commun Am Assoc Blood Banks

WendleS., (2004), Fontao-Wendle-R, LeviJE, Aravichia MG, Bordokan RF, Russo D, Haddad MS;. McLeod phenotype detected by random screening for K:-4(KP(-6) blood donor in Brazil transfusion , 44(11)1579-87.

Weitkamp., (1991) Lee, S.: Zambas, E.D; Marsh, W.L.; Redman, C.M.: Molecular cloning and primary structure of Kell blood group protein. proc.Nat.Acad.Sci.88:6353-6357.

Wendle S., (2004), Fontao-Wendle-R, Levi JE, Aravichia MG, Bordokan RF, Russo D, Haddad MS; McLeod phenotype detected by random screening for K:-4(Kp (-6) blood donor in Brazil transfusion, 44(11)1579-87.

Waster, ES.,(2005), Story JR, Scheider K, Nilsson Sojka B,Poole J, Oisson ML.Genetic bases of the Kell phenotype in Swedish population . Transfusion Apr; 45(5):545—9.

Yazdanbakhsh, K., Lee S, Yu Q & Reid ME. Identification of a defect in the intracellular tracking of a Kell blood group variant. Blood(1999); 94: 310±318.

Yamamoto, F., (2000). Molecular genetics of ABO blood groups. VOX, Sang, 78:91.

Appendix

The result of the study

***Appendix** (1)*

NO	*Gender*	*Blood group*	*Rh(D)*	*KP^a*	*KP^b*	*phenotype*	*Genotype*
001	*female*	*A*	*positive*	*Negative*	*positive*	*Kp(a-b+)*	*Kp^bKP^b*
002	*female*	*O*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
003	*female*	*AB*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
004	*female*	*B*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
005	*female*	*B*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
006	*female*	*A*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
007	*male*	*O*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
008	*female*	*O*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
009	*female*	*O*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
010	*female*	*O*	*Negative*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
011	*female*	*A*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*
012	*female*	*A*	*positive*	*Negative*	*positive*	*(+KP(a-b*	*Kp^bKP^b*

013	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
014	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
015	male	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
016	male	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
017	male	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
018	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
019	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
020	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
021	femal e	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
022	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
023	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
024	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
025	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
026	male	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
027	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
028	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
029	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
030	male	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
031	femal e	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
032	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
033	male	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
034	femal e	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
035	male	O	Negati ve	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
036	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b

037	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
038	male	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
039	femal e	O	Negati ve	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
040	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
041	male	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
042	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
043	femal e	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
044	male	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
045	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
046	male	O	positiv e	positiv e	positi ve	+KP(a+b (	Kp^aKP^b
047	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
048	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
049	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
050	male	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
051	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
052	male	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
053	male	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
054	male	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
055	femal e	B	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
056	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
057	femal e	A	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
058	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
059	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b
060	femal e	O	positiv e	Negati ve	positi ve	(+KP(a-b	Kp^bKP^b

061	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
062	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
063	female	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
064	female	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
065	female	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
066	female	B	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
067	male	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
068	female	B	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
069	male	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
070	male	B	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
071	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
072	male	O	positive	positive	positive	+KP(a+b (	Kp^aKP^b
073	female	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
074	male	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
075	female	AB	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
076	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
077	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
078	male	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
079	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
080	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
081	male	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
082	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
083	female	AB	Negative	Negative	positive	(+KP(a-b	Kp^bKP^b
084	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b

085	male	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
086	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
087	female	B	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
089	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
090	male	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
091	female	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
092	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
093	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
094	male	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
095	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
096	female	B	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
097	male	B	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
098	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
099	female	A	positive	Negative	positive	(+KP(a-b	Kp^bKP^b
100	female	O	positive	Negative	positive	(+KP(a-b	Kp^bKP^b