

## **List of Figures**

<b>Figure 4-1 scatter plot of the % dose received by the eye versus it is distance from the upper border of anterior supraclave field with a trend line that show an inverse linear relationship</b>	<b>28</b>
<b>Figure 4-2 scatter plot of the % dose received by the eye versus it is distance from the upper border of tangential field with a trend line that shows an inverse linear relationship.</b>	<b>28</b>
<b>Figure 4-3 scatter plot show the association of the %dose received by the eye in anterior supraclave irradiation verse the equivalent square field size, the trend line indicate direct proportionality of the % dose received and the filed size.</b>	<b>29</b>
<b>Figure 4-4 scatter plot show the association of the %dose received by the eye in tangential fields irradiation verse the equivalent square field size, the trend line indicate direct proportionality of the % dose received and the filed size</b>	<b>29</b>
<b>Figure 4-5scatter plot of the % dose received by the thyroid versus it is distance from the upper border of anterior supraclave field with a trend line that show an inverse linear relationship</b>	<b>30</b>
<b>Figure 4-6 scatter plot of the % dose received by the thyroid versus it is distance from the upper border of tangential field with a trend line that shows an inverse linear relationship.</b>	<b>30</b>
<b>Figure 4-7 scatter plot show the association of the %dose received by the thyroid in anterior supraclave irradiation verse the equivalent square field size, the trend line indicate direct proportionality of the % dose received and the filed size.</b>	<b>31</b>
<b>Figure 4-8 scatter plot show the association of the %dose received by the thyroid in tangential fields irradiation verse the equivalent square field size, the trend line indicate direct proportionality of the % dose received and the filed size.</b>	<b>31</b>

**Figure 4-9 scatter plot of the % dose received by the shoulder versus it is distance from the anterior supraclavicle field with a trend line that show an inverse linear relationship** 32

**Figure 4-10 scatter plot of the % dose received by the shoulder versus it is distance from the upper border of tangential field with a trend line that shows an inverse linear relationship** 32

**Figure 4-11 scatter plot show the association of the %dose received by the shoulder in anterior supraclavicle irradiation verse the equivalent square field size, the trend line indicate direct proportionality of the % dose received and the field size.** 33

**Figure 4-12 scatter plot show the association of the %dose received by the shoulder in tangential fields irradiation verse the equivalent square field size, the trend line indicate direct proportionality of the % dose received and the field size.** 33

## **List of tables**

<b>Table 4-1 the mean and standard deviation of the dose percent received by the critical organs versus the distance for the upper border of the anterior supraclavicle field.</b>	<b>27</b>
<b>Table 4-2 the mean and standard deviation of the dose percent received by the critical organs versus the distance for the tangential field.</b>	<b>27</b>