DEDICATION

To my father Mother

Brothers

Sisters

And colleagues

With love and respect

Bhagiel

Acknowledgements

All praise belongs to Allah, the Almighty for his unlimited support. Peace and blessing of Allah be on prophet and messenger Mohamed and his pious companions and followers.

Thanks and gratitude to Dr. Ahmed Khalil Ahmed for his keen supervision, patience and valuable packing throughout the course of this study.

Iam grateful to Dr. Ahmed Alawad, my co-supervisor for his continued help. My deep thanks are extended to Prof. Dr. Olfclaesson (Sweden) for his advices and great help of providing us with preservatives (LPS bags), Ministry of Animal Wealth for providing us the preservative for the third face of this study. And also my thanks extended to Dr. Kamal Abdelbagi, Dr. Mohamed Tag Aldin, Dr. Salah eldin Hamad, Ustaz Mohamed Ahmed Abdelbagi and Ustaz Hamza Abdallah for their appreciable help.

I am really indebted to Sudan University of Science and Technology, and Kenana Sugar Company (KFD staff) without whom the present work would remain in dim.

I am grateful to my colleagues the staff of Animal Production

Department for their advices and encouragements.

ABSTRACT

The current study was carried out to investigate the preservation of raw milk by activation of LPS in summer (39 – 45.2° C) and winter (23.5 – 39° C) in different production systems: (nomads), small urban producers in Kenana and specialized farms (KPF) and the milk container transported in stainless steel and Plastic.

Milk treated samples were examined every 2 hours for acidity percentage, pH value, clot-on boiling, alcohol, methlyene blue, resazurin tests, fat, protein content and total bacterial counts.

The results indicated that there's a significant (P<0.05) reduction in acidity development (expressed as lactic acid percentage) of lactoperoxidase treated samples in summer and winter and also milk produced from different sources (nomads milk (low quality), small urban producers in Kenana and specialized farm (KPF) milk (high quality)) and in different containers (plastic and stainless steel) for transportation. And also for determined pH revealed a lower deterioration in treated samples. Also the clotting time, alcohol, methlyene blue resazurin tests and TBC were confirmed the results obtained from acidity test.

Lactoperoxidase treatment slightly affected milk fat and protein content of treated milk, and it prolong the milk shelf-life 7.5 hours in winter's milk and 6 hours in summer's milk.

بسم الله الرحمن الرحيم

خلاصة الأطروحة

أجريت هذه الدراسة لمعرفة أثر تنشيط إنزيم اللاكتوبيروكسيديز في إطالة مدة عينات اللبن الخام في فصلي الصيف (39 - 45.2° م) والشتاء (23.5 - °90 م)، علي عينات لبن منتجة من نظم إنتاج مختلفة (تقليدي يدوي، صغار منتجين في المدن ومزرعة حديثة) وكذلك علي عينات من قولة في أوعية من البلاستك والمعدن غير قابل للصدأ.

العينات المعاملة أجريت عليها قياسات النسبة المئوية للحموضة وإختبار PH وزمن التخثر للكحول وإختزال صبغة أزرق الميثلين و إختزال الريزوزارين ومحتوي الحليب من الدهن والبروتين والعدد الكلي للبكتيريا في الحليب، و قد تم الإختبار علي رأس كل ساعتين من زمن التجربة.

أظهرت الدراسة نتائج معنوية بالنسبة للحموضة (صيفاً وشتاءاً) ونظم الإنتاج (الت قليدي اليدوي، وضغار منتجي المدن والمزارع المتخصصة) وكذلك علي الأوعية (بلاستيكية ومعدنية (غير قابل للصدأ).

كما أعطت نتائج اختبارات التجبن بالغليان والتجبن بالكمول واختزال صبغتي أزرق الميثلين و الريزوزارين نتائج مؤكدة للتي تم الحصول عليها من الحموضة لعينات اللبن المختلفة.

أظهرت الدراسة أن المعاملة باللاكتوبيروكسيديز له تأثير غير معنوي علي محتوي الحليب من الدهن والبروتين والذي أطال مدة حفظ اللبن 7.5 ساعة لحليب الشياء و 6 ساعات لحليب الصيف.

أوصت الدراسة بإستعمال نظام تنشيط اللاكتوبيروكسيديز لحفظ اللبن الخام المنتج بالحلب اليدوي المثالي والحلب الآلي، كما أوصت بتخزين وذقل الحليب في أواني (غير قابلة للصدأ)

LIST OF CONTENTS

	Page
Dedication	i
Acknowledgements	ii
English Abstract	iii
Arabic Abstract	iv
List of Contents	V
List of Tables	ix
List of Figures	X
CHAPTER ONE: INTRODUCTION	1
CHAPTER TWO: LITERATURE REVIEW	5
2.1 Milk importance and composition	5
2.2 Milk production and hygiene	5
2.3 Source of milk contamination	6
2.4 Adulteration of milk	7
2.5 Types of bacteria found in milk	7
2.6 Pathogenic bacteria in milk	8
2.7 Methods of milk preservation	8
2.7.1 Reducing Temperature	8
2.7.1.1 Cooling	8
2.7.2 Raising Temperature	8
2.7.2.1 Sterilization	8
2.7.2.2 Pasteurilization	9
2.7.3 Chemical method of preservation	9
2.7.3.1 Formalin	9
2.7.4. Hydrogen peroxide method	10
2.8. Lactoperoxidase system (LPS)	10
2.9. Mode of action of lactoperoxidase system	17
2.9.1. Antibacterial mechanism	17
2.9.1.1 Biochemical	17
2.9.1.2. Effect on bacteria	17
2.9.1.2.1 Inhibition of intake of O ₂	17
2.10. Lactoperoxidase- biological function and distribution	19

2.10.1. Hydrogen peroxide	21
2.10.2. Thiocyanate	22
2.10.2.1. Occurrence and distribution	22
2.11. Effect of lactoperoxidase system on the nutritive value of milk	23
2.11.1 Effect of lactoperoxidase system on milk fat	23
2.11.2. Effect of lactoperoxidase system on milk protein	24
2.12. The economy of the LPS preservation of raw milk	24
CHAPTER THREE: MATERIALS AND METHODS	26
3.1. Milk source	26
3.1.1.Khartoum State	26
3.1.2. White Nile State	26
3.1.2.1. Urban camps in Kenana	26
3.1.2.2. Small Producers in Kenana area	26
3.1.2.3. Kenana Productive Farm (KPF)	27
3.2. The LP. Sytem prepacked bags	27
3.3. Sterilization of glass ware	27
3.4. Media used	27
3.4.1. Plate count agar (PCA)	27
3.5. Activation of (LPS) at the beginning	28
3.6. Chemical test	28
3.6.1. Fat content	28
3.6.2. Protein content	29
3.6.3 Acidity	30
3.6.4 pH determination	31
3.7.Milk composition included	31
3.8. Microbiological test	31
3.8.1. Total bacterial count	31
3.8.2. Methylene blue reduction test	32
3.8.3. Resazurin test	33
3.9. Physical test	33
3.9.1. Clot on boiling test	33
3.9.2. Alcohol test	34
3.10. Statistical analysis	35

CHAPTERFOUR: RESULTS	39
4.1. Chemical test	39
4.1.1 Acidity and pH	39
4.1.2. The effect of LPS on milk fat and protein	47
4.2. Microbiological test	51
4.2.1. Methylene Blue and resazurin reduction test	51
4.2.2.Total bacterial count	55
4.3 Physical tests	58
4.3.1 Clot on boiling and alcohol test	58
CHAPTER FIVE: DISCUSSION	63
Conclusion	66
REFERENCES	67

LIST OF TABLES

Table	Title	No.
1.	Acidity and pH value as affected by LP-system activation and	
	seasons milk tested at different time	41
2.	Acidity and pH value as affected by LP-system activation and	
	milk quality tested at different time	42
3.	Acidity and pH value as affected by LP-system activation and	
	seasons milk tested at different time	43
4.	Percentages of milk fat and protein as affected by LP-system	
5.	activation and seasons milk tested at different time Percentages of milk fat and protein as affected by LP-system	48
	activation and milk quality tested at different time	49
6.	Percentages of milk fat and protein as affected by LP-system	
7.	activation and metal of transported milk tested at different time Methylene blue reduction and resazurin test as affected by LP-	50
8.	system activation and seasons milk tested at different time Methylene blue reduction and resazurin test as affected by LP-	52
9.	system activation and milk quality tested at different time Methylene blue reduction and resazurin test as affected by LP-	53
	system activation and metal of transported milk tested at	
	different time	54
10.	Total bacteria (TBC) in milk as affected by LP-system	
11.	activation and milk quality tested at different time	56
	system activation and seasons milk tested at different time	60
12.	Clot on boiling (COB) and Alcohol test as affected by LP-	
	system activation and milk quality tested at different time	61
13.	Clot on boiling (COB) test and Alcohol test as affected by LP-	
	system activation and metal of transported milk tested at	
	different time	62
	LIST OF FIGURES	
Fig.	Title	No.
1.	The first Step of adding (LPS) to the raw milk	36
2.	The Second Step of adding (LPS) to the raw milk	37

3.	The Third Step of adding (LPS) to the raw milk	38
4.	Effect of lactoperoxidase system on milk acidity% during	
	summer and winter Season	44
5.	Acidity% affected by LPS and milk quality	45
6.	Effect of LPS on acidity% of milk transported in different	
	utensils	46
7.	Total bacterial count affected by LPS and milk quality	57