## REFERENCES

- **1.** Donalson-Erle Enhanced Oil Recovery Fundamentals & Analysis (1985), 1-2.
- **2.** Stosur et al, Defining Enhanced Oil Recovery (2003),1-4.
- **3.** <u>www.scribd.com/doc/46423681/Enhanced-Oil-Recovery</u> ,Weybum Oil Field in southern Saskatchewan
- **4.** Development department, Reservoir Models, EOR note Presentation ,GNPOC(2004)
- **5.** Hong, K.C.: Steamflood Reservoir Management, PennWell Books, Tulsa, (1994).
- **6.** Pratts, M.: Thermal Recovery Monograph Vol. 7, Society of Petroleum Engineering, 1986
- 7. Marx, J.W and Langenheim, R.H.: "Reservoir Heating by Hot Fluid Injection," Trans, AIME (1959) **216**, 312-314.
- 8. Mandl, G. and Volek, C.W.: "Heat and Mass Transport in Steam Drive Processes," Soc. Pet. Eng. J. (March 1969) 59-79; Trans, AIME, **246**.
  - 9. Boberg, T.C. and Lantz, R.B.: "Calculation of the Production Rate of a Thermally, J. Pet. Tech. (Dec. 1966)
- 10 .Neuman, C.H.: "A Mathematical Model of the Steam Drive Process Applications," SPE-AIMEMember. @ Copyright. 1975.
- **11.**Myhill, N.A. and Stegemeier, G.L.: "Steam-Drive Correlation and Prediction," J. Pet.Tech. (Feb. 1978), 173-182.
- **12.**Gomaa, E.E.: "Correlations for Predicting Oil Recovery by Steamflood," J.Pet.Tech.(Feb. 1980), 325-332.
- **13.**Jones, J.: "Steam Drive Model for Hand-Held Programmable Calculators," J. Pet.
  - Tech. (September 1981), 1583-1598.

- **14.**Teknica, Enhanced Oil Recovery (2001), 1-4.
- **15.**Aziz, K., Ramesh, A.B., and Woo. P.T.: "Fourth SPE Comparative Solution Project:Comparison of Steam Injection Simulators," J. Pet. Tech. (December 1987), 1576-1584.
- **16.** Van Lookeren, J.: "Calculation methods for Linear and Radial Steam Flow in Oil Reservoirs," paper SPE 6788 presented at the 1977 SPE 52nd Annual Technical Conference and Exhibition, Denver, 9-12 Oct.
- **17.**User Guide, STARS Advanced Process and Thermal Reservoir Simulator Version 2003, Computer Modeling Group Ltd., Calgary, (2003).
- **18.** Todd, M.R., O'Dell, P.M., and Hirassaki, G.J.: "Methods for Increased Accuracy in Numerical Reservoir Simulators," Soc. Pet. Eng. J. (Dec. 1974), 573-92; Trans AIME, **253**.
  - **19.** Coats, K.H. et al.: "Three-Dimensional Simulation of Steamflooding," Soc. Pet. Eng.J. (Dec. 1974), 573-92; Trans., AIME, **257**.
    - **20**. Abou-Kassem, J.H. and Aziz, K.: "Grid Orientation During Steam Displacement," paper SPE 10497 presented at the 1982 SPE Symposium on Reservoir Simulation, New Orleans, 1-3 Feb.
  - **21**. Yanosik, J.L. and McCracken, T.A.: "A Nine-Point, Finite-Difference Reservoir Simulator for Realistic Prediction of Adverse Mobility Ratio Displacement," Soc.Pet. Eng. J. (Aug. 1979), 253-62.
  - **22.**Coats, K.H., Ramesh, A.B.: "Effects of Grid Type and Difference Scheme on Pattern Steamflood Simulation Results," J. Pet. Tech. (May 1987), 557-569.
- **23.** Sandoval, J.E. (2004): A Simulation Study of Steam and Steam-Propane Injection Using A Novel Smart Horizontal Producer to Enhance Oil Production, MS Thesis, Texas A&M University, College Station.

- **24**. Venturini, G.J. (2002): Simulation Studies of Steam-Propane Injection for the Hamaca Heavy Oil Field, MS Thesis, Texas A&M University, College Station.
- **25.**Effinger, A.W. and Wasson, J.A: "Applying Marx and Langenheim Calculations to the Prediction of Oil Recovery by Steamflooding in Venango Sands," USBM Information Circular 8482, U.S. Dept. of Interior (1969).
- **26.** Dafter, Ray, 'Scraping the Barrel, The Worldwide Potential for EOR'' Financial Times management Report, 1980.
- **27**. Ejiogu, G.C. and Fiori, M.: "High-Pressure Saturated-SteamCorrelations," J. Pet.Tech. (December 1987), 1585-1590.
- **28.** Taber, J. J., et al, EOR Screening Criteria Revisited, SPE/DOE 35385, presented SPE/DOE Tenth Symposium on Improved Oil Recovery,(1996).