

## References

- Abdel Ati, H. A. 2002. Sustainable Development in Sudan, ten years after Rio Summit: A civil society perspective. Solo Publishers, Khartoum, Sudan
- .Adhous, P. 1993. Tropical deforestation: Not just a problem in Amazonia .*Science*, 259: 1, 390
- Adler, G. H. and Kielpinski, K. A. 2000. Reproductive phenology of a tropical canopy tree, Spondias mombin. *Biotropica* 32: 686- 692
- Ahlcorona, E. 1988. The impact of climate and man on land transformation .in the central Sudan. Lund University press
- .Akhtar, M., Mensching, H. G. 1993. Desertification in the Butana *Geojournal*, 31: 41- 50
- .Aldrich, R. C. 1975. Detecting disturbances in a forest environment .*Photogr. Eng. Rem. Sens.*, 41: 39- 48
- Ali, M. M. 1996. Assessment and mapping of desertification in western Sudan using remote sensing techniques and GIS. M.sc. thesis, .University of Khartoum, Sudan
- Allen, H. H.; and John, P. H. 2003. The effect of energy and seasonality on avian Species richness and community composition. *American Naturalist*,61:1<http://www.bio.unc.edu/faculty/Hurlbert/lab/pubs/Hurlbert%20and%20Hakell%202003.pdf>
- ,Anon. 2003. State of forest report, forest survey of India, Dehradun .Ministry of Environmental and forests, Government of India
- Anon. 1995. The state of forest report, forest survey of India, New Delhi, .pp. 1- 82
- Ayoub, A. T. 1998. Extent, severity and causative factors of land degradation in Sudan. *Jour. of arid environ.* 38: 397- 409

Ayoub, A. T. 1999. Land degradation, rain fall variability and food production in the Sahelian zone of Sudan. *Land degradation and development*, 10: 489- 500

.Beaubien, J. 1979. Forest type mapping from Landsat digital data. *Photogr Eng. Rem. Sens.* 45: 1135- 1144

Beaubien, J. 1994. Landsat TM satellite images of forests: from enhancement to classification. *Canadian Remote Sensing Society* .(CRSS), V 20: page 17- 26

,Bierregaard JR., R. O., Laurance, W. F., Shes JR., J. W., Lynam, A. J Didham, R. K., Anderson, M., Gascon, C., Tocher, M. D., Smith, A. P., Viana, V. M., Lovejoy, T. E., Sieving, K. E., Kramer, E. A., Restripo, C. and Moritz, 1997. Key priorities for the study of fragmented tropical ecosystem. In: Laurance, W. F. and R. O. Bierregaard, Jr., (Eds.). Tropical forest remnants: ecology, management, and conservation of fragmented communities. The .University of Chicago press, Chicago

Bouyd, D. S., and Danson, F. M. 2005. Satellite remote sensing of forest resources: three decades of research development. Progress in .physical *Geo-graphy*, 29(1): 1- 26

Brogaard, S., and Prieler, S. 1998. Land cover in the Horpin grasslands north China. Detecting changes between 1975 and 1990 by means of remote sensing. Interim report IR- 98- 044/ July. International .institute for Applied System Analysis. A- 2361 laxenburg. Austria

.Brown, S., Lugo, A. E. 1990. Tropical secondary forests. *Jour. of Tro. Ecol* .32 -6:1

,Buhkari, Y. M., (1998). Tree root influence on soil physical conditions seedling establishment and natural thinning of *Acacia seyal* var. *Seyal* on clays of central Sudan. *Agroforestry systems*, 42: 33- 43

Buiten, H. J. 1993. Image interpretation: Visual or digital? In Eds. Land observation by remote sensing: theory and applications. Gordon .Beach, Amsterdam

Burgan, R. E. and Hartford, R. A. 1993. Monitoring vegetation greenness with satellite data. Gen. Tech. Rep. INT-297. Ogden, UT: US Department of Agriculture, Forest Service, Intermountain Research Station. 13 p

Burgan, R. E., Hartford, R. A., and Eidenshink, J. C. 1996. Using NDVI to assess departure from average greenness and its relation to fire business. Gen. Tech. Rep. INT- GTR- 333

,Campbell, B. C.2002. Introduction to remote sensing. Taylor and Francis .London and New York

Canada Center for Remote Sensing (CCRS). 2006. Principles of remote sensing. Center for Remote Imagery, Sensing and Processing CRISP).<http://www.crisp.uns.edu.sg/research/tutorial/rsmain.htm>)

-Castelli, V., Elvidge, D. C., Li, C. S. and Turek, J. J. 1999. Classification Based Change Detection: Theory and applications to the NALC data set. 1999. In: Remote Sensing Change Detection Environmental Monitoring Methods and Applications. Chapter 4: 53-73. Edited by Ross S. Lunetta and Christopher D. Elvidge. Taylor and Francis, .London

Chapman, R. A., Heitzman, E., and Shelton, M. G. 2006. Long term changes in forest structure and species composition of an upland Oak forest in Arkansas. *Forest Ecology and Management*, 236: 85- 92

Chuvieco, E., and Congalton, R. G. 1988. Using cluster analysis to improve the selection of training statistics in classifying remotely sensed data. *Photogr. Eng. and Rem. Sens.* 54: 1275- 1281

Colwell, J. E., Davis, G., and Thomson, F. 1980. Detection and measurement of changes in the production and quality of renewable resources. USDA forest service final report No. 145300- 4- F, ERIM, .Ann Arbor, Michigan

Colwell, R. K.; and Coddington, J. A. 1994. Estimating terrestrial biodiversity through extrapolation philosophical transactions of the Royal Society of London *B*, 345: 101- 118

Congalton, R. G. 1991. A review of assessing the accuracy of classifications of remotely sensed data. *Rem. Sens. of Environ.* 37: 35- 46

Coops, N. C, and Catling, P. C. 1997. Predicting the complexity of habitat in forests from airborne videography for wildlife management. *Inter. Jour. of Rem. Sens.*, 18: 2677- 2686

Coppin, P., Jonckheere, I., Nackaerts, K., and Muys, B. 2004. Digital change detection methods in ecosystem monitoring: a review. *Inter. Jour. of Rem. Sens.* 25(9): 1565- 1596

Cottam, G. and Cuntis, J. T. 1956. The use of disturbance measurement in *.Phytosociological sampling. Ecology*, 37: 451- 460

Curran, J. P. 1985. Principles of Remote Sensing. Longman scientific and technical, U.K

Daffala, M. S. 2006. Mapping and assessment of land use/ land cove using remote sensing and GIS in north Kordofan state, Sudan. Ph.D thesis, .TU Dresden, Germany

Ehui, S., and Hertel, T. 1989. Deforestation and agricultural productivity in the Cote d'Ivoire. *American Journal of Agricultural Economics* 71, .703- 711

Eklundh, L., and Sjöström, M. 2002. Analysis vegetation changes in the Sahel using sensor data from landsat and NOAA. Department of physical Geography and Ecosystem Analysis, Lund University Sweden.<http://www.isprs.org/publication/related/ISRSE/html/paper/.669.pdf>

Elhaja, M. E. 2005. Study of Desertification Based upon Remote Sensing and GIS Techniques (Khor Abu Hbil Area). M.Sc. thesis. U. of Kordofan, Sudan

Ellu, G. and Obua, J. 2005. Tree condition and natural regeneration in disturbed sites of Bwindi Impenetrable forest national park, southwestern Uganda. *Tropical Ecology*, 46(1): 99- 111

Elmqvist, B. 2004. Land use Assessment in dry lands of Sudan using

historical and recent high resolution satellite data. Ph.D. thesis,  
.Lund University, center of sustainability

Elnagheeb, A., and Bromley, D. 1994. Intensification of agriculture and deforestation: empirical evidence from Sudan. Agricultural  
.Economic

Elsiddig, E. A., Eltayeb, A. M., and Abdelgadir, A. Y. 1998. Sustainable management of natural forests in Jebel Marra with consideration to community needs. Sudanese Environmental Conservation society,  
.Khartoum. 68 pp

Elsiddig, E. A. 2007. Jebel Marra: The Potentials for Resources and Rural  
.Development. AlGawda, Khartoum, Sudan

FAO and FNC. 1998. National Forestry Inventory for the Sudan, (GCP/ SUD/ 047/ ENT), Ministry of Agriculture and Forestry, Khartoum,  
.Sudan

FAO. 1995. Income from Non-wood Forest products, Rome

FAO, 1999. State of the world forest.<[www.fao.org](http://www.fao.org)>, accessed  
.on 2.03.08

. FAO. (2000). State of the world's forests 2000, Rome

FAO. 2001. The Global Forest Resources Assessment (2000): Main  
.Report. FAO forestry paper, pp 140

.FAO. 2007. States of the world's forests. FAO, Rome. P 144

,FNC. (2000). Personal communication. FNC, Ministry of agriculture  
.Khartoum, Sudan

Foody, G. M. 2001. Monitoring the magnitude of land- cover change around the southern limits of the Sahara. *Photogr. Eng. and Rem.*  
.Sens. 67(7): 841- 847

Frank, T. D. 1988. Mapping dominant vegetation communities in the

Colorado Rocky Mountain Front Range with landsat Thematic Mapper and digital terrain data. *Photogr. Eng. Rem. Sens.* 54: 1727- .1734

.Franklin, S. E. 2001. Remote sensing for sustainable forest management .CRC Press, Boca Raton, Florida

Franklin, J., Phinn, S. R., Woodcock, C. E., and Rogan, J. 2003. Rationale and Conceptual Framework for classification approaches to assess forest resources and properties. In: Wulder, M. a. and Franklin, S. E (Eds.) *Remote Sensing of Forest Environments Concepts and case studies*, ktuwer Academic publishers, USA

Franklin, S. E. 1994. Discrimination of subalpine forest species and canopy density using CASI, SPOT, PLA, and landsat TM data. *Photogr. Rem. Sens.* 60: 1233- 1241

-Garcia- Aguirre, M. C., Alvaerz, R., Dirzo, R. and Bernal, A. 2005. Post classificatio digital change detection analysis of a temperate forest in the southwest basin of Mexico, city, in a 16- year span. Third international workshop on the analysis of multitemporal remote sensing images Multitemp 05. EUA, 2005, IEEE, 0-7803- 9119- 5/ .50

Garcia- Montiel, D. C. and Scattena, F. N. 1994. The effect of human activity on the structure and composition of a tropical forest in Puerto Rico. *Forest Ecology and Management* 63: 57- 78

Gills, M., and Leckie, D. 1993. Forest inventory mapping procedures across Canada. Information report PI- x- 122. Retawawa: Natural Resources. Canada, Retawawa National forestry institute. Forest .inventory update in Canada. *The forestry chronicle* 72: 138- 156

-Gorashi, A. 2001. Sudan Forest Genetic Resources Working paper. A co publication of FAO, IPGRI/ SAFORGEN, DFSC, December 2001

Gray, L. C.1999. Is land being degraded? A multi-scale investigation of landscape Change in southern Burkina- Faso. *Land degradation and development*, 10: 329- 343

.Greene, M. C. 1948. "Soil of the Anglo- Egyptian Sudan" in: Agriculture

Guyot, G., Guyon, D., and Riom, J. 1989. Factors affecting the response of  
.forest canopies: a review. *Geocarto international* 3: 3- 18

Hale, J. M. 1978. The pastoral system of Midob. Ph.D thesis. University  
.Selugn College, Cambridge, England

Häme, T. H. 1986. Satellite image aided change detection. In: remote  
sensing- aided forestry inventory, research notes no. 19, department  
of forest mensuration and management, University of Helsinki,  
.Helsinki, Finland, pp. 47- 60

Häme, T. H. 1991. Spectral interpretation of changes in forest using satellite  
scanner images. *Acta forestalia fennica*, 222: 1- 111

Hanfi, S. M., and Hassan, A. E. 1992. First interim report. Sudan Resource  
Assessment and Development (SRAAD). FNC, Republic of the  
.Sudan

Harrison, N. M. and Jackson, J. K. 1958. Ecological Classification of  
Vegetation of the Sudan. *Forests Bull.*, New series, Khartoum,  
.Sudan

Hassan, R., and Hertzler, G. 1988. Deforestation from the over exploitation  
of wood resources as a cooking fuel: a dynamic approach to pricing  
.energy resources in Sudan. *Energy Economics*, 98: 163- 168

Hassan, R., Hertzler, G., and Benhin, J. K. A. 2008. Depletion of forest  
resources in Sudan: Intervention options for optimal control. *Jour.  
.of Energy Policy* 1- 9

?Hellden, U. 1988. Desertification monitoring: Is the desert encroaching  
*Desertification control Bulletin* 17: 8- 12

Herrmann, S. M., Anyamba, A., and Tucker, C. J. 2005. Exploring  
relationship between rainfall and vegetation dynamics, in the Sahel  
.using coarse resolution satellite data

Hielkema, J. U., Prince, S. D., Astle, W. L. 1986. Rainfall vegetation

monitoring in the savanna zone of the democratic republic of the Sudan using the NOAA advanced very high- resolution radiometric.

.*Inter. Jour. of Rem. Sens.* 7: 1499- 1513

Hinderson, T. 2004. Analyzing Environmental Change in Semi-arid Areas in Kordofan, Sudan. Ph.D thesis, Lund University, Geobiosphere Science Center

Hobbes,R. J. 1990. Remote sensing of spatial and temporal dynamics of vegetation. In: remote sensing of biosphere functioning (R. J. Hobes and H. A. Mooney, Eds.). New York, *Springer verlag*, pp. .203- 219

.Hodgson, M, E., Jensen, J. R., Mackey, J. E., Jr, and Coulter, M. C. 1988 Monitoring wood stork foraging habitat using remote sensing and geographic information systems. *Photogr. Eng. Rem. Sens.* 54:1601-.1607

Hoffer, R. M. 1978. Biological and physical consideration in applying computer- aided analysis techniques to remote senor data. In remote sensing: The quantitative approach, edited by PH Swain and S. M. Davis. McGrow- Hill, USA

Hopkins, P. F., Maclean, A. L., and Lillesand, T. M. 1988. Assessment of Thematic mapper imagery for forestry applications under lake states .conditions. *Photogr. Eng. Rem. Sens.* 54: 61- 68

(Huete, A. R., and Justice, C. 1999. MODIS vegetation index (MODIS13 .algorithm theoretical basis document. Ver 3

Hunting Technical services, 1974. Southern Darfur land use planning development plan, water and engineering, London

,Hunting Technical Services, 1976.The Savannah development project .phase 2. Soil and Vegetation, Annex 1. UN/ FAO

Hunting Technical Services, 1977. Agricultural Development in the Jebel Marra area, London

Husch, B. C., Miller, C. I. and Beers, T. W. 1982. Forest Mensuration. 3<sup>rd</sup>

Ed. Wiley, New York

Hytterborn, H., and Skarpe, C., (eds). 1992: Vegetation dynamics and regeneration in seasonal tropical climates. *Jour. of vegetation science*, 3

Ibrahim, F. N. 1984. Ecological imbalance in the Republic of the Sudan with reference of desertification in Darfur. Institute of Geosciences, University of Bayreuth, Germany. In the Sudan, ed. by Tothill, J. D., Oxford University, press

Jensen, J. R. 1996. Introductory digital image processing: A remote sensing perspective. 2<sup>nd</sup> Ed. Upper saddle River, NJ: prentice Hall

Jensen, J. R. 2000. Remote sensing of the Environment: An earth resource prospective 2<sup>nd</sup> Ed. prentice Hall, Englewood Cliffs, NJ

John Weier and David Herring, 1999. Measuring vegetation (NDVI and RVI) <<http://earthobservatory.nasa.gov>>. Accessed on 11- 02- 09

Johnson, P. S., Shifley, S. R. and Rogers, R. 2002. The ecology and silviculture of oaks. CABI publishing, New York, 503 p

.Justice, C. O., Townshend, J. R. G., Holben, B. N. and Tucker, C. J. 1985 Analysis of the phenology of global vegetation using meteorological satellite data. *Inter. Jour. of Rem. Sens.* 6:1271 -1318

.Justice, C., Wilkie, D., Zhang, Q., Brunner, J., and Donoghue, C. 2001 Central African forests, carbon and climate change. *Climate Research*, 17: 229- 246

.Kassa, A. 1999. Drought risk monitoring for the Sudan. Thesis/ dissertation .SOAS Water Issues study group, University College, London

Khalifa, D., Richard, F. and Mustafa, K. M. 1985. Sudan Southern Stock route. An environmental assessment, Khartoum and Worcester .Massachusetts

Khamis, M. A. 2001. Management of *Boswellia papyrifera* stands for Resin

Production in Jebel Marra Area, Present Situation and Future  
.Prospects, M. Sc. Thesis, TU Dresden, Germany

Khamis, M. A. 2008. Assessing the Potentials of *Boswellia papyrifera* stands for Sustainable Management in South Kordofan State. Ph.D thesis, Juba University, Khartoum, Sudan

-Kharkwal, G., Mehrotra, P. and Rawat, Y. S. 2005. Pangtey YPS phytodiversity and growth form in relation to altitudinal gradient in the central Himalayan (Kumaun) region of India. *Current Science*, .89(5): 873-878

Kheiry, N. A. 2003. Monitoring and Evaluation of vegetation cover changes in semi- arid areas: A case study of Khartoum forest sub- sector, .Sudan. M. Sc. Thesis, TU Dresden, Germany

.Khorram, S., Biging, G. S., Chrisman, N. R., Colby, D. R., Congalton, R G., Dobson, J. E., Ferguson, R. L., Jensen, J. R. and Mace, T. H. 1994. Accuracy assessments of land cover change detection. Report .101. Computer graphics center, Raleigh, North Carolina

Kobe, R. 1999. Light gradient partitioning among tropical tree species through differential seedling mortality and growth. *Ecology*, 80(1): .187- 201

Kozlowski, T., Kramer, P., and Pallardy, S. 1991. The physiological ecology of woody plants. Toronto: Academic press

,Kronka, F. J. N., Matsukuma, C. K., Nalon, N. A., Cali, I. H. D., Rossi M., Mattos, I. F. A., Slin- lke, M. S., and Pontinha, A. A. S. 1993. Inventário florestal do estado de São Paulo. SmA/ CINP/ Instituto florestal. São Paulo. Brazil

Lamb, D., Erskine, P. D. and Parrotta, J. A. 2005. Restoration of degraded tropical forest landscape. *Science* 310: 1628- 1632

Lambin, E., and Ehrlich, D. 1997. Land- cover changes in sub- Saharan Africa, 1982-1991: application of a change index based on Remotely-sensed surface temperature and vegetation indices at a continental scale. *Rem. Sens. of Environ.* 16: 181- 200

Lampery, h. F. 1975. Report on the desert encroachment reconnaissance in northern Sudan, 21 October to 10 November, 1975. UNESCO/.UNEP. 16 p

Lathrop, R. G., Aber, J. D., Bognar, J. A., Ollinger, S. V., Cassat, S., and Ellis, J. M. 1994. GIS development to support regional simulation modeling of northeastern (USA) forest ecosystems. In Environmental Information Management and Analysis (W. Michener, J. W, Burunt and S. Stafford, Eds), Taylor and Francis, London, pp. 431- 451

Lebon, J. H. G. and Robertson, V.C. 1961. The Jebel Marra, Darfur, and its region. *Geographical Journal*, 127: 30- 49

,Lebon, J. H. G. b. 1965. Land use in Sudan, world land use survey .monographs no. 4. Bude

Lillesand, T. M. and Kiefer, R. W. 2000. Remote sensing and image interpretation (4<sup>th</sup> edition) John Wiley and Sons, New York

Lillesand, T. M., and Kiefer, R. W. 1987. Remote sensing and image interpretation. 2<sup>nd</sup> Ed. John Wiley and Sons, New York: 721

Lillesand, T. M., and Kiefer, R. 1994. Remote sensing and image interpretation, 3<sup>rd</sup> Ed. John Wiley and Sons. New York, 750 pp

Lillesand, T. M., Kiefer, R. W. and Chipman, J. W. 2004. Remote sensing and image interpretation. Wily, New York. Pp 763

Liu Renzhao, L. 2005. A review of research on the application of remote sensing image classification. *Geospatial information*, 3(5): 11- 12

Lu, D., Mausel, P., Brondizio, E., and Moran, E. 2004. Change detection techniques. *Int. J. of Rem. Sens.* 25(12): 2365- 2407

.Lund, H. G. 1983. Change: now you see it- now you don't! Proc. Int. conf on renewable resource inventories for monitoring changes and trends, Oregon State University Corvallis, pp. 211- 213

Lunetta, R. S. 1999. Applications, project formulation and analytical

approach. In remote sensing change detection: Environmental monitoring methods and applications, edited by R. S. Lunetta and C. D. Elvidge. London, UK

Lunetta, R. S., Johnson, D. M., Lyon, J. G. and Crotwell, J. 2004. Impacts of imagery temporal frequency on land cover change detection monitoring. *Rem. Sens. of Environ.* 89: 444- 454

,Maltamo, M., Packalén, P., Yu, X., Eerikäinen, K., Hyppä, J., Pitkänen J. 2005. Identifying and quantifying structural characteristics of heterogeneous boreal forests using laser scanner data. *Forest ecology and Management* [www.Elsevier.com/locate/foreco](http://www.Elsevier.com/locate/foreco)

,Martin, G. J. 1996. Ethno- botany: A method manual. Botanic Garden .Kew, UK. Chapman and Hall press

Mastrantonio, J. Louise and Francies, J. K. 1997. A student guide for tropical forest conservation. International institution of tropical forestry. U. S.Department of Agriculture, Forest Service, Rio Piedras, PR 00928- 5000 in corporation with University 01 Puerto .Rio Piedras, PR 10936- 4984  
<http://www.fs.fed.us/global/lzone/student/tropical.htm>

Matala, J. 2005. Impacts of climate change on forest growth: a modeling approach with application to management. Ph.D thesis, faculty of .forestry, University of Joesun, Finland

Maydell, A. J. 1986. Trees and shrubs of the Sahel. Their characteristics and .uses GTZ Eschborn

.McCay, D. 1998. Patterns of sand pine invasion in to long leaf pine forests .ASPRS Spring Annual Meeting. Bethesda, MD

McComb, W. C., Spies, T. A., and Emmingham, W. H. 1993. Douglas fir forests: managing for timber and mature forest habitat. *Jour. For.* .9(12): 31- 42

Milne, A. K. 1988. Changes direction analysis using landsat imagery: a review of pp. methodology. Proc. IGARSS88 symp. (ESASP- 284), .Edinburgh, Scotland, 541- 544

Mohamedain, M. S. 2009. Use of Remote Sensing and Geographical Information System for Sustainable Forest Management South Kordofan. Ph.D thesis, Sudan University of Science and Technology, Khartoum, Sudan

Muchoney, D. M., and Haack, B. N. 1994. Change detection for monitoring forest defoliation. *Photogr. Eng. and Rem. Sens.* 60: 1243-1251

Myers, N.; Mittermeier, R. A.; Mittermeier, C. G.; Dafonseca, G. A.; and Kent, J. 2000. Biodiversity hotspots for conservation priorities. *Nature*, 403: 853- 858

:Natta, A.K. 2003. Ecological assessment of riparian forests in Benin Phytodiversity, Phytosociology and spatial distribution of tree species. Ph.D thesis Wageningen University, Benin

,.Neill, C., Melillo, J. M., Steudler, P. A., Cerri, C. c., De Moraes, J. F. L Piccolo, M. C., and Brito, M. 1996. Soil carbon and nitrogen stocks following forest clearing for pasture in the southern Brazilian Amazon. *Ecol. App.*, 7 (4):1216- 1225

Nelson, R. F. 1983. Detecting forest canopy change due to insect activity using landsat MSS. *Photogr. Eng. And Rem. Sens.* 49: 1303- 1314

Nepstad, D., Uhl, C., Pereira, C. A. and Silva, J. M. C. 1996. A comparative study of tree establishment in abandoned pasture and mature forest of eastern Amazonian. *Oikos* 76: 25- 39

Nigh, T. A., Grabner, J. K., Becker, C.; and Kabrick, J. M. 2000. Ecological classification of the current River Hills subsection: draft manual. Missouri department of conservation, Jefferson City, MO

Olsson, K. 1985. Remote sensing for fuel wood Resources and land degradation studies in Kordofan, Sudan. Ph.D. thesis, Lund University: 182 pp

.Olsson, L. 1985. An integrated study of desertification. University of Lund Dep. Of Geography

Peet, R. K. 1974. The measurement of species diversity. *Annual Review of Ecology and Systematic*, 5: 285- 307

Peet, R. K. 1978. Forest vegetation of the Colorado Front Range: pattern of species diversity. *Vegetation* 37: 65- 78

Peterson, D. L., Egbert, S. L., Price, K. P. and Martinko, E. A. 2004. Identifying historical and recent land-cover change in Kansas using post-classification change detection techniques. *Transactions of the Kansas Academy of Science*, 107(314): 105- 118

Phillips, E. A. 1959. Methods of vegetation study. *Henri Holt Inc Photogr. Eng. Rem. Sens.* 41: 39- 48

Revington, J. 1992. World rainforest report, Australia

Ramsay, D. M. 1958. The Forest Ecology of Central Darfur, Forest Department Bulletin No 2, New Series, Khartoum

Reynolds, J. F., and Smith, M. 2002. Do humans create deserts? In J. F. Reynolds and M. Stafford Smith(ed) Global desertification: Do humans case deserts? Dahlem University press, Berlin

Richards, J. A. 1993. Remote sensing digital image analysis: An introduction, 2<sup>nd</sup>. Springer. Verlag, Berlin, 340 pp

Richards, J. A., and Jia, X. 1999. Remote sensing digital images analysis. Springer, Berlin, Germany

Richards, J. F., and Tucker, R. P. 1988. World Deforestation. In the Twentieth Century. Duke University press, Durham, N. C

Riffell, S. K.; Gutzwiller, K. J.; and Anderson, S. H., 1996. Doe repeated human intrusion cause cumulative declines in avian richness and abundance? *Ecological Applications* 6: 492- 50

Rogan, J., Franklin, J. Roberts, D. A. 2002. A comparison of methods for monitoring multitemporal vegetation change using Thematic Mapper imagery. *Rem. Sens. Environ.*, 80 (1): 143- 156

Roy, P. S. 1993. Remote sensing for forest ecosystem analysis and

management: in environmental studies in India (ed.) M .Balakrishnan (New Delhi: Oxford and IBH), pp. 335- 363

.Running, S. W., R. R. Nemani, D. L. Peterson, L. E. Potts, Pierce and M A. Spanner, 1989. Mapping regional forest evapotranspiration and photosynthesis by coupling satellite data with ecosystem simulation. *.Ecology*, V 70: pages 1090- 1101

Running, S., Loveland, T., and Pierce, L. 1994. A vegetation classification logic based on remote sensing for use in global biogeochemical models. *Ambio* 33, 77- 81

,.Sabins, F. F. 1997. Remote sensing principles and interpretation, 3<sup>nd</sup> Ed .W. H. and Freeman. New York

Saladarriaga, J. G. 1994. Recuperación de la Selva de “tierra firme en el Alto Rio Negro Amazonia Colombiana- Venezolana. Estudios de la Amazonia Colomiana V. Tropenbos Colombia. Editorial Presencia, .Bogotá, Colombia

Saldarriaga, J. G., Uhl, C. 1991. Recovery of forest vegetation following slash- and burn agriculture in the upper Rio Negro. In: Gómez-Pompa, A., Whitmore, T. C., Hadley, M. (Eds.). Tropical Rain forest: Regeneration and management. Black- well, New York, pp 303- .312

:Salih, M. A. M. (ed) 1987. Agrarian change in the central rain lands Sudan, a socio- economic analysis. Scandinavian institute of African studies, Uppsalo

Sandalow, D. B. 2000. Protecting and conserving the world’s forests. State for Oceans, Environment and Science January 6. 10 G Street, NE (suit 800) Washington, DCUSA. <http://www.wri.org./press/frstsandalow.html>

Shephered, G. M. 1992. Managing Africa’s Tropical Forests: A review of indigenous methods. In ODA, Agricultural Occasional paper 41

Showengerdt, R. A. 1997. Remote Sensing Models and Methods for Image Processing. 2<sup>nd</sup> Ed. Academic Press, UK

Singh, A. 1986. Change detection in the tropical forest environment of northeastern India using landsat. In Remote Sensing and Tropical Land Management. New York: John Wiley and Sons Ltd., pp. 237- .254

Singh, A. 1989. Digital change detection techniques using remotely- sensed .data. *Inter. Jour. of Rem. Sens.* 10(6): 989- 1003

Sironen, S., Kangas, A., Maltoma, M., and Kangas, J. 2001. Estimating individual tree growth with the K- nearest neighbour and K- most .similar neighbor methods. *Silva Fennica* 35 (4): 453- 467

Skidmore, A. K. 1989. An expert system classifies eucalypt forest types using Thematic Mapper data and digital terrain model. *Photogr. Eng. Rem. Sens.* 55: 1449- 1464

,Spies, T. A. 1998. Forest structure: A key to the ecosystem. Forest services .Pacific Northwest Research station, Corvallis, Oregon, USA, 97331

Spies, T. A. and Cline, S. P. 1988. Coarse wood debris in manipulated and unmanipulated coastal Oregon forests. In C. Maser, R. F. Tarrant, J. M. Trappe, and J. F. F. Franklin (tech eds) from the forest to the sea: A story of fallen Trees. Gen. Tech. Rep. PNW- GTR- 229, Pacific .Northwest Research Station

.Spurr, S. A. 1960. Photogrammetry and photo- interpretation. 2<sup>nd</sup> Ed .Ronald press. New York

.Spurr, S., and Barnes, B. 1980. Forest ecology. Tornoto: Wiley

Story, M., Congalton, R. G. 1986. Accuracy assessment: a user's perspective. *Photogr. Eng. and Rem. Sens.* 52: 397- 399

Sudan Population and Housing Census (2008)  
[http://transition.usaid.gov/press/frontlines/fl\\_sep11/FL\\_sep11\\_SUD\\_AN\\_INDEPENDENCE.html](http://transition.usaid.gov/press/frontlines/fl_sep11/FL_sep11_SUD_AN_INDEPENDENCE.html)

Sudarmadi, S.; Suzuki, S.; Kawada, T.; Netti, H.; Soemantri, S.; and Tugaswati, A. T. 2001. A survey of perception, knowledge, awareness and attitude in regard to environmental problems in a

sample of two different social groups in Jakarta, Indonesia.  
. *Environment, Development, and Sustainability*, 3: 169- 183

Suliman, M. M. 2003. Assessing and mapping land use/ land cover change using remote sensing and GIS: A case study of Elamud Alakhdar settlement, southern Darfur, Sudan. M. Sc. Thesis, TUD Germany

, Task Force on Global Biodiversity, Committee on International Science Loss of Biodiversity: A Global Crisis Requiring International .1989 Solutions. National Science Board, Washington, D. C

.Thomas, D., de Andrade, R. P., Couto, W., Moore, C. P. and de Rocha, C M. C. 1983. Pasture development in the tropical savanna region of Brazil. *World Rev. An. Prod.* 19: 37- 44

Toledo, V. M. 1988. La diversidad biológica de México- Ciencia y Desarrallo 8: 7- 16

Tothill, J. D. 1948. "A note on the origins of the soils of the Sudan from point of view of the man in the field" in : Tothill, J. D. , (ed), agriculture in the Sudan, Oxford University press

Towenshend, J. R. G., Justice, C. O., and Kalb, V. 1987. Characterization and classification of South American land cover types using satellite data. *Inter. Jour. Rem. Sens.* 8: 1189- 1207

Tso, B., and Mather, P. 2001. Classification methods for remotely sensed data. London: Taylor and Francis, Inc. UCLA, 2009. UCLA International Institute; African Studies Center. <<http://www.international.ucla.edu/africa/countries/article.asp?parentid=96981>>; accessed 27.01.2009

Uhl, C., Bushacher, R., and Serrā, E. A. S. 1988. A abandoned pastures in eastern Amazonia. 1- Patterns of plant succession. *Jour. Ecol.* 76: .663- 681

Umbayadha Rural Development Project. (2007). Feasibility study. Main report Ministry of Agriculture and Forestry, North Dar fur State, Sudan

UN. 1992. Report of the United Nations Conference on Environment and Development, Rio de Janeiro, 3- 14 June 1992. Annex III, non-legally binding authoritative statement of principles for a global consensus on the management, conservation and sustainable development of all types of forests.  
[http://www.un.org/esa/sustdev/documents/agenda21/english/agenda2.\(1toc.htm\)](http://www.un.org/esa/sustdev/documents/agenda21/english/agenda2.(1toc.htm)).(viewed 12/5/2005

.UN. 2007. The millennium development goals report 2007. UN, New York .p 36

UNCCD. 1994. United Nations Convention to Combat Desertification in countries experiencing serious drought and/ or desertification, particularly in Africa. A/ AC. 241/ 27, Paris

UNDP. 2008. United Nations Development Program, 2007/ 2008 Human Development. <http://hdrstats.undp.org/indicators/7>, accessed on .29.01.2009

-UNEP. 2007. United Nation Environmental Programme Sudan post conflict Environmental assessment

UNSO/ UNDP. 1997. Aridity zones and dry land population: an assessment of population levels in the worlds dry lands with reference to Africa. Discussion paper prepared by UNDP office to combat desertification and drought (UNSO), New York

Van Der kevie, W. 1976. Climate zones in the Sudan. Bulletin No. 27. Soil survey administration, Wad Medani, Sudan

..Van Martin, A. 1984. Forests and forestry in national life. In Hummel, F editor, forest policy: a contribution to resource development The Hague: Kluwer Academic. <http://ppg.sagepub.com>

,Wending, H.; Veli, P.; Stig, J.; Michael, N.; Katigula, M. I. L.; and Olavi L. 2003. Species diversity, forest structure and species composition in Tanzanian tropical forests. *Forest Ecol. and Management*, 173: 4-24. [www.elsevier.com/locate/foreco](http://www.elsevier.com/locate/foreco)

.Westoby, J. 1989. Introduction to world forestry. Oxford: Blackwell

,Whiteman, A. J. 1971. The geology of the Sudan Republic, Oxford press  
.London

,Woodwell, G. M., Hobbie, J. E., Houghton, R. A., Melillo, J. M., Moore  
B., Park, A. B., Peterson, B. J., and Shaver, G. R. 1984.  
Measurement of changes in the vegetation of the earth by satellite  
Imagery. In the role of terrestrial vegetation in the Global carbon  
cycle. Pp 221- 240. Edited by G. M. woodwell. John Wiley and  
.Sons, New York

,World Bank. 1984. Sudan forestry sector review. Report no. 5911-SU  
.World Bank. Washington, DC. 110

World Bank. 2004. Sustaining forests: A development strategy. The World  
.Bank, Washington, D. C. 80 p

WRI. 1994. A guide to the global environment toward sustainable  
.development: 1994- 1995. Oxford University press, Oxford

Wright, D. H.; Curie, D. J.; and Maurer, B. A. 1993. Energy supply and  
patterns of species richness on local and regional scales. In: Ricklefs,  
R. E.; Scchulter, D. (eds.), species diversity in ecological  
.communities. University of Chicago press, Chicago

Wulder, M. 1998. Optical remote sensing techniques for the assessment of  
forest inventory and biophysical parameters. *Progress physical  
Geography*, 22(4):449- 476.  
[www.isprs.org/publication/related/ISRSE/html/papers/293.pdf](http://www.isprs.org/publication/related/ISRSE/html/papers/293.pdf)

Yagoub, A. M., Babiker, F. and Alwayia, A. 1994. Indication of recovery in  
biomass production and soil organic matter of Sudanese sahel  
region: A case study North Kordofan. In dry land husbandry in the  
Sudan. Workshop report, p 57- 77. OSSREA, Addis Ababa,  
.Ethiopia. OSSREA DHP publications series. 1996. No. 1

Yool, S. R., Makaio, M. J., and Watts, J. M. 1997. Techniques for computer  
assisted mapping of Rangeland changes. *Jour. of Range  
Management*, 50: 307- 314

.Zhang, S. 1999. A preliminary study on the cinctrol system of undercut

*.Center South forest inventory and planning*, 18 (2): 8 - 18

,Zimble, D. A., Evans, D. L., Carlson, G. C., Parker, R. C., Grado, S. C and Gerard, P. D. 2003. Characterizing vertical forest structure using small- footprint airborne LiDAR. *Rem. Sens. of Environ.* 87 (2- 3): .171- 182