

References

- Adams, C.D. (1972). Flowering Plants of Jamaica. University of West Indies, Mona, Jamaica.
- Ahmed, S.A.M. (1999). Propagation of lime, Lemon and guava by cuttings.M.Sc .thesis, Faculty of Agriculture, University of Khartoum.
- Ali, Y.H. (1986). Vegetative propagation of some forest trees: structural, physiological and biochemical aspects. M.Sc thesis, Faculty of science, University of Khartoum.
- Ali, Y.H. and S.El-tigani (2003). Vegetative propagation of *Acacia senegal* (L.) Willd. by stem cuttings .*Sudan Silva*, **1**(2).36-44.
- Allen, O.N. and E.K. Allen. (1981). The Leguminosae: a source book of Characteristics, uses and nodulation. Wisconsin Press. Madison, Wisconsin, USA. pp. 590-92.
- Annur, M. (1989). Effects of Hormones and Cuttings Positions on rooting of *Acacia auriciformis* A.Cunn.Ex. Benth. and *Shorea curtissii*, Dyer Ex. King Cutting B.Sc (For) Thesis .Faculty of Forestry. UPM.89pp.
- Arya, S, Kumar, N., Toky, O. P. and Harris, P. J. C. (1993). Source of variation in pod length and seed weight of “Marver” Teak (*Tecomella undulata*). *Journal of Tree Science*, **12** (2). 115–117.
- Barnes, R.D. and Burley J. (1987). Vegetative propagation for improved forest trees .In improving vegetative propagated crops (ed) Academic Press Limited, London.
- Bewley, J.D. and Black M. (1994). Seeds Physiology development and germination. Plenum Perse, New York, pp. 211.
- Blazich, F.A. (1988). Chemicals and formulations used to promote adventitious rooting. In: Davis, T. D., Haissig, B. E. and Sankhla, N.

- (Eds.), Adventitious root formation in cuttings. Dioscorides Press, Portland, O.R. pp. 132–149
- Bonga, J.M. (1982). Vegetative propagation in relation to juvenility, maturity and rejuvenation. In: Bonga, J.M. and Durzan, D.J. (Eds.), Cell and tissue culture in forestry. Martinus Nijhoff Publisher, pp 387-411.
- Bonierbale, M.W., Plaisted, R.L. and Tanksley, S. D. (1988). RFLP maps based on a common set of clones reveal modes of chromosomal evaluation on potato and tomato. *Genetics*, 120:1095-1103.
- Casiva, P.V., Saidman, B.O., Vilardi, J.C. and Cialdella, A.M. (2002). First comparative phenetic studies of Argentinean species of *Acacia* (Fabaceae), using morphometric isozymal and RAPD approach. *Am. J. Bot.* 89: 843-853.
- Chai, Chen Kang. (1976). Genetic evolution. University of Chicago Press, Chicago.
- Chauhan, S., Negi, A.K. and Todaria, N.P. (1996). Effect of provenance variation and temperature on seed germination of *Alnus nepalensis*. *Plant physiology and Biochemistry*, 23 (1). 94–95.
- Chiveu, C.J., Dangasuk, O. G., Omunyin, M. E. and Wachira, F. N. (2008). Genetic diversity in Kenyan populations of *Acacia senegal* (L.) Willd. revealed by combined RAPD and ISSR Markers, *African Journal of Biotechnology* .7 (14).2333-2340.
- Chubo, J.K. (1999). Genetic diversity of *Acacia crassicarpa* Cunn. Ex. Benth. plus trees of a provenance trial in Serdang, Malaysia. M.Sc .thesis. Faculty of Forestry, University Putra Malaysia.
- Coates, D.J. (1988). Genetic diversity and population genetic structure in the rare Chittering grass wattle *Acacia anomala*. *Austr. J. Bot.* 36: 273-

- Cox, T.S., Murphy, J.P. and Rodgers, D.M. (1986). Changes in genetic diversity in the red winter wheat regions of the United States. *Proceedings of the National Academy of science*. 83:5583-5586.
- Dangasuk, O. G., Seurei, P. and Gudu, S. (1997). Genetic variation in seed and seedling traits in 12 African sources of *Faidherbia albida* (Del.) A. Chev. At Lodwar, Kenya. *Agroforestry systems* 37: 133-141.
- Dangasuk, O.G. and Gudu, S. (2000). Allozyme variation in 16 natural Populations of *Faidherbia albida* (Del.) A. Chev. *Hered*, 133: 133-145.
- Daniel J. M, Frank, U. and Pauline, Y. L. (2000.) Phylogenetic analysis of Australian Acacia (Leguminosae: Mimosoideae) by using aequence Variations of an intron and two intergenic spacers of chloroplast DNA. *Australian Systematic Botany*, 13, 745–754
- David, F. H. and James, T. M. (2003). Propagation of woody ornamentals by cuttings. CIR415, Institute of Food and Agricultural Sciences, University of Florida.
- Dhanai, C. S. Uniyal, A. K. and Todaria, N. P., (2003). Source of variation in *Albizia chinensis* (Osbeck) Mer. seed and seedling characteristics, *Silvae Genetica*, 52: 5-6.
- Doyle, J. and Doyle, J. (1990). A rapid total DNA preparation procedure for fresh plant tissue. *Focus*, 12:13-15.
- Duke, J. A. (1983). *Albizia lebbeck* .Handbook of Energy Crops. Centre for New Crops and plant products, Purdue University.
- Ehiagbonare, J. E. (2007). Vegetative propagation of some key malaria medicinal plants in Nigeria, *Scientific Research and Essay*, 2 (2). 037-039.
- Elamin, H.M. (1990). Trees and shrubs of the Sudan. Ithaca Press, Exeter

El khelifa, A. A. (2007). Domestication of *Sterculia setigera* (L.) Del. in Sudan. PhD .thesis, Faculty of Forestry, University of Sudan for Science and Technology.

Elnour, M. A., El kalifa, K. F., Massimo, K. and El Hassan, B. (1991). Preliminary study on seed pregermination treatment and vegetative propagation of *Balanites aegyptiaca* (L) Del. Physiology of trees and shrubs of arid and semi-arid zones, proceeding of a seminar held at Pans-Nany, France. INRA Mission Auministere De la Co-operation Et Du Development, 413-416.

Eltahir, I.A. (1997). Propagation of *Balanites aegyptiaca* (L) Del. (Heglig) by stem cuttings. M.Sc., thesis, Faculty of Forestry, University of Khartoum.

Fabian, V.I., Jr. (1981). Planting guides. *Canopy International*, 7 (8).12.

Fenyo, J. and Vandeveld, M. (1990). Physico-chemical properties of Gum Arabic in relation to structure. In: Phillips, G.O., Wedlec, D. and Williams, P.A. (Eds). Gum and stabilizers for the food industry 5. IRL Press Oxford. 17-24.

FAO, (1995). Vegetative propagation methods. Proceedings, national hands-on training course on tree breeding and propagation. FAO, Rome (Italy). Forestry Department. 65-77.

FAO, (2007). *Albizia lebbeck*,
[\(www.fao.org/AG/AGP/AGPC/doc/GBASE/data/Pf000145\)](http://www.fao.org/AG/AGP/AGPC/doc/GBASE/data/Pf000145)

Fu, C., Qiu, Y. and Kong, H. (2003). RAPD analysis for genetic diversity in *Changium smyrnioides* (Apiaceae), an endangered plant. *Austr. J. Bot.* 36:263-276.

- Gera, M., Gera, N. and Ginwal, H. S. (1999). Seed source variation in germination and early growth among ten indigenous populations of *Dalbergia sissoo* Roxb. *Indian Forester*, **125** (12). 1190–1197.
- Ginwal, H. S., Gera, M. and Srivastaqva, R. L. (1996). Seed source variability in some seed and seedling characteristics of twenty sources of *Acacia nilotica*. *Range Management and Agroforestry*, **17** (1). 49–59.
- Grisebach, A.H.R. (1864). Flora of the British West Indian Islands. Lovell Reeve and Co., London.
- Gutterman, Y. (1992). Maternal effects on seed during development. In: Fenner, M. (ed.), Seeds: The Ecology of Regeneration in Plant Communities, Wallingford CAB International, pp. 27–59.
- Habeballa, S.R. (2008). Phylogenetic diversity and relationships among *Acacia Senegal* accessions using RAPD and AFLP molecular markers. M.Sc. thesis. Sudan Academy of Science, SAS.
- Handa, A. K., Khare, N. and Chauhan, S. P. S. (2005). Vegetative propagation of *Albizia lebbek* through stem cuttings. Forest research institute, *Indian forester*, **131**: (1) 66-70.
- Hartl, D. L., and Andrew, G. C. (1997). Principles of population genetics. Third ed. Sinauer Associates, Sunderland, Mass.
- Hartman, H. T., Kester, D. E., Davies, F. T. and Geneve, R.L. (1997). Plant Propagation: Principles and Practices, 6th ed. Reprint (2002), Prentice – Hall of India, New Delhi.
- Hartman, H.E. and kester, D.E. (1984). Plant propagation, principles and practices. 4th edition, Prentice –Hall, Inc. Englewood, New Jersey.

- Hutchinson, J. and Dalziel J. M. (1972). Flora of West tropical Africa (revised by Keay, R.W.J. and F.M. Hepper). Grown Agents for Overseas Governments, London.
- Ian, H., Melina, L. and Eleanor, S. (2004). Genetic diversity.
<http://www.cnx.org/content/m12158/latest/>.
- ICRAF, (1992). A selection of useful trees and shrubs for Kenya: Notes on their identification, propagation and management for use by farming and pastoral communities. ICRAF.
- Isik, K. (1986). Altitudinal variation in *Pinus brutia* Ten., seed and seedling characteristics. *Silvae Genetica*, 35: 58–67.
- Joly, H.I., Zeh-Nio, M., Danthu, P. and Aygalent, C. (1992). Population genetics of an African acacia: *Acacia albida*. Genetic diversity of populations from West Africa. *Austr. J. Bot.* 40: 59-73.
- Karp, A., Edwards, K.J., Bruford, M., Funk, S., Vosman, B., Morgante, M., Seberg, O., Kremer, A., Boursot, P., Arctander, P., Tautz, D. and Hewitt G.M. (1997a). Molecular technologies for biodiversity evaluation: opportunities and challenges. *Nature Biotechnology*, 15:625–628.
- Karp, A., Kresovich, S., Bhat, K.V., Ayad, W.G. and Hodgkin, T. (1997b). Molecular tools in plant genetic resources conservation: a guide to the technologies. IPGRI Technical Bulletin No. 2. International Plant Genetic Resources Institute, Rome, Italy.
- Karp, A., Seberg, O. and Buiatti, M. (1996). Molecular techniques in the assessment of botanical diversity. *Annals of Botany*, 78:143–149.
- Kazan, K., Manners, J.M and Cameron, D.F. (1993). Genetic relationships and variation in the *stylosanthes guianensis* species complex assessed by (RAPD). *Genome* 36:43-49.

- Kesseli, R., Ochoa, O. and Michelmore, R. (1991). Variation at RFLP loci in *lactuca* spp. and origin of cultivated lettuce (*Lactuca sativa*). *Genome*, 34: 430- 436.
- Khalil, M. A. K. (1986). Variation in seed quality and some juvenile characters of white spruce (*Picea glauca* (Moench) Voss). *Silvae Genetica* 35: 78–85.
- Kramer, P.J. and Kozlowski, T.T. (1979). Physiology of woody plant. Academic Press Inc. Harcourt Brace Jovanovich. Publishers, New York.
- Krishan, B. (1992). Evaluation of different provenances of *Acacia nilotica* (L.) Willd ex. Del. in India. Ph. D. thesis, Kumaon University.
- Kumar, D.P. (1982). Studies on propagation of Indian rubber plant (*Ficus elastic* Rozeb) by stem cuttings. Thesis abstract (4) 381. In *Hort.Abst.* 1983.53; 6048.
- Kumar, N. (1993). Evaluation of *Albizia lebbeck* (L.) Benth. from different provenances of India. Ph. D. thesis, Kumaon University, Nainital, India.
- Kumar, N. and Toky, O. R. (1994). Variation in chemical contents of seed, and foliage in *Albizia lebbeck* (L.) Benth. of different provenances *Agroforestry Systems* 25: 217-225.
- Larsen, F. E. and Guse, W. E. (1997). Propagating deciduous and evergreen shrubs, trees, and vines with stem cuttings. Pacific Northwest Coop.Ext. Pub. PNW152.
- Leaky, R.R.B. (1985). The capacity for vegetative propagation in trees. In: Cannell, M.G.R. and Jackson J.E. (Eds), Attributes of trees as crop plants. Titus Wilson and Son Ltd, Kendal, Cumbria, pp.110-133.
- Levin, D. A. (1981). Dispersal versus gene flow in plants. *Annals of the Missouri Botanical Garden*, 68:232-253.

- Ling, T.T. (1993). The effect of IBA, Cutting positions and rooting medium on the rootability of *Shorea acuminate* and *Shorea parvifolis* Dyer. B.Sc. Thesis. Project Report Faculty of forestry. UPM. Serdang, Selangor. 93pp.
- Little, E .L. and F. H. Wadsworth. (1989). Common trees of Puerto Rico and the Virgin Islands. Agriculture Handbook No. 249.USDA Forest Service. Washington, DC. pp. 164-66.
- Longman, K.A. (1976). Conservation and utilization of gene resources by vegetative multiplication of tropical trees. In: Burley, J. and Styles, B.T. (Eds). *Tropical trees: variation, breeding and conservation*. pp. 119-124. Academic Press Inc., London.
- Longman, K.A. (1993). Rooting cutting of tropical trees, propagation and materials. Common wealth scince council London, U.K. p. 21.
- Lowry, J.B., Prinsen, J.H. and Burrows, D.M., 1994. *Albizia lebbeck* - a promising forage tree for semiarid regions. In: Gutteridge, R.C.and Shelton H.M., eds. Forage tree legumes in tropical agriculture. Wallingford, UK: CAB International, 75-83.
- Maydell, H.J. 1986. Trees and Shrubs of the Sahel, Their Characteristics and Uses. Roseldorf: TZ Verlagsgesellschaft, pp. 382-87.
- Michelmore, R.W., Paran, I. and Kesseli, R.V. (1991). Identification of markers linked to disease resistance genes by bulked segregant analysis: a rapid method to detect markers in specific genomic regions using segregating populations. *Proc Natl Acad Sci USA*, 88: 9828-9832.
- Murali, K. S. and Sukumar, R. (1994). Reproductive phenology of a tropical dry deciduous forest in southern India. *Journal of Ecology*, 82: 759–767.

Murali, K.S. (1997). Patterns of seed size, germination and seed viability of tropical tree species in Southern India. *Biotropica*, 29: 271–279.

National Academy of Sciences. (1979). Tropical legumes: resources for the future. (Trop Leg).

National Academy of Sciences. (1980). Shrub and tree species for energy production, Firewood Crops, Pp.110-111.

Nei, M. (1975). *Molecular population genetics and evolution*. Edited by Neuberger, A. and Tatum, E., *Frontiers of Biology*. Vol. 40, Amsterdam: North-Holland.

Nei, M. and Lei, W. (1979). Mathematical model for studying genetic variation in terms of restriction endonuclease. [Proceedings of the National Academy of Sciences](#) USA 76: 5269-5273.

Oldale, P., and Adienne. (1975). Plant propagation in the tropics .Davied and Charles .Newton Abbot London. North Pomfret (VT), Vancouver.

Paran, I., Kesseli, R.V. and Michelmore, R.W. (1991). Identification of RFLP and RAPD markers linked to downy mildew resistance genes in lettuce by using near-isogenic lines, *Genome*, 34: 1021-1027.

Parker, P.G., Snow, A.A., Schug, M.D., Booton, G.C. and Fuerst, P.A. (1998). What molecules can tell us about populations: choosing and using a molecular marker. *Ecology*, 79:361–382.

Parrotta, J.A.(1988) Early growth and yield of *Albizia lebbeck* at a coastal site in Puerto Rico. NFTRR6:47-49

Playford, J., Bell, J.C. and Moran, G.F. (1993). A major disjunction in genetic diversity over the geographic range of *Acacia melanoxylon*. R. Br. *Austr. J. Bot.* 41: 355-368.

- Primack, R. B., and Kang, H. (1989). Measuring fitness and natural selection in wild populations. *Annual Review of Ecology & Systematics*, 20:367-396.
- Prinsen, J. H. and Highlights, N.F.T., (1988). A quick guide to useful nitrogen fixing trees from around the world: *Albizia lebbeck* – A Promising Fodder Tree for Semi-Arid Regions. 4p.
- Prinsen, J.H. (1986). Potential of *Albizia lebbeck* (Mimosaceae) as a tropical fodder tree: A review of literature. *Tropical Grassland*, 20: (2) 78-83.
- Prockter, N.J. (1976). Simple propagation. A book of instructions for propagation by seed, division, layering, budding and grafting). Faber and Faber. queen square, London.
- Rashmi, M., Nanda, S .N. and Rout, G. R. (2004). Studies on genetic relatedness of *Acacia* tree species using RAPD markers *Biologia Bratislava*, 59 (1).115—120.
- Salazer, R. (1989). Genetic variation in 16 sources of *Acacia mangium* at nursery level in Turrialba, Costa Rica. *Commonwealth Forestry Review*, 68 (4). 263–272.
- Saleem, M., B, S.D. and Kaushal A.N. (1994). Effect of seed weight, nitrogen source and split application on growth of *Celtis australis* L. *Indian Forester*, 120 (3). 109–118.
- Sang, T., Crawford, D. J., and Stuessy, T. F. (1997). Chloroplast DNA phylogeny, reticulate evolution and biogeography of *Paeonia* (Paeoniaceae). *American Journal of Botany*, 84, 1120–1136.
- Sekaran, S., Rangarajan, T. N. and Ponnammal, N. R. (1997). Source variance in pod length, seed characters and germination of *Cassia auriculata* Linn. *Journal of Tree Science*, 16 (1). 59–61.

- Shiv, K. P. and Banerjee, A. C. (1986). Provenance trials of *Acacia nilotica*. *Journal of Tree Science*, **5** (1). 53–56.
- Singh, S., Ombir, S. and Virendra, S. (1993). Effect of seed weight on germination, Survival and initial growth of *Aesculus indica*. *Indian Forester*, **119** (8). 627–629.
- Skroch, P., Tivang, J. and Nienhuis, J. (1993). Analysis of genetic relationships using RAPD marker data. *Biotechnology*, 11:26-30.
- Slatkin, M. (1987). Gene flow and population structure of natural populations. *Science*, 236:787-792.
- Smith, J. and Smith, O. (1992). Fingerprinting crop varieties. *Advanced Agronomy*, 47:85–140.
- Song, K., Osborn, T.C. and Williams, P.H. (1990). *Brassica* taxonomy based on nuclear restriction fragment length polymorphism (RFLPs).3. Genome relationships in *Brassica* and related genera and the origin of *Boleracea* and *B.rapai* (syn. *Campestris*). *Theoretical and Applied Genetics*, 79:497-506.
- Spooner, D., R. van Treuren, and M. C. de Vicente, (2005). Molecular markers for gene bank management pp1-5.
- Stephen, G.P, and Kozlowsky, T.T (2007). Physiology of woody plants. Academic Press Inc.Harcourt Brace Jovanovich.Publishers, New York.
- Tanksley, S.D., Bernatzky, R., Lapitan, N.L. and Prince, J.B. (1988). Conversation of gene repertoire but not gene order in pepper and tomato. *Proceedings of the National Academy of science USA*, 85:6419-6423.
- Templeton, A. R. (1991). Off-site breeding of animals and implications for plant conservation strategies. In: edited by Falk, D. A. and Holsinger,

- K. E., Genetics and conservation of rare plants, New York: Oxford University press.
- Todaria, N. P. and Negi, A. K. (1995). Effect of elevation and temperature on seed germination of some Himalayan tree species. *Plant Physiology and Biochemistry* 22 (2). 178–82.
- Toky, O. P. and Bisht, R. P. (1991). Provenance trials of *Eucalyptus* and *Casuarina* in arid climate of north-western India. *Ind. J. For.* 14: 315–317.
- Toky, O. P., Bisht, R. P., Kumar, N. and Singh, R. R. (1995a). Growth variability of *Populus deltoides* MARSH clones in arid climate of northwestern India. *Ind. J. For.* (In press).
- Toky, O. P., Kumar, N., and Bisht, R. P. (1996). Variation in growth of 3-year old provenance trial of *Albizia lebbek* (L.) Benth. in arid India, *Silvae Genetica*, 45: 1.
- Toky, O. P., Kumar, N., Bisht, R. P. and Singh, R. R. (1995b). Variability in growth of *Populus X euramericana* clones at 5 years age in arid climate of north-western India. *J. Tree. Sci.* 13: 53–56.
- Troup, R.S. (1921). The silviculture of Indian trees. Clarendon Press, Oxford, UK. 1195 p.
- Udovicic, F., McFadden, G. I., and Ladiges, P. Y. (1995). Phylogeny of *Eucalyptus* and *Angophora* based on 5S rDNA spacer sequence data. *Molecular Phylogenetics and Evolution* 4, 247–256.
- Vakshaya, R. K., Rajora, O. P. and Rawat, M. S. (1992). Seed and seedling traits of *Dalbergia sissoo* Roxb. Seed source variation studies among ten sources in India. *Forest Ecology and Management*, 48: 265–275.

- Venkataramany, P. (1968). Silviculture of genus Albizia and species. *Silviculture of Indian trees*. Government of India, Delhi, India. No. 22. 54 p.
- Vierling, R.A. and Nguyen, H.T. (1992). Use of RAPD markers to determine the genetic diversity of diploid wheat genotype. *Theoretical Applied Genetics*, 84:835-838.
- Vogt, K. (1995). Common trees and shrubs of the dry land Sudan. SOS Sahel International, London.
- Volker, P.W., Dean, Tibbits, W. N. and Ravenwood, I. C. (1990). Genetic parameters and gain expected from selection in *Eucalyptus globulus* in *Termania, Silvae Genetica*, 39 (1). 18–21.
- Vozzo, J.A., Ed. (2002). Tropical Tree Seed Manual, USDA Forest Service. 274-275.
- Welsh, J. and Mc C. M. (1990). Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Res*, 18: 7213-7218.
- Whitkus, R., Doebley, J. and Wendel, J.F. (1994). Nuclear DNA markers in systematic and evolution. In: Phillips, R.L. and Vasil, I. K. (Eds.), DNA-based markers in plants (Advances in cellular and molecular biology of plants, vol. 1.), Kluwer Academic Publishers, Dordrecht, the Netherlands. pp. 116–141.
- Wiesman, Z. and Tchoundjeu, Z., (2002). Cutting principles and techniques. In: Jaenicke, H. and Beniest, J., (eds). Vegetative tree propagation in agroforestry; training guidelines and references. ICRAF, Nairobi, pp.45-54.
- Williams, J.K.G., Kubelik, A.R.K., Livak, J.L., Rafalski, J.A. and Tingey, S.V. (1990). DNA polymorphisms amplified by random primers are useful as genetic markers. *Nucleic Acids Res*, 18: 757-763.

- Wolfe, L. M. (1995). The genetics and ecology of seed size variation in a biennial plant *Hydrophyllum apendiculatum*. *Oecologia*, 101: 343–352.
- Wright, S. (1969). The theory of gene frequencies. University of Chicago Press, Chicago, Vol. 2.
- Xu, H., Wilson, D.J., Arulsekhar, S. and Bakalinsky, A.T. (1995). Sequence specific polymerase chain-reaction markers derived from randomly amplified polymorphic DNA markers for fingerprinting grape (itis) rootstocks. *J Am Soc Hortic Sci.* 120: 714-720.
- Zobel, B. J. and Talbert, J. (1984). Applied tree improvement. John Wiley and Sons, New York, 505 pp.