

References

- Abd Elmagid, A. M. 1966. Breathing and function of spiracles in *Polypterus senegalus*. Animal behaviours , 14: (14). 530-533.
- Abd Elmagid, A. M. 1967b. Observations on the venous systems of three species of *Polypterus* (Pisces), J. Zool. Lond. 152, 19-30.
- Abd Elmagid, A. M. 1971. The ability of *Clarias lazera* (Pisces) to survive without air breathing. J. Zool. Lond. 163: 63-73.
- Abd Elmagid, A. M. and Babiker, M. M. 1975. Oxygen consumption and respiratory behaviour of three Nile fishes. Hydrobiologia, 46: 359-367.
- Abd Elmagid, A. M., Vokoc Z. and Nasr El Din. 1970. Respiratory function of the swimbladders of the primitive fish *Polypterus senegalus*, J. Exp. Biol., 52: 27-37.
- Abu Gideiri, Y. B. 1969,a. The development and distribution of plankton in the northern part of the White Nile. Hydrobiologia, 33: 369-378.
- Abu Gideiri, Y. B. 1969,b. The development of behaviour in *Tilapia nilotica*. L. Behavio.xxiv (1-2): 2-28.
- Adam, A. E. 1975. Studies of plankton and fish relationships in Jebel Aulia Reservoir. B.Sc. (Hons.). Zoology Dept. Khartoum University.
- Adam. M. H. 1993. Nutritional effectiveness of wheat bran's combined with groundnut cake compared with poultry meal on the performance of *Oreochromis niloticus* fingerlings. (Dissertation) B.Sc.(Hons.) Juba University.
- Adams, S. M. 1990b. Status and use of biological indicators for the evaluating of effects of stress on fish. Betheda, MD: Amer fish Soc Symp 8: 1-8.
- Adeparusi, E. O and Ajayi, A. D. 2003. Haematological Characteristics of Nile Tilapia *Oreochromis niloticus* Fed Differently Processed Lima Bean (*Phaseolus lunatus* L.) Diets. Fisheries and

Wildlife Department, Federal University of Technology, P.M.B. 704, Akure Davecol@infoweb.abs.net.

- Agbon, A. O., Omoniyi, I. T. and Teko, A.A. 2002. Acute toxicity of tobacco (*Nicotiana tobaccum*) lraf dust on *Oreochromis niloticus* and haematological changes resulting from sublethal exposure. Journal of aquatic science: Vol. 17, No. 1 (ALOL).
- Anderson, E. D. 1990. Fisheries models as applied to elasmobranch fisheries. In elasmobranches as living resources: Advance in the biology, ecology, systamatis, and the staus of fisheries, H. L. Pratt. Jr., S. H. Gruber, and T. Taniuchi, 473-484. Washington, DC: NOAA Tech Rept 90.
- Andrzej, P. 1985. Selected haematological and biochemical indices of the carp organism in ponds with a high production level. ACTA Hydrobiol.28: 245-251.
- Anees, M. A. 1978. Haematological abnormalities in a freshwater teleost, *Channa punctatus* (Bloch.) exposed to sublethal and chronic levels of three organophosphorus insecticides. In. J. Ecol. Environ. Sci. 4: 53-60.
- Antipova, P. S. 1954. Vozrastnyie izmienienia krovi karpa. Vopr. Ikhtiol, 2,121-122. Aquaculture Bull. 6:7. *Pleuronectes flesus*. Environ. Res. 17: 1991-2004.
- Alabasster, J. S. and Liyod, R. 1982. Water quality criteria for freshwater Fish. London: Butterworth Scientific.
- Arkoosh, M. R., J. E. Stein, and E. Casillas. 1994. Immunotoxicology of an anaddromous fish: Field and Laboratory studies of B-cell mediated immunity. In Modulators of fish immune response. Vol. 1, Models for environmental, toxicology, biomarkers, immunostimulators, ed. L. S. Stolen and T.C. Fletcher, 33-48. Fair Haven, NJ. SOS Publications.
- Babiker, M. M. and Ibrahim, H. 1979,a. Studies on the biology of reproduction in the cichlid *Tilapia nilotica*, Gonadal maturation and fecundity. J. Fish Biol., 14, 437-448.
- Babiker, M. M. and Ibrahim, H. 1979,b. Studies on the biology of reproduction in the cichlid tilapia nilotica,: Effects of steroid

- and trophic hormones on ovulation and ovarian hydration. *Ibid.* 15, 21-30.
- Babiker, M. M. 1979. Respiratory behavior, oxygen consumption and relative dependence on aerial respiration in the African lungfish (*Protopertus annectens*, Owen) and air breathing teleost *Clarias lazera*, C. *Hydrobiologia* 65, 177- 187.
- Babiker, M. M. 1984c. Adaptive respiratory significance of organophosphates (ATP and GTP) in air breathing fishes. *Ibid.* 339-349.
- Babiker, M. M. 1984d. Development of dependence of aerial respiration in *Polypterus senegalus* (Cuv). *Ibid.* 351-363.
- Babiker, M.M., and El Hakeem, O. H. 1979. Changes in blood characteristics and constituents associated with aestivation on the African lungfish (*Protopertus annectens*, Owen). *Zool. Ansg.* 202(1) 16-29.
- Babiker, M. M., and Rankin, J.C. 1979. Renal and vascular actions of nurolymphoidal hormones in African lungfish (*Protopertus annectens*, Owen). *Gen. Comp. Endo* ; 37, 26-34.
- Babiker, M. M. 1984c. Adaptive respiratory significance of organophosphate (ATP GTP) in air-breathing fishes. *Ibid*, 351-363.
- Badawi, H. K and Said M. M. 1971. "A Comparative Study of the Blood of Four Tulip Species (Pisces)". *Marine Biology* 8: 202-204.
- Balarin J. D. 1984e. Etudes nationales pour le développement, 1, aquaculture en Afrique .5.Benin.FAO Circ Peches 770.5.52p.
- Balarin, J. D. 1988e. Aquaculture in development planning in Africa systems in use and species cultivated p3-24,in H.RING AND K.H.Ibrahim (eds.) Proceedings of the commonwealth consultative Workshop on village level AGUACULTURE Development in Africa. Freetown , Sierra Leone , 14-20 February 1985.

- Balarin, J.D 1986b. Aquaculture practices in Africa: an overview, p.238-282. In Report of SADCC Aquaculture Workshop, Kariba, Zimbabwe, 29 September to 3 October 1986.
- Balarin, J.D 1988b. National reviews for aquaculture development in Africa. 18. Ghana. FAO Fish. Circ.770.18.121p.
- Balarin, J.D and J.D.Hatton.1979. Tilapia; a guide to their biology and culture in Africa. University of Stirring, Scotland.
- Balarin, J.D. 1987.National reviews for aquaculture development in Africa.12. Malawi. FAO Fish. Circ. 770.12.82p.
- Balarin, J.D.1985a. National reviews for aquaculture development in Africa.7.Kenya.FAO Fish. Circ.770.6.88p.
- Balarin, J.D.1988c.Aquaculture practices in Africa. Systems in use and species cultivated,p.3-24. In H. R. King and K.H Ibrahim (eds.)Proceedings for the Commonwealth Consultative Workshop on Village level Aquaculture development in Africa Freetown; Sierra Leone'14-20 February 1985.
- Balarin, J.D1986a. National reviews aquaculture development in Africa. 8.Egypt.FAO Fish.Circ.770.8.128p.
- Balarin, J.D. 1988d. Aquaculture practices in Africa . Technical and socioeconomic factors inhibiting development, p.28-36. In H.R. king and K.H. Ibrahim (eds) proceedings of the commonwealth consultative workshop on village level Aquaculture Development in Africa. Freetown, Sierra Leone, 14-20 February 1985.
- Baradach, J. E., Ryther, J. H., and Mclarney, W. O. 1972. Aquaculture-the Farming and Husbandry of freshwater and marine organisms: 1-868. Wiley-Nescience, Sydney-Toronto.
- Barrington, E. J. W. 1957. The physiology of fishes, Vol. (metabolism). Edt. Margaret Brown. Academic Press. Inc. Publisher, New York.
- Bishai, H. M. 1960a. The effect of the water hyacinth on the fisheries of the Sudan. 7th . Ann. Rept. Hydrobiol. Res. University of. Khartoum, 29-36.

- Bishai, H. M. 1960b. The effect of hydrogen ion concentration on the survival and distribution of Laval and young fish. *Zwiss Zool.* 164, 107-118.
- Bishai, H. M. 1961. The effect of pressure on the distribution of some Nile fish. *J. exp.Zool.* 147, 113-124.
- Bishai, H. M. 1962. The water characteristics of the Nile in the Sudan with a note on the effect of *Eichhornia crassipes* on the hydrobiology of the Nile.
- Bishai, H. M. 1965. Resistance of *Tilapia nilotica* L. to high temperatures *Hydrobiologa* 25, 473-488.
- Basiao, Z. U. and Arago, A. 1988. A preliminary investigation of some blood properties of *Oreochromis mossambicus* and red tilapia. Aquaculture Dept. Southeast Asian fisheries Development Centre Binangonan Freshwater Station. Rizal Philippines.
- Benson W.H., Baer K.N., Stackhouse R.A. and Watson C.F. 1987. Influence of cadmium exposure on selected hematological parameters in freshwater teleost, *Notemigonus chryssoleucus*. *Ecotoxicol. Environ. Saf.* 13: 92-96.
- Biaxhall, P. A.C., and K. W. Daisley. 1973. Routine haematological methods for use with blood. *J. Fish Biol.*, 5, 771-781.
- Bills, T. D., and Hunn J. B. 1976. Changes in the blood chemistry of *Coho salmon* exposed to malachite green. *Prpg. Fish. Cult.* 38: 214-21.
- Blaxall, P.C. 1972. The haematological assessments of health of Freshwater fish: review of selected literature. *J. Fish Biology*, 4:593-604. Ellis, A.E. 1977. The leukocytes of fish: a review. *Fish Biol.* 1977, 453- 491.
- Blazer VS. Piscine macrophage function and nutritional influences :a review. *J Aquat Anim Health* 1991;3:77-86.
- Bodansky, O. 1951. Methemoglobinemia and methemoglobin-producing compounds. *Pharmacological Review* 3:144-196.
- Boon, G. D. 1993. An overview of hemostasis. *Tox. Pathol.* 21: 170-179.

Bortone, S. A. and W, P. Davis. 1994. Fish inter-sexuality as indicators of environmental stress. Bio Science 44: 165- 172.

Brown, D. A., and D. J. McLeay. 1975. Effect of nitrite on methemoglobin and total hemoglobin of juvenile rainbow trout. Progressive fish-Culturist 37: 36-38.

Burrows, R. E. 1964. Effect of accumulated excretory products on hatchery-reared salmonids. U.S. Fish. Wildl. Serv. Res. Rep. 68, 1-12.

Cagauan, A. G., Valle R. C., Rondon R. B., Plangilinan F. D. 1988. Toxicity of synthetic pyrethroids-cypermethrin and lambda-cyhalothrin-insecticides to *Oreochromis niloticus*. Proceedings The 1st Asian Fisheries Forum, Manila, Philipines.

Calabrese A., Thurberg F.P., Dawson M.A., Wenzloff .R.1975. Sublethal physiological stress induced by cadmium and mercury in winter flounder, *Pseudopleuronectes americanus*. Coiman J.H., Strik J. J. W.T.A. Ed. Sublethal effects of toxic chemicals of aquatic animals. Elsevier. Amsterdam, 15-21 pp.

Campbell, J. W. 1973. Nitrogen excretion, P. 279-316. In. C. L. Prosser (ed.). Comparative animal physiology. W. B. Saunders, Philadelphia.

Casillas E,Smith LS. Effect of stress on blood coagulation and hematology in rainbow trout (*salmo gairdneri*).J Fish Biol 1977;10:481-491.

Christensen G.M., Hunt E.P. and Fiant J. 1977. The effect of methylmercuric chloride, cadmium chloride and lead nitrate on six biochemical factors of the brook trout (*Salvelinus fontinalis*). Toxicol. Appl. Pharmacol. 42:523-527.

Christensen G.M., McKim J.M., Brungs W.A. and Hunt E.P. 1972. Changes in the blood of the brown bullhead (*Ictalurus nebulosus* Lesuer) following short and long-term exposure to copper. Toxicol. App. Pharmacol.23: 417-427.

Clem, L. W., Miller N. W., Bly J. E. 1991. Evolution of lymphocyte subpopulations, their interactions, and temperature

- sensitivities. In: Cohen N., Warr G. W. eds. The phylogeny of immune functions. Boca Raton, F. L., CRC Press, 191-213.
- Colt, J. and Tchobanoglous G. 1978. Chronic exposure of channel catfish, *Ictalurus punctatus*, to ammonia: effect on growth and survival, Aquaculture 15: 353-372.
- Couch, J. A., and J. W. Fournie. 1993. Pathobiology of marine and eurarine organisms. Boca Raton, FL: CRC Press.
- Crawford, R. E., and G. H. Allen. 1977. Seawater inhibition of nitrite toxicity to chinook salmon. Transactions of the American Fisheries Society 106: 105-109.
- Cruz, E. R., DELA Cruz, and Sunaz, N. A. 1988. Haematological and histobiological changes in *Oreochromis mossambicus* after exposure to the Molluscides Aquatin and Brestan. Fish Health Section Aquaculture Dept. South east Asian Fisheries Development Centre. Tigbauan Iloilo, Philipino.
- Cyriac P.J., Antony A. and Nambisan P.N.K. 1989. Hemoglobin and haematocrit values in the fish, *Oreochromis mossambicus* (Peters) after short term exposure to copper and mercury. Bull. Environ. Contam. Toxicol. 43: 315-320.
- Davids, C. B. D., I. K. Ekweozor, E. R. Daka, W. B. Dambo and E. A. S. Bartimaeus. 2002. Effects of industrial effluents on some haematological parameters of *Sarotherodon melanotheron* and *Tilapia guiniensis*. Global Journal of pure and applied sciences: Vol. 8, NO.3 (AJOL). Dcie, J. V. and Lewis, S. M. 1976. In ‘Practical Haematology’. 5th ed. Churchill livingstone. London.
- Dethloff G.M. and Bailey H.C. 1998. Effects of copper on immune system parameters of rainbow trout (*Oncorhynchus mykiss*). Environ. Toxicol. Chem. 1 (9): 1807-1814.
- Dheer, J.M. S., T. R. Dheer and Dig. Randal. 1986. Haematological and haematopoietic response to sodium chloride stress in fresh water airbreathing fish *Channa punctatus* bloch J. Fish. Biol. 28; 119-128.

- Dick P.T. and Dixon D.G. 1985. Changes in circulating blood cell levels of rainbow trout, *Salmo gairdneri* Richardson, following acute and chronic exposure to copper. J. Fish Biol. 26: 475-481.
- Doggett, T.A., and Harris J.E. 1989. Ultra structure of the peripheral leukocytes of *Oreochromis mossabicus*. J Fish Biology , 33:747-757.
- Donaldson, E. M.1990. Reproductive indices as measures of the effects of environmental stressors in fish. Amer Fish Soc. Symp. 8:109-122.
- Dunier M. and Siwicki A.K. 1992. In vitro effects of heavy metals on lymphocyte proliferation and phagocytic activity of macrophages in carp (*Cyprinus carpio*). Symposium on sublethal and chronic toxic effects of pollutants on freshwater fish. Lugano. EIFAC/XVII/ 92/ Symp. 4, 12.
- Dunier, M. D.1994. Effects of environmental contaminants (pesticides and metal ions) on fish immune systems. In Modulators of fish immune response. Vol. 1, Models for environmental, toxicology, biomarkers, immuno stimulators, ed. L. S. Stolen and T.C. Fletcher, 33-48.Fair Haven, NJ. SOS Publications.
- Eddy, F. B. 1982. Osmotic and ionic regulation in captive fish with paticular reference to salmonide carp. Biochem. Physiol. (B.Comp. Biochem.37:125-141.
- Eddy, F. B., P. A. Kunzlik, and R. N. Bath. 1983. Uptake and loss of nitrite from the blood of rainbow trout, *Salmo gairdneri* Richardson, and Atlantic salmon, *Salmo salar* L., in fresh water and dilute sea water. Journal of Fish Biology 23:105-116.
- Edosa, O. 1998. Cgangess in the haematology of the Nile Tilapia, *Oreochromis niloticus* Trewavas under the effect of crude oil. Acta Hydrobiologia, 40, 287-292.
- El Medani, Y. I.1966. Feeding and growth of some commercial fishes of Gebel Aulia Reservoir. A thesis submitted for the degree of Ph.D., Moscow State University.
- El Obeid, A.S. 1982. Reaction of Tilapia species to some physical and chemical factors. A thesis submitted for M.Sc K. University.
- El-Aagba, H. A. 1982. Biochemical genetic markers of four Nile fishes. Athesis submitted for the degree of M.Sc., Zool. Dept. Khartuom University, Sudan.

- El-Domiati N.A. 1987. Stress response of juvenile Clarias lazera elicited by copper. Comp. Bioch. and Physiol. C88 (2): 259-262.
- Ellis, M. M. 1937. Detection and measurement of stream pollution. Bull.Bur.Fish. Wash.48, 365-437.
- Ellsaesser, C. F., Clem L. W. 1986. Haematological and immunological changes in channel catfish stressed by handling and transport. J. Fish Biol. 28: 511-521.
- Evans, D.L, Jaso-Friedmann L. 1992. Nonspecific cytotoxic cells as effectors of immunity in fish . Ann. Rev. Fish Dis.;2:109-121.
- Everett, H. and Olusanya S. 1988. "Anatomy and Physiology of Tropical Livestock". ELBS, 1st Ed. Pg 30-38.
- Fange, R.1992. Fish blood cells In: Hoar WS, Randall DJ, Farrel AP ,eds Fish physiology. The cardiovascular system San Diego: Academic Press, 1992, 12(B): 1-51.
- FAO. 1985. Aquaculture statistical data. ADCP unpublished data. Rome: Food and agriculture Organization.
- Ferguson, H.W. 1976. The ultra structure of plaice (*Pleuronectes Platessa*) Leucocytes. J. Fish Biol.;8:139-142.
- Ferreira, J. T., SmitG. L. and Schoonbee J. H. 1981. Haematological evaluation of the anesthetic benzocaine hydrochloride in freshwater fish *Cyprinus carpio* L.J. Fish Biol. 18, 291-297.
- Field, J., C. A. Eivehjem and C. Juday. 1943. A study of the blood constituents of carp and trout. J. Biol. Chem., 148, 261-269.
- Folmar J.C. 1993. Effects of chemical contaminants on blood chemistry of teleost fish: a bibliography and synopsis of selected effects. Environ. Toxicol. Chem. 12: 337-375.
- Fourie, F.L.R, Hattingh J. 1976. A seasonal study of the hematology of carp (*Cyprinus carpio*) from a locality in the Transvaal,South Africa. Zool Africa ;11:75-80.
- Freese, L.E. 2003. Ammonia, Nitrite and Nitrate. Nitrogen cycle FAQ bio-etile.

- Gene, S. H., Collette B. B. and Facey D. E. 1997 . The Diversity of Fishes. Blackwell Sci.Ed. O., Commerce Place, 350 Main Street. USA.
- Gill T.S. and Pant J.C. 1983. Cadmium toxicity: inducement of changes in blood and tissue metabolites in fish. *Toxicol. Lett.* 18: 195-200.
- Gill T.S. and Pant J.C. 1987. Hematological and pathological effects of chromium toxicosis in freshwater fish *Barbus conchonius* Ham. *Water Air Soil Pollut.* 35:241-250.
- Gillett, C. and P. Rombard. 1986. Prehatching embryo survival of nine freshwater fish eggs after a pH shock during fertilization or early stages of development. *Repro Nutrit Devel* 26:1319-1333.
- Glomski, C.A., Tamburlin J., Chainani M. 1992. The phylogenetic odyssey of the erythrocyte .111. Fish, the lower vertebrate experiences. *Histol. Histopathol;*7:501-528.
- Golovina N.A. 1996. Morphofunctional characteristics of the blood of fish as objects of aquaculture. Doctoral thesis. Moscow, 53 pp. (in Russian).
- Golovina N.A., Trombicky I.D. 1989. Haematology of pond fish. Kishinev. Shtiinca, 158 pp. (in Russian).
- Gomez, K. A. and Gomez, A. A., 1984. Statistical procedures for agricultural research 2nd ed. Wiley and Sons, Inc.
- Guma,a, S.A.1974. Fish-environment relationships of the two species. A thesis submitted to degree of M.Sc. Khartoum University.
- Haniffa, M.A., and Vijayarani S. M. 1989. Haematological effects of textile mill effluent on freshwater fish *Oreochromis mossabicus* (Trewaves). *Ind Exp Biol* , 27; 476-478.
- Hambal, H. H., Kaharudin, M. S., Mohd-Amir, H. A. and Uraiya, M. A.2000. Effect of feed-additive(Aquagen) on the growth of red tilapia culured in the Rain-fed water recirculatng system.
- Haux C. and Larsson A. 1984. Long-term sublethal physiological effects on rainbow trout, *Salmo gairdneri*, during exposure to

- cadmium and after subsequent recovery. *Aquat. Toxicol.* 5: 129-142.
- Heath, A.G . 1987. Water pollution and fish physiology .Boca Raton,FL;C.R.C Press,1987.
- Herman, R. L. 1970. Effects of gossypol on rainbow trout *Salmo gairdneri* Richardson. *J. Fish. Biol.* 2:293-303.
- Hilge, V. 1979. The influence of different dietary protein and fat levels on some blood parameters in young mirror carp (*Cyprinus carpio* L.) p. 173-179. In proceedings of the World Symp. On finfish nutrition and feed technology, 20-23 June 1978. Hamburg. Vol. 2.
- Hilmy A.M., El-Domiati N.A., Daabees A.Y. and Abdel Latife H.A. 1987. Some physiological and biochemical indices of zinc toxicity in two freshwater fishes, *Clarias lazera* and *Tilapia zilli*. *Comp. Biochem. Physiol.* 87C: 297-301.
- Hinton, D. E., D. J. Luren. 1990. Integrative histopathological approaches in detecting effects of environmental stressors on fishes. *Amer Fish Soc Symp* 8: 51-61.
- Hrubec, T. C., Simth, S.A. and Robertson, J.L. 2001. Age-related changes in hematology and plasma chemistry values of hybrid striped bass (*Morone chrysops* X *Morone saxatilis*). *Vet. Clin Pathol.* 2001: 30 (1): 8-15.
- Hrubec, T.C., Cardinale J. L., Smith S.A. 2000. Haematology and plasma chemistry reference intervals for cultured Tilapia (*Oreochromis hybrid*). *Vet. Clin. Pathol.* 29.
- Hrubec, T.C., Robertston J.I., and Smith S.A. 1997. Effects of ammonia and nitrate concentration on haematologic and serum biochemical profiles of hybrid striped bass (*Morone chrysops* X *Morone saxatillis*). *Am J Vet Res*, 58; 131-136.
- Huet, M. 1986. Textbook of fish culture 2nd ed. Farnham: Fishing news books ltd.
- Huggett, R. J., R.A. Kimerle, P. M. Mehrle Jr. and H. L. Bergman. 1992. Biomarkers: Biochemical, Physiological and histological

markers of anthropogenic stress. Boca Raton, Lewis Publishers.

Hui-Wen, H., Mei-Ying H. and Wen-Yu L. 2000. Acute toxicity of ammonia and nitrite to Giant Sea perch *Lates calcarifer* juvenile-Effects on haematologic parameters. J. Taiwan. Fish. Res., 8 (1&2):65-71.

Hussein S.Y, EL-Nasser M.A., Ahmed S. M. 1996. Comparative studies on the effect of the herbicide atrazine on fresh water fish *Oreochromis niloticus* and *Chrysichthyes auratus* at Assiut, Egypt. Bull Entomol Toxicol; 57:503-510.

Iwama G. K. Greer G. L. and Randall D. J. 1986. Changes in selected haematological parameters in juvenile Chinook salmon subjected to a bacterial change and toxicant. J. Fish. Biol. 28, 563-572.

Jacqueline, H., Bernade C. and Rodak H. F. 1999. Clinical haematological Atlas. Publisher, W. B. Saunders Company.

Jeney G., J. Nemcsok, and J. Olah . 1981. Transaminase enzyme activity of cyprinid fishes depending on environmental factors and bacterial infection. Proc. SeminarFish pathogens and environment in European polyculture, Szarvas, June 23-27. 322-331.

Jiann, C. H. U, Chin T. S. and Lee C. R. 1988. Effects of ammonia and nitrite on larval development of shrimp *Penaeus japonicus* P. 657-662. In. J. L. Maclean, L. B. Dison and L. V. Hosillos (ed.). The first Asian Fisheries Society. Manila.

Jimenez, B. D., and J. J. Stegeman. 1990. Detoxication enzymes as indicators of environmental stress on fish. Amer Fish Soc Symp 8: 67-79.

Johansson-Sjöbeck M.L. and Larsson A. 1978. The effects of cadmium on the hematology and on the activity of delta-aminolevulinic acid dehydratase (ALA-D) in blood and hematopoietic tissues of the flounder.

Johon, E. Lund. 2000. Toxicologic effects on blood and Bone marrow; Schism's Veterinary Haematology 5th ed.: 44-50.

- Kelly, W.R. 1979. Veterinary Clinical Diagnosis (2nd edition) Balliere Tindall, London.
- Khalaf-Allah, S. S. 1999. Effect of pesticide water pollution on some haematological, biochemical and immunological parameters in Tilapia nilotica fish. *DTW Dtsch Tierarztl Wochenschr* **106**, 67-71.
- Khalid, A.M. 1990. Length and growth in *Oreochromis niloticus* (Pisces, Cichlidae) from Jebel Aulia Reservoir and Lake Nobia in Sudan. Fisheries Research Centre, Khartoum. 24p. (mimeo).
- Khogali, F. A., and El- Moghraby A. I. 1979. Observations on the toxicity of 2, 4, D to the biota of the White Nile. In : Beshir, M. E. and koch. W. (eds). Weed research in Sudan. Vol. 1 proceeding symposium. Wad Madani Sudan.
- Khogali, F.A. 1984. Some effects of the herbicide 2,4, Dichlorophenolxyacetic acid on two cichlid species from the White Nile, Sudan.
- Killian, H. Steve. 2003. Brown Blood Disease. Coordinated Access to the Research and Extension System. ISI 390.
- Kinne, O. 1976. Cultivation of marine organisms, water quality management of technology, P. 79-300. In O. Kinne (ed.) marine ecology, Vol. III, part I. Wiley Interscience, New York.
- Korting, W. 1969. Untersuchungen zur Einwirkung des Ammoniums dasblut der Fische. Wasser-u. Abwasserforsch. 2, 154-159.
- Kweilin, C., Tansakul V. and Apinhapath C. 1988. Biological nitrogen fixation as a source of nitrogen input in fish ponds. P.,53-58. In R.S.V. Pullin, T. Bhukaswan , K. Tonguthai and J.L. Maclen (eds). The 2nd conf. International Sym. On tilapia in aquaculture. ICLAM, Manila Philippines.
- Lacombe, C. I. and Y. Creach. 1974. Influence d'une elevation de temperature sur quelques paramètres physiologiques en relation avec le métabolisme azote et hydrominéral de la carpe (*Cyprinus carpio* L.). Cah. Lab. Hydrobiol. Montereaus, 1.71-84.

- Lane, H. C. 1979. Progressive change in hematology and tissue water of sexually mature trout ,*Salmo gairdneri*, Richardson. During the Autumn and Winter. J. Fish Biol.; 15: 425-436.
- Larsson A. 1975. Some biochemical effects of cadmium on fish. In: Koeman J.H., Stirk J.J.T.W.A. (eds). Sublethal effects of toxic chemicals on aquatic animals. Elsevier, Amsterdam, 3-13 pp.
- Larsson A. and Haux C. 1982. Altered carbohydrate metabolism in fish exposed to sublethal levels of cadmium. J. Environ. Biol. 3: 71-81.
- Larsson A., Haux C., Sjöbeck M.-L. and Lithner G. 1984. Physiological effects of an additional stressor on fish exposed to a simulated heavy-metal-containing effluent from a sulfide ore smeltery. Ecotoxicol. Environ. Safety 8: 118-128.
- Laurent, P., and S.F. Perry. 1991. Environmental effects on fish gill morphology, Physio. Zool. 64: 4-25.
- Leah-May, B. Ver, Yvonne N. Chiu. 1986. The effect of Paddle wheel aerators on ammonia and carbon dioxide removal in intensive pond culture, P. 97-100. The 1st Asian Fisheries Forum. Asian Fisheries Society, Manila Philipnes. CTA, Blackwell science.
- Lebedeva N.E., Vosylienâ V.Z., Golovkina T.V. 998. Haematological-biochemical responses of fish to biogenous and anthropogenic chemical stimuli. Ichthyohaematology. Proceedings of the 4th Ichthyohaematological conference, Hluboka/Vlt., Czech, 85-87pp.
- Lewis, W. M., Jr., and D. P. Morris. 1986. Toxicity of nitrite to fish: a review. Transactions of the American Fisheries Society I 15: 183- 195.
- Lightner, D., Redman R., Mohney L., Dickenson G. and Fitzsimmons K. 1988. Major disease encountered in controlled environment culture of Tilapia in fresh and brackishwater over a three-year period in Arizona. P. 111-116. In. R.S.V. Pullin, T. Bhukaswan, K. Tonguthai and J. L. Maclean (eds.). ICLARM Conf. Proceedings 15, 623 p. Manila Philippines.

- Litzbarski, H. 1974. Der Einfluss der Wassertemperatur auf das Blubild des Karpfens (*Cyprinus carpio* L.). Z. Binnenfisch-DDR, 21,376-384.
- Lowe-Inde L. and Niiki A.I. 1984. Short-term and longterm effects of cadmium on glycogen reserves and liver size in rainbow trout (*Salmo gairdneri* Richardson). Arch. Environ. Contam. Toxicol. 13: 759-764.
- Lúcia, H. S.T; Cláudia E. Y. and Francisco M. S. B. 2003. "Effects of Continuous Water Exchange on the Limnology of Tilapia (*Oreochromis niloticus*) Culture Tanks."
- Luskova V. 1997. Annual cycles and normal values of hematological parameters in fishes. Acta Sc. Nat. Brno 31(5): 70.
- Mahoney, J.B., McNulty J.K. 1992. Disease associated changes and normal seasonal hematological variation in winter flounder in the Hudson-Raritan estuary. Trans Am Fish Soc. ;121:261-268.
- Mahdi, M.A. 1972. Haematological studies of some Nile fishes, *Tilapia nilotica*, *Lates nilotica* and *Labeo niloticus*. Mar. Biology. 15, 359-360.
- Mahdi, M.A. 1973a. Studies on factors affecting survival of Nile fish in the Sudan. I. The effect of oxygen ion concentration. Mar. Biol., 18: 89-92.
- Mahdi, M.A. 1973b. Studies on factors affecting survival of Nile fish in the Sudan. II. The effect of temperature. Mar. Biol., 18: 93-95.
- Mahdi, M.A. 1973c. Studies on factors affecting survival of Nile fish in the Sudan. III. The effect of oxygen. Mar. Biol., 18: 96-98.
- Mahdi, M.A. 1974. Studying of the factors affecting survival of Nile fish. The effect of 2,4-D. Sudan notes and records 55, 134-137.
- Many-Umphan, K. and Arce R. G. 1988. Culture of nile tilapia (*Oreochromis niloticus*) in arice-fish culture system using chemical and commercial organic fertilizers. P.,59-62. In R.S.V. Pullin, T. Bhukaswan , K. Tonguthai and J.L. Maclen

- (eds). The 2nd conf. International Sym. proceeding 15, 623. On tilapia in aquaculture. ICLAM, Manila Philippines.
- Marcos, T-Dias, Célia M. D., Frasca-Scorvo, Paulo F. C., Novato E. And Flávio R. M. 2003. "Hematological Characteristics of Hybrid Florida Red Tilapia, *Oreochromis. Urolepis Hornorun X O. Mossambicus* Under Intensive Rearing".
- Marr, A., Mortimer, M. A. E., and Lingen, I. Van der. 1966. fish culture in central East Africa: 160 p. Rome :FAO.
- McCarthy, J. F., and L. R. Shugart. 1990a. Biomarkers of environmental contamination. Boca Raton, FL: CRC Press.
- McDonald, D. G., V. Cavdek, and R. Ellis. 1991. Gill design in freshwater fishes: Interrelationships among gas exchange, ion regulation, and acid-base balance. Physiol Zool 64: 103-123.
- McKim J.M., Christensen G.M., Hunt E.P. 1970. Changes in the blood of brook trout (*Salvelinus fontinalis*) after short-term and long-term exposure to copper. J. Fish. Res. Bd Can. 27: 1883-1889.
- McLeay D.J. 1977. Development of a blood sugar bioassay for rapidly measuring stressful levels of pulmill effluents in salmonid fish. J. Fish. Res. Bd Can. 34:477-485.
- Meunier, F. 1978. Seasonal variations of plasma calcium in carp (*Cyprinus carpio* L.) Cah. Lab. Hydrobiol. Montereaus,6, 45-52.
- Mishra S. and Srivastava A.K. 1980. The acute toxic effects of copper on the blood of a teleost. Ecotoxicol. Environ. Saf. 4: 191-194.
- Msiska, O. V. 1988. Preliminary studies on the performance of *Oreochrmis Shiranus chilwae* in ponds with respect to water quality and temperature. P. 111-116.In. R.S.V. Pullin, T. Bhukaswan, K. Tonguthai and J. L. Maclean (eds.). ICLARM Conf. Proceedings 15, 623 p. Manila Philippines.
- MSU. 2003. Mississippi State University "Brown Blood Disease, reported, by Mississippi State, University Extension Service.

- Munkittrick, K. R., and Dixon O. G. 1988. Growth, fecundity and energy stores of white sucker (*Catostomus commersoni*) from lakes containing elevated levels of copper and zinc. Can. J. FishAqua. Sci. 45: 1355-1365.
- Natt, M.P. and Herrick C.A. 1952. Anew blood diluents for counting erythrocytes and leukocytes of chicken. Poultry Sci 1952; 31:735-738. Zinkl JK,Cox WT.
- Nemcsok J., Orban L., Vic E., Aszatalos B., Boross L. 1985. Effect of Cu on some biochemical parameters of fishes. Symposia Biologica Hungarica 19: 413-425.
- Nemcsok J.G. and Hughes G.M. 1988. The effect of copper sulphate on some biochemical parameters of rainbow trout. Environ. Poll. 49: 77-85.
- Palachek, R. M., and J. R. Tomasso. 1984. Toxicity of nitrite to channel catfish (*Ictalurus punctatus*), tilapia (*Tilapia aurea*), and largemouth bass (*Micropterus salmoides*): evidence for a nitrite exclusion mechanism. Canadian Journal of Fisheries and Aquatic Sciences 41:1739-1744.
- Palařkova J., Pravda D., Fařaic K. and »lechovska O. 1994. Sublethal effects of cadmium on carp (*Cyprinus carpio*) fingerlings. Sublethal chronic effects of pol-The effect of heavy metals on haematological indices lutants on freshwater fish. Ed. R. Muller and R. Lloyd. Lugano, 53-58pp.
- Peakall, D. 1992. Animal biomarkers as pollution indicators. New York: Chapman and Hall.
- Pekkola, W. 1919. Notes on the habits, breeding and food of some Nile fishes. Sudan Notes and Records 2, 112- 121.
- Perrone, S. J., and T. L. Meade. 1977. Protective effect of chloride on nitrite toxicity to coho salmon (*Oncorhynchus kisutch*). Journal of the Fisheries Research Board of Canada 34:486-492.
- Russo, R. C., and R. V.
- Pica, A., Taglialatela R., Ferrandino I., Della Corte F. 1996 . The blood cell and the haemopoiesis of *Diplodus sargus* L. haemotolgical values ,cytochemistry and leukocytes response to vaccine

stimulation .Eur J Histochem ;40:57-66.

Planquette, P. 1974. Nile Perch as a predator in tilapia ponds, FAO.

Rakusan, K., Rajhathy J. 1974. Oxygen affinity of blood during Cobalt-induced erythrocytic polycythemia and after its correction. Life Sci. 115: 23-28.

Randall, B. D., Perry S. F. and Heming T. A. 1982. Gas transfer and acid/base regulation in salmonids. Physiol. (B.Comp. Biochem.73:93-103.

Redner, B. D. and Stickney R. R. 1979. Acclimation to ammonia by Tilapia aurea. Trans.Am. Fish. Soc.108:383-388.

Rice, C. D., and D. Schlenk. 1995. Immune function and cytochrome P4501A activity afteracute exposure to 3,3,4,4,5-pentachlorobiphenyl (PCB 126) in channel catfish. J Aquat Anim Health 7:195-204.

Robin, G. T. 1998 . Freshwater Fisheries Management. STOAS, 6700 AB, Wageningen Netherlands. 2nd edition, p 1-5.

Ross, L. G., Mckinney R. W. and Coutts R. R. 1986. A comparison of haemoglobin and hematocrit levels in populations of rain trout *Salmo gairdneri* Richardson, held at sea level and high altitude. Aquaculture Fish. Manage, 17: 105-109.

Ruddle and Balarin, J.D. 1988. Development planning for Tilapia farming in Africa (in preparation) cited from Balarin, J.D. p531. Fiest Asian Fisheries Forum.

Ruparella S.G., Verma Y., Saiyed S.R. and Rawal U.M. 1990. Effect of cadmium on blood of tilapia *Oreochromis mossambicus* (Peters) during prolonged exposure. Environ. Contam. Toxicol. 45: 305-312.

Russo, R. C., R. V. Thurston, and K. Emerson. 1977. Acute toxicity of nitrite to rainbow trout (*Salmo gairdneri*): effects of pH, nitrite species, and anion species. Canadian Journal of Fisheries and Aquatic Sciences 38:387-393.

- Sano, T. 1982. Haematological studies of the culture fishes in Japan. 6. Variation in blood constituents of Japanese eel, *Anguilla japonica* during starvation. J. Tokyo University Fish. 48: 105-109.
- Santiago, A. E. 1988. Feasibility study on a waste water treatment fish farming system for Cola wastes. Aquaculture Dept. Southeast Asian Fisheries Development Centre ,Binangonan Research Station, Rizal 13106, Philippines.
- Seeley, K. R., and B. A. Weeks-Perkins. 1991. Altered phagocytic activity of macrophages in oyster toadfish from a highly polluted subestuary. J Aquat Anim Health 3:224-227.
- Sharma, B. and Ahleer, R.C. 1977. Nitrification and nitrogen removal. Water resources 11:10, 897-925.
- Shehadeh, Z. H., Editor. 1979. Report of the FAO/CIFA Symposium on Aquaculture in Africa. 30 September-6 October 975. Accra, Ghana. FAO/CIFA Tech. Pap. 4, 36 p.
- Shepherd, C. J. and N. R. Bromage. 1992. Intensive Fish Farming. Publisher: Blackwell ACA Press.
- Shiffman R.H. and Fromm P.O. 1959. Chromium-induced changes in the blood of rainbow trout (*Salmo gairdneri*). Sewage and industrial wastes 31: 205-211.
- Singh H.S. and Reddy T.V. 1990. Effect of copper sulfate on hematology, blood chemistry and hepato-somatic index of an Indian catfish, *Heteropneustes fossilis* (Bloch), and its recovery. Ecotoxicol. Environ. Saf. 20: 30-35.
- SIUS. 2001. Fisheries and Illinois Aquaculture Centre SIUS Fisheries Bulletin No. 9 pp(1-17).
- Smith C. E., and W. G. Williams. 1974. Experimental nitrite toxicity in rainbow trout and chinook salmon Transactions of the American Fisheries Society 103:389-390.
- Smith, C. E., and R. C. Russo. 1975. Nitrite-induced methemoglobinemia in rainbow trout. Progressive Fish-Culturist 37:150-152.
- Smith, H. W. 1929. The excretion of ammonia and urea by gills of fish. J. Biol. Chem. 81: 727-742.

- Soderberg, R. W., Flynn J. B. and SchmittouH. R. 1983. Effects of ammonia on growth and survival of rainbow trout I intensive static-water culture Trans.Am. Fish. Soc.112:448-451.
- Sovbodova, Z., Fravda, D. and Palakova, J. 1991. *Unified Methods of Haematological Examination of Fish*. Research Institute of Fish Culture and Hydrobiology, Vodnany, Czechoslovekia. 331pp.
- Strik J.J.T.W.A., de Iongh H.H., van Rijn van Alkemade J.W.A. and Wuite T.P. 1975. Toxicity of cromium (VI) in fish, with special reference to organ weights, liver and plasma enzyme activities, blood parameters and histological alterations. In Koeman J.H. and Strik J.J.T.W.A., eds. Sublethal Effects of Toxic Chemicals on Aquatic Animals. Elsiever, Amsterdam, the Netherlands, 31-41 pp.
- Sturkie, P. D. 1965. Avian physiology. Bailliere, Tindal and Cassel, London.
- Svobodova Z., Vykusova B. and Machova J. 1994. Sublethal chronic effects of pollutants on freshwater fish. Ed. R. Muller ir R. Lloyd. Lugano, 39-52 pp.
- Svobodova, Z. and J. Tesarcik. 1974. Some values of the red blood picture in the cases of Branchiomycosis, Branchionecrosis in carp. Bull. VURH Vodnany, 2,21-24.
- Svoboda, M. Luskova, Darstichova, J. and Zlabok,V. 2001. The effect of Diazinon on haematological indices of coommomn carp (*Cyprinus carpio L.*). ACTA Vet.Bran Zool., 70: 457-465.
- Terao, T., and Ogawa T. 1984. On the biochemical components on the blood of the cultured cichlid fish *Tilapia nilotica*. Sci.Rep Hokkaido Fish Hatchery,39;83-88.
- Terry, C., Hrubec T. C., and Stephen A. S. 2000. Haematology of fish. Vet. Clin. Pathol. 2000, 174: 1120-1125.
- Thomas, P. 1988. Reproductive endocrine function in female Atlantic croaker exposed to pollutants. Mar Environ Res 24: 179-183.

- Thomas, P. 1990. Molecular and biochemical responses of fish to stressors and their potential use in environmental monitoring Amer Fish Soc Symp 8: 9-28.
- Thompson, M. B. 1992. Clinical pathology in the national toxicology programme. Tox. Pathol. 20: 484-489.
- Thurston. 1977. The acute toxicity of nitrite to fishes. Pages 1 18-131 in R. A. Tubbs, editor. Recent advances in fish toxicology. U.S. Environmental Protection Agency, EPA Ecological Research Service, EPA-600/3-77-085, Corvallis, Oregon.
- Tishinova V., Ilieva N. 1994 (1995). Zoology 85: 98-109 (in Bulgarian).
- Tomasso, J. R. 1986. Comparative toxicity of nitrite to freshwater fishes. Aquatic Toxicology 8 :129-13 7.
- Tomasso, J. R., K. B. Davis, and B. A. Simco. 1981. Plasma corticosteroid dynamics in channel catfish (*Ictalurus punctatus*) exposed to ammonia and nitrite. Canadian Journal of Fisheries and Aquatic Sciences 38: 1106-11 1 2.
- Tort L. and Hernandes-Pascual M.D. 1990. Haematological effects in dogfish (*Scyliorhinus canicula*) after shortterm sublethal cadmium exposure. Acta hydrochim. hydrobiol. 18: 379-383.
- Tort L., Torres P. and Hidalgo J. 1988. The effects of sublethal concentrations of cadmium on haematological parameters in the dogfish *Scyliorhinus canicula*. J. Fish Biol. 32: 277-282.
- Trewavas, E. 1983. Talapia fishesof the genera Sarotherodon, Oreochomis, and Danakilia, British museum (National History), London, UK.
- Lehninger, A. L. 1975. Biochemistry, 2nd ed. Worth publishers Inc.New York.
- Vamos, R.1963. ACTA Bilology (Size G. ed.) 9, 291.
- Van der Putte I., Van der Galien W., and Strik J.J.T.W.A. 1982. Effects of hexavalent chromium in rainbow trout (*Salmo gairdneri*) after prolonged exposure of two different pH levels. Ecotoxicol. Environ. Saf. 6: 246-257.
- Van Vite, K.J., Smit G.L., Pieterse J.J., Schoonbee H.J. and Van Vuren J.H.J. 1994. Thrombelastographic diagnosis of blood

coagulation in two freshwater fish species. Comp Biochem physiol 1985;82A:19-21.

Van Vuren, J.H.J., M. Van der Merwe and Du Preez H.H. 1994. The effect of copper on the blood chemistry of *Clarias garlepinus* (Clariidae). Ecotox. Environm. Safety 29: 187-199.

Vanden Bossche, J.P. and Bernacsek, G. M. 1991. Source book for the inland fishery resources of Africa: 3.CIFA technical paper No. 18.3.FAO, Rome. 219p.

Vosyliena, M. Z. 1999. The effect of heavy metals on haematological indices of fish. 76 Acta Zoologica Lituanica. Hydrobiologia. 1999. Volumen 9. Numerus 2 ISSN 1392-1657. (Survey).

Vosylienė M.Z. 1996. Haematological parameters of rainbow trout (*Oncorhynchus mykiss*) during short-term exposure to copper. Ekologija 3: 12-18.

Vosylienė M.Z. 1999. The effect of heavy metal mixture on haematological parameters of rainbow trout. Heavy metals in environment. An integrated approach. Ed. D.A. Lovejoy, 295-298 pp.

Vosylienė M.Z.* 1996. The effect of long-term exposure to copper on physiological parameters of rainbow trout (*Oncorhynchus mykiss*). 2. Studies of haematological parameters. Ekologija 1: 3-6.

Vosylienė M.Z., Svecevičius G. 1997. Sublethal effects of rainbow trout of chronic exposure to mixtures of heavy metals. Fish physiology, toxicology and water quality. EPA 600/R-97/198, 141-150 pp.

Watson T.A. and McKeown B.A. 1976. The effect of sublethal concentrations of zinc on growth and plasma glucose levels in rainbow trout (*Salmo gairneri*. Richardson). J. Wildlife Diss. 12: 263-270.

Wedemeyer, G. A., and W. T. Yasutake. 1978. Prevention and treatment of nitrite toxicity in juvenile steelhead trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 35:822-827.

Weingand, K., Bloom J., Carakosta M., Hall R., Helfrich M., Latimer K., Levine B., Neptun D., Rebar A., Stitzel K., Troup C. 1992.

- clinical pathology testing recommendations for nonclinical toxicity and safety studies. Tox. Pathol. 20: 539-543.
- Wichins, J. F. 1976. The tolerance of warmwater prawns to recirculated water. Aquaculture, 9:1-19-37.
- Wilson R.W., Taylor E.W. 1993. The physiological responses of freshwater rainbow trout, *Oncorhynchus mykiss*, during acutely lethal copper exposure. J. Comp. Physiol. B163: 38-47.
- Wilson, R. P. 1991. *Handbook of Nutrient Requirements of Finfish*. Robert P. Willson (ed). CRC Press Inc, Florida 196pp.
- Wilson, R. P. 1991. Handbook of nutrient requirement of finfish, report P. Willson (ed, CRC Press Inc, Floria 196 pp.
- Witeska M. 1998. Changes in selected blood indices of common carp after acute exposure to cadmium. Acta vet. Brno. 67: 289-293.
- Witeska M. 1999. The influence of copper exposure on blood parameters of common carp fingerlings. Heavy metals in environment. An integrated approach. Ed. D.A. Lovejoy, 291-294 pp.
- Witeska M., Jiezerska B. 1994. The effect of cadmium and lead on selected blood parameters of common carp. Arch. Ryb. Pol. 2(1): 123-132.
- Wohlfarth, G.W. and Hulala G. 1983. Applied genetics of tilapia. ICLARM, Studies and reviews 6. International Centre for living Aquatic Resources management, Manila Philippines.
- Wolf, K. 1957. Transaction American Fisheries Society 86, 61.
- Yousif, A.M. 1972. The food of some common fishes collected from beyond Jebel Aulia Dam. A thesis submitted for the dgree of M.Sc., Zool. Dept. U of K. Sudan.
- Zelikoff, J. T. 1994. Immunological alterations as indicators of environmental metal exposure. In. In Modulators of fish immune response. Vol. 1, Models for environmental, toxicology, biomarkers, immunostimulators, ed. L. S. Stolen and T.C. Fletcher, 101-110.Fair Haven, NJ. SOS Publications.

Zhiteneva L.D., Poltavceva T.G., Rudnickaja O.A. 1989. Atlas of normal and pathological cells in the blood of fish. Rostov-on-Don, 112 pp.