

References

- Abdel Rahman, S. M.; Yassin, T. E. M. and Bagadi, H. O. (1995). Bovine Salmonellosis in the Sudan. *Sud. J. Vet. Sci. Anim. Husb.*, 34: 78- 81.
- Abubaker, M.; Nayel, M. N.; Fadlalla, M. F.; Abdel Rhman, A.O.; Abuobeida, S. A. and Elgabara, Y. M. (2006). The incidence of bacterial infections in Young camels with reference to *E. coli*. The international scientific conference on camels. May 10-12-2006. King Faisal University-College of Agriculture and Veterinary Medicine. pp., 479- 482.
- Acres, S. D. (1985). Enterotoxigenic *Escherichia Coli* infections in newborn calves: *A review*. *J. Dairy. Sci.*, 68 (1): 229- 256.
- Acres, S. D.; Laing, C. J.; Saunders, J. R. and Radostis, O. M. (1975). Acute and differentiated neonatal diarrhea in beef calves. Occurrence and distribution of infectious organisms. *Can. J. Comp. Med.*, 39: 116- 132.
- Acres, S. D. and Radostitis, O. M. (1985). Enterotoxigenic *Escherichia coli* infection in newborn calves. *A review*. *J. Dair. Sci.*, 68: 229- 256.
- Aiello, S. E. and Mays, A. (1998). The Merck Veterinary Manual. 8th Edition. Merck and Co. Inc. Whitehouse Station, N. J. USA and Merial Limited.
- Albert, M. J.; Faruque, S. M.; Faruque, A. S.; Bettelheim, K. A.; Neogi, P. K.; Bhuiyan, N. A. and Kaper, J. B. (1996). Controlled study of cytolethal distended toxin- producing *Escherichia coli* infects in Bangladeshi children. *J. Clin. Microbiol.*, 34(3): 717- 719.
- Ali, M. D. (2002). Isolation of bacteria associated with calf diarrhoea. M.V.Sc. thesis. Univ. Khartoum. Sudan.

- Ausubel, F. M.; Brent, R.; Kingston, R. E.; Moore, D. D.; Seidman, J. G.; Smith, J. A. and Struhl, K. (2012). *current protocols in molecular biology*. John Wiley and Sons, Inc. London.
- Baldwin, J. J.; Wart, W.; Tken, A.; Knutton, S. and Williams, P. H. (1992). Evaluation of intracellular free calcium level in HEp-2-cells infected with enteropathogenic *E. coli*. *Infect. Immun.*, 59: 1599- 1604.
- Bale, M. J.; Mclaws, S. M.; Fenn, J. P. *et al.* (1992). Use of and cost savings with morphologic criteria and the spot indole test as a routine means of identification of *E. coli*. *Diag. Microbiol. Infect. Dis.*, 2: 187- 191. In: diagnostic microbiology (1992). 4th. ed. By Koneman, E. W. *et. al.* pp. 105- 184. Philadelphia. Published by J. B. Lippincott Company.
- Bamforth, J. and Dudgeon, J. A. (1952). The haemolytic activity of *Bacterium coli*. *J. Path. Bact.*, 64: 751- 761.
- Bandry, B.; Savarino, S. J.; Vial, B.; Kaper, J. B. and Levine, M. M. (1990). A characterization of colonization factor of enterotoxigenic *Escherichia coli* isolated from adults with diarrhea. *Infect. Immun.*, 19: 727- 736.
- Barrow, G. I. and Feltham, R. K.; Cowan, K. J. and Steel, G. I. (2004). Cowan and Steel's Manual for the Identification of Medical Bacteria. 3rd. ed. Cambridge University Press. Cambridge.
- Baudry, B.; Savarino, S. J.; Vial, P.; Kaper, J. B. and Levine, M. M. (1990). A sensitive and specific DNA probe to identify enteraggregative *E. coli*, a recently discovered diarrhea pathogen. *J. Infect. Dis.*, 161: 1249- 1251.
- Bauer, M, E. and Welch, R. A. (1996). Characterization of an RTX (Repeats in Toxin) toxin from EHEC O157:H7. *Infect. Immun.*, 64: 167- 175.

Bellows, R. A. (1983). Calf losses: what can we do about it: F. H. Backer (Editor). Beef cattle science. Hand book. Vol.19. West view Press. Boulder. Co. pp. 122- 132.

Blanco, J.; Gonzalez, E. A.; Garcia, S.; Blanco, M.; Requeiro, B. and Bernardez, I. (1988). Production of toxins by *E. coli* strains isolated from calves with diarrhea in Galicia (North-Western Spain). *J. Vet. Microbiol.*, 18 (3-4): 297- 311.

Bordet, P. (1948). C. R. Soc. Biol., Paris, 142:257. Cited by Sojka, W. J. (1965). *E. coli* in domestic animals and poultry. Rev. and series No. 7 CAB. Farnham, Royal, England, pp. 52.

Boro, B. R.; Sharmah, A. K. and Sharma, G. (1983). Studies on the strains of *E. coli* isolated from various clinical conditions in animals. *Ind. Vet. J.*, 60: 245- 249.

Brenner, D. J.; Davis, B. R.; Steigerwalt, A. G.; Riddle, C. F.; McWarter, A. C.; Allen, S. D.; Farmer, J. J.; Saitoh, Y. and Fannig, G. R. (1982a). Atypical biogroups of *E. coli* found in clinical specimens and description of *E. hermanii* species. *J. Clin. Micro.*, 15: 703- 709.

Brenner, D. J.; McWharter, R. C.; Knutson, J. K. L. and Steigerwalt, A. G. (1982b). *Escherichia vulneris* a new species of Enterobacteriaceae associated with human wound. *J. Clin. Micro.*, 15: 1133- 1127.

Burgess, N. R. A.; McDermott, S. N. and Whiting, J. (1973). Laboratory Transmission of Enterobacteriaceae by the orientalists cockroach, *Blatta orientalis*. *J. Hyg. Camb.* 71: 9.

Buxton, A. and Frazer, G. (1977). Animal Microbiology. Vol. 1. Immunology, Bacteriology, Mycology, Diseases of fish and laboratory methods. 1st ed. Blackwell scientific publication. London. UK. pp. 93- 102.

- Caroll, P. J.; Woodward, M. J. and Wray, C. (1990). Detection of LT and STa toxins by latex and EIA tests. *Vet. Rec.*, 127: 335- 336.
- Carter, G. R. (1985). Essentials of Veterinary Bacteriology and Mycology. 3rd ed. USA. Lea and Febiger, Philadelphia, pp. 145- 159.
- CDC (2004). Diagnosis and management of food borne illness: a primer for physicians and other health care professionals. *Amer. Medical Assoc.*, 53(4): 1-33.
- CDC (2005). Compendium of measures to prevent disease associated with animals in public setting, *NASPHV.*, 54(4): 1- 12.
- Chan, K. N.; Philips, A. D.; Knutton, S.; Smith, H. R. and Walker, Smith, J. A. (1994). Enteropathogenic *Escherichia coli*: another case of acute and chronic diarrhea in England. *J. Pediatr. Gastroenterol. Nutr.*, 18: 87- 91.
- Cravioto, A.; Gross, R. J.; Scotland, S. M. and Rowe, B. (1979). An adhesive factor found in strains of *E. coli* belonging to the traditional infantile enteropathogenic serotypes *Curr. Micro.*, 3: 95- 99.
- Crichton, P. B. and Taylor, A. (1995). Biotyping of *E. coli* in microwell plates. *Br. J. Biomed. Sci.*, 52 (3): 173-7.
- Cruickshank, R.; Duguid, J. P.; Marmion, B. P. and Swain, R. H. A. (2007). Medical Microbiology. 12th. ed. Vol.2. The practice of medical microbiology. Churchill Livingstone. London. UK. pp. 133.
- Cundiff, L. V.; Georg, K. E. and Rock, R. M. (1982). Selection for increased survival from birth to weaning. Proc. 2nd word congress on genetic applied tolivestock. Vo1. 5. pp. 310- 337.
- Curtis, C. R.; Scarlett, J. M.; Erb, H. N. and White, M. E. (1988). Descriptive epidemiology of calfhood morbidity and mortality in New York Holstein herds. *Prev. Vet. Med.*, 5: 293- 307.

- David H. P. (2005). Microbial Identification Using the Biomerieux Vitek2 System, biomerieux, MO, USA. Online published doc on net, biomerieux official website., <https://apiweb.biomerieux.com>
- Davis, B. R. and Ewing, W. H. (1963). Serologic reactions that may lead to erroneous diagnosis of *E. coli* infections by means of fluorescent antibody techniques. *Amer. J. Clin. Path.*, 39: 198- 202.
- Davis, E. T.; Benson, J. A. and Gray, D. E. (1984). Identification of *E. coli*. In Gray, D. E. (ed). Manual of Veterinary Investigation Laboratory Techniques. 3rd ed. Vol. 1. pp. 67- 72.
- Dean, A. G.; Ching, Y. C.; Williams, R. G. and Harden, L. B. (1972). Test for *E. coli* enterotoxin using infant mice. Applied in a study of diarrhea in children in Honolulu. *J. Infect. Dis.*, 125: 407- 411.
- Debanth, N. C.; Hug, M. L. and Rahman, A. (1987). A microbial investigation of neonatal calf diarrhoea in Bangladish. *Ind. J. Anim. Sci.*, 57: 1035- 1038.
- Debory, C.; Bright, B. D.; Wilson, R. A.; Yealy, J.; Kumar, R. and Bhan, M. K. (1994). Plasmid-encoded DNA Fragment Developed as specific gene probe for the identification of Enteroaggregative *Escherichia coli*. *J. Med. Microbiol.* 41: 393- 398.
- Domingue, G. J. and Neter, E. (1966). *J. Bact.* 91: 129. Cited by Ewing 1986. pp. 80.
- Donnenberg, M. S. (2005). Enterobacteriaceae. In: Principles and practice of infectious disease. 6th ed. Mandell, G. L.; Bennett, J. E.; Dolin, R.; Mandell and Benets, D. (Eds), Philadelphia Elsevier Churchill Livingston, Vol. 2.
- Donnenberg, M. S. and Whittam, T. S. (2001). Pathogenesis and evaluation of

- virulence in enteropathogenic and enterohemorrhagic *Escherichia coli*. *Journal of Clinical Investigation.*, 107: (5) 539- 548.
- Dupont, J. L.; Formal, S. B.; Hotnick, R. B.; Snyder, M. L.; Libonati, J. P.; Sheahan, D. G.; Labrec, E. H. and Kales, J. P. (1971). Pathogenesis of *E. coli* diarrhea. *The New England. J. Med.*, 285: 1- 9.
- Dytoe, M.; Fedorko, I. and Sherman, P. M. (1994). Signal transduction in human epithelial cells infected with attaching and effacing *E. coli* (AEEC) in vitro. *J. Gastroenterology.*, 106: 1150- 1161.
- Echerich, T. (1885). Die Darmbakterien des Naugenborenen und Sauglings Fortschr, Med., 3:515-57 Cited By Sojka, W. J. (1965).
- Elgaddal, A. A. (2009). Camel calf diarrhoea and characterization of pathogenic *E. coli*. Ph.D. thesis. Sudan Academy of Science.
- Ellaithi, S. O. A. (2004). Characterization of *E. coli* isolated from diarrhoeic calves in the Sudan. Ph.D. Thesis. Univ. Khartoum. Sudan.
- Ellott, S. J. (1997). Personal communication. (Cited by Nataro, J. P. and Kaper, J. B. (1998). Diarrheogenic *E. coli*. *Clin. Micro. Rev.*, 2: 142- 201.
- El Nour, T. M. E. (1994). Studies on neonatal diarrhea and pre- weaning calf mortality in a Friesian dairy herd. M. Sc. Thesis. Univ. Khartoum. Sudan.
- Ewing, W. H. (1962). Enterobacteriaceae. Biochemical methods for group differentiation. CDC. Atlanta. Georgia. USA. No. 734.
- Ewing, W. H. (1986). Edward's and Ewing's. Identification of Enterobacteriaceae, 4th ed. Elsevier Science Publishing Co. Inc. New York. USA. PP. 93- 136.

- Falkow, S. and Mekalanos, J. (1990). The enteric bacilli and vibrios. In: Microbiology. 4th ed. J. B. Lippincott Company. Philadelphia.
- Feng, P.; Weagant, S. and Grant, M. (2007). Enumeration of *Escherichia coli* and the coliform bacteria. In: Bacteriological Analytical Manual, 8th ed, Chapter 4. <http://www.cfsan.fda.gov/ebam-4.html>.
- Firehammer, B. D., and Myers, L. L. (1988). *Campylobacter fetus subsp jejuni*: its possible significance in enteric disease of calves and lambs. *Am. J. Vet. Res.*, 42: 918- 922.
- Fisher, E. W. and Martinez. (1975). Studies of neonatal calf diarrhea, fluid balance in spontaneous enteric colibacillosis. *Br. Vet. J.*, 131: 190.
- Fredrecqu, P. (1948). Rev. Heige. Path. 19: Supp 4. Cited by Sojka, W. J. (1965). *E.coli* in domestic animals and poultry. Rev. and series No. 7 CAB. Farnham, Royal, England, p. 54.
- Funke, G. F. (2004). Evaluation of the new VITEK 2 card for identification of clinically relevant gram-negative rods; P; PMID: 15364991 [PubMed - indexed for MEDLINE] *J. Clin. Microbiol.*, 42: 4067– 4071.
- Funke, G.; Monnet, D.; DeBernardis, C.; Von Graevenitz, A. and Freney. (1998). Evaluation of the vitek 2 system for rapid identification of medically relevant gram-negative rods. *Clin. Microbiol.*, 36: 1948- 1952.
- Gay,C. C. (1965). *E. coli* and neonatal diseases in calves. *Bacteriol. Rev.*, 29: 75- 101.
- Giannella, R. A. (1976). Suckling mouse model for detection of heat-stable *E. coli* enterotoxin. Characteristics for the model. *Infect. Immune.*, 14: 95- 99.

Gillespie, J. H. and Timoney, J. F. (1981). The enterobacteriaceae. Lactose fermenters. In: Hagan and Bruners infectious diseases of domestic animals. 7th edition. Cornell University Press Ltd. London, U.K. PP. 74- 83.

Gratia, A. (1925). C. R. Soc. Bio. Paris, 93:1040. Cited by Sojka, W. J. (1965). *E. coli* in domestic animals and poultry. Rev. and series No. 7 CAB. Farnham, Royal, England, P. 52.

Gratia, A. and Fredreciqu, P. (1946). C.R. Soc. Bio. Paris. 140:1032. Cited by Sojka, W. J. (1965). *E. coli* in domestic animals and poultry. CAB. Farnham, Royal, England, P. 57.

Gunzberg, S. T.; Chang, B. J.; Elliot, S. T.; Burke, V. and Gracey, M. (1993). Diffuse and Enteroaggregative pattern of adherence of enteric *E. coli*. *J. Infec. Dis.*, 167: 755- 758.

Gyles, C. L. (1971). Heat labile and heat stable forms of enterotoxin for *E. coli* strains enteropathogenic for pigs. *Ann. N. Y. Acad. Sci.*, 176: 314- 322.

Gyles, C. L.; Prescott, J. P.; Songer, J. G. and Thoen, C. O. (2004). *E. coli*. In: Pathogenesis of bacterial infection in animals. 2nd ed. Iowa State University Press. pp. 165- 187.

Hale, I. I.; Sansonett, P. J.; Schad, P. A.; Austin, S. and Formal, S. B. (1983). Characterization of virulence plasmid and plasmids associated with outer membrane proteins in *Shigella flexneri* and *Shigella sonnei* and *E. coli*. *Infect. Immun.*, 40: 340- 350.

Hall, G. A.; Chanter, N. and Bland, A. P. (1988). Comparison in gnotobiotic pigs of lesions caused by verotoxigenic and non-verotoxigenic *Escherichia coli*. *Veterinary pathology.*, 25: 205- 210.

- Harris, J. R.; Wachsmuth, I. K.; Davis, B. R. and Cohen, M. L. (1982). High molecular weight plasmids correlate with *E. coli* Enteroinvasive. *Infect. Immun.*, 37: 1295- 1298.
- Henneberg, W. and Wendt, H. (1935). Untersuchunge über *hitzercsistente coli-* stamme zbl, Bakt., 11 (93): 65-79. Cited by Sojka, W. J. (1965). pp. 4.
- Hirsh, D. C. (2004). Family: Enterobacteriaceae. In: Hirsh, D. C.; MacLachlan, N. J. and Walker, R. L. (ed.), Veterinary Microbiology. 2nd ed. Blackwell. USA. pp. 15- 25.
- Holland, R. E.; Wilson, R. A.; Holland, M. S.; Yuzbasivan-Gurkan, V.; Mullaney, T. P. and White, D. G. (1999). Characterization of eae+ *E. coli* isolated from healthy and diarrhoeic calves. *J. Vet. Microbiol.*, 66 (4): 251- 63.
- Holmes, B.; Willcox, W. R. and Lapage, S. P. (1978). Identification of Enterobacteriaceae by the API 20E system. *J. Clin. Path.*, 31: 22- 30.
- Homes, B. and Gross, R. J. (1990). Coliform bacteria: Various other members of the Enterobacteriaceae In: Parker, M. T. and Collier, I. H. (ed.), Topley and Wilson's Principles of Bacteriology, Virology and Immunity, Vol. 2. Systematic Bacteriology. PP. 285-291. Edward Arnold. London. UK.
- Hove, H. M. T. and Niortensen, P. B. (1996). Antibiotic associated diarrhoea *Clostridium defaecale* and short chain fatty acids. *Scand. J. Gastro.*, 53: 23- 25.
- Hugh, R. and Leifson, E. (1953). The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various Gram negative bacteria. *J. Infect. Dis.*, 135: 531- 539.
- Jacoby, G. A. and Archer, G. L. (1991). New mechanisms of bacterial

- resistance to antimicrobial agents, *N. Eng. J. Med.*, 324: 601- 612.
- Jann, K. and Jann, B. (1992). Capsules of *E. coli* and biological significans. *Can. J. Microbiol.*, 38: 705- 710.
- Johnson, W. M. and Lior, H. (1987). Production of Shiga toxin and cytolethal distending toxin (cLDT) by serogroups of *Shigella* spp. *FE MS Micro. Boil. Lett.*, 48: 235- 238.
- Johnson, W. M. and Lior, H. (1988). A new heat-labile cytolethal distending toxin (cLDT) produced by *Campylobacter* spp. *Micro. Pathog.*, 4: 115- 126.
- Kamal, E. H. A. (2000). Studies on colibacillosis diarrhea in calves, sheep and lambs due to *E. coli*. *Vet- Bull.* 41: 309- 22.
- Kaper, J. B.; Nataro, J. P. and Mobley, H. L. (2004). Pathogenic *Escherichia coli*. *Nature. Rev. Microbiol.*, 2 (2): 40- 123.
- Karmali, M. A. (1989). Infection by verocytotoxin-producing *Escherichia coli*. *Clin. Microbiol. Rev.*, 2 (1): 15- 38.
- Kauffmann, F. (1969). The serology of the coli-group. *J. Immun.*, 57: 71- 100.
- Koneman, E.; Washington, C.; Winn, Jr.; Allen, S.; William J. G. and Gail, P. (2006). The Enterobacteriaceae. In: Color atlas and Textbook of Diagnostic Microbiology 6th ed. Philadelphia. Published by J. B. Lippincott Williams and Wikins. pp. 127.
- Leclerc, A. (1962). Etude Biochimique of Enterobacteriaceae pigmentees. *Anuls inst. Pasteur. Paris.*, 102: 726.
- Lejeune, J. T.; Besser, T. E. and Hancock, D. D. (2001). Cattle water troughs as reservoirs of *Escherichia coli* O157. *Appl. Environ. Microbiol.*, 67(7): 3053- 3057.

- Levine, M. M. (1987). *Escherichia coli* that causes diarrhea: Enterotoxigenic, Enteropathogenic, Enteroinvasive, Enterohemorrhagic and Enteroadherent. *Journal of infectious disease.*, 155: 377- 389.
- Lilian, R. M.; Marques, A. T.; Tavechino, C. M. and Tania, A. T. (2003). Search for cytolethal distending toxin producing among faecal *Escherichia coli* isolates from Brazilian children with diarrhoea and without diarrhoea. *J. Clin. Microbiol.*, Vol. 41 no. 5. 2206- 2208.
- Ling, T. K. W.; Liu, Z. K. and Cheng, A. F. B. (2001). Evaluation of Vitek 2 rapid identification and susceptibility testing system against gram-negative clinical isolates. *J. Clin. Microbiol.*, 39: 2964- 2966. [PMC free article] [PubMed].
- Ling, T. K. W.; Liu, Z. K. and Cheng, A. F. B. (2003). Evaluation of the Vitek 2 system for rapid direct identification and susceptibility testing of gram-negative bacilli from positive blood cultures. *J. Clin. Microbiol.*, 41:4705- 4707. [PMC free article] [PubMed]
- Luis M. de la Maza; Marie T. Pezzlo; Janet T. Shigei and Ellena M. Peterson. (2004). Color atlas of Medical Bacteriology. ASM Press. Washington.USA. PP. 22- 98.
- MacFaddin J. F. (1985). Biochemical tests for identification of medical bacteria, 2nd ed. pp. 236- 245. Baltimore, Williams and Wilkins.Mayer, H. and Schamidi, G. (1979). Curr, Topics. *Microbio. and Immuno.* 85: 99.
- Mayer, H. and Schamidi, G. (1979). *Curr.Topics. Microbio. and Immuno.* 85:99

- Merchant, I. A. and Packer, R. A. (1984). Veterinary Bacteriology and Virology. 7th . ed. Fourth printing (1977). Iowa. USA. The Iowa State University Press. Ames.
- Mohamed, S. M. E.(2009). *Escherichia coli* associated with neonatal calf diarrhoea in Khartoum North, Sudan. M. Sc. Thesis. Univ. Khartoum. Sudan.
- Moon, H. W. (1974). Pathogenesis of enteric disease caused by *E. coli*. *Adv. Vet. Sci. Comp. Med.*, 18: 179- 211.
- Moon, H. W.; McClurkin, A. W.; Isaacson, R. E.; Pohlenz, J.; Skartvedt, S. M.; Gillette, K. G. and Baetz, A. L. (1978). Pathogenic relationships of Rota virus, *E. coli*, and other agents in mixed infection in calves. *J. Am. Vet. Med. Assoc.*, 173: 577- 583.
- Morin, M.; Lariviere, S.; Lallier, R.; Begin, M.; Roy, R. and Ethier, R. (1978). Neonatal calf diarrhoea: Pathology and Microbiology of spontaneous cases in dairy herds and incidence of the enteropathogens implicated as aetiological agents. Reprinted from proceeding second international symposium on neonatal diarrhoea, 3-5 October, 1978. University of Saskatchewan, Canada.
- Morris, C. A.; Bennet, G. L.; Backer, R. L. and carter, A. H. (1986). Birth weight, dystocia and calf mortality in some NewZealand beef breeding herds. *J. Anim. Sci.*, 62: 327- 343.
- Mutasim, S. M. (1997). Typing of *E. coli* isolated from cattle, sheep, foul, humans and their environment. Ph. D. thesis. Univ of Khartoum. Sudan.
- Nakazawa, M.; Sugimoto, C.; Isayama, Y. and Koshiwazaki, M. (1987). Virulence factors in *E. coli* isolated from piglets with neonatal and post-weaning diarrhoea in Japan. *J. Vet. Micro.*, 13: 291- 300.
- Nataro, J. P. and Kaper, J. B. (1998). Diarrhoeogenic *E.coli*. *J. Clin. Micro. Review*. Jan., Vol. 2 (1): pp. 142- 241.

- Okeke, I. N.; Lamikarna, A.; Sleinrak, H. and Kaper, J. P. (2000). Caracterization of *E. coli* strains isolated from childhood diarrhea in provincial southern Nigeria. *J. Clin. Micro.*, 38: 7- 12.
- O'Hara C. M. and Miller, J. M. (2003). Evaluation of the Vitek 2 ID-GNB Assay for Identification of Members of the Family Enterobacteriaceae and Other Nonenteric Gram-Negative Bacilli and Comparison with the Vitek GNI+ Card, *J. Clin. Microbiol.*, 41(5): 2096- 2101.
- Okerman, L. (1987). Enteric infections caused by non-enterotoxigenic *E. coli* in animals. Occurrence and pathogenicity mechanisms. *A review. Vet. Micro.*, 14: 33- 46.
- Omeima, S. M. S. (1993). Aetiological and epidemiological factors associated with camel calf diarrhoea. M.V.Sc. thesis. Univ. Khartoum. Sudan.
- Orden, J. A.; Ruiz-Santa-Quiteria, J. A.; Cid, S.; Garcia, S. and Delafuente, R. (1999). Prevalence and Characteristics of necrotoxigenic *E. coli* (NTEC) strains isolated from diarrhoeic diary calves. *J. Vet. Microbiol.*, 66 (4): 265.
- Orskov, F. (2005). Genus Escherichia. In: Krieg, N. R. and Holt, J. G. (ed). Bergey's Manual of Systemic Bacteriology, Vol. 2.
- Orskov, F. and Orskov, L. (1984). Serotyping of *E. coli* In: Methods in Microbiology. Academic Press London, 14: 43- 112.
- Otto-Karg I.; Jandl, S.; Muller, T.; Stirzel, B.; Frosch, M.; Hebestreit, H. and Abele-Horn, M. (2009). Validation of Vitek 2 Nonfermenting Gram-Negative Cards and Vitek 2 Version 4.02 Software for Identification and Antimicrobial Susceptibility Testing of Nonfermenting Gram-Negative Rods from Patients with Cystic Fibrosis, *Journal of Clinical Microbiology*, 47(10): 3283- 3288

Oxender, W. D.; Newman, L. E. and Morrow, D. A. (1973). Factors influencing dairy calf mortality in Michigan. *J. Amer. Vet. Med. Ass.*, 162: 458.

Oxoid Manual of culture media, ingredients and other laboratory services. (2006). 9th. ed. Water road, Basing Stone, Hants.

Perez, E.; Kumeling, A.; Janussen, M. M.; Imenez, C. J.; Alwado, R.; Calballero, M.; Donado, O. and Dwinger, R. H. (1998). Infectious agents associated with diarrhoea of calves. *Prev. Vet. Med.*, 33: 195-205.

Petkov, M. (1980). Characterization of *E. coli* isolated from calves. *J. Vet. Med. Nauki.*, 17 (6-7): 12- 16.

Poitrinean, P.; Forestier, C.; Meyer, M.; Jallat, C.; Rich, C.; Malpuech, G. and DeGhamps, C. (1995). Retrospective case control study of diffusely adherent *E. coli* and clinical features in Children with diarrhea. *J. Clin. Micro.*, 33: 1961- 1962.

Qrskov, I. and Qrskov, F. (1985). *E. coli* in extra-intestinal infections. *J. Hyg. Camb.*, 95: 551.

Quadri, F.; Svennerholon, A. M. and Farugue, A. S. (2005). Enterotoxigenic *Escherichia coli* in developing countries: Epidemiology, Microbiology, clinical features, treatment, and prevention. *Clin. Microbiol. Rev.*, 3: 83-465.

Quinn, P. J.; Carter, M. E.; Markey, B. K. and Carter, G. R. (1999). Clinical Veterinary Microbiology. Virginia U.S.A.

Quinn, P. J.; Markey, B. K.; Leonard, F. C.; Fitzpatrick, E. S.; Fanning, S. and

- Hartigan, P. J. (2011). Veterinary Microbiology and Microbial diseases. Virginia. Willey – Blackwell. U.S.A.
- Radostits, O. M.; Gay, C.C.; Hinchcliff, K. W. and Constable, P. D. (2007). Veterinary Medicine, A text book of the diseases of cattle, sheep, pigs and goats. 10th ed. Philadelphia. U.S.A.
- Ray, D. E.; Itulya, S. B.; Roubicek, C. B. and Benson, C. R. (1989). Pregnancy rate, calf mortality and calving rate unsupplemented hereford range cows livestock. *Prod. Sci.*, 305- 315.
- Ried, I. and Sobel, A. (1987). Cited by Mahgoub, M. S. (1997). Typing of *E. coli* isolated from cattle, sheep, fowl, humans and their environments. Ph.D. Thesis. Univ. Khartoum. Sudan.
- Ristaino, P. A.; Levine, M. and Young, C. R. (1983). Infection and immunology. *J. Clin. Microbiol.*, 18: 808- 815.
- Rodriquez-Angeles, G. (2002). Principal characteristics and diagnosis of the pathogenic groups of *E. coli*. *Salud. Publication. Mex.* 44: 464- 75.
- Sack, R. B. (1980). Enterotoxigenic *E. coli* identification and characterization. *J. Infect. Dis.*, 142 (2): 279- 286.
- Salih, O. S. M. (1993). An etiological and epidemiological factors associated with camel calf diarrhea. M. V. Sc. Thesis. Univ. Khartoum. Sudan.
- Salih, O. S. M.; Shigidi, M. T.; Mohamed, H. O. S.; Mc Dough, P. and Chang, Y. F. (1998). The bacterial causes of camel calf (*Camelus dromedarius*) diarrhoea in eastern Sudan. Proceeding of the third annual meeting for animal production under arid conditions. Vol. 2: 132-137. United Arab Emirates University.
- Sansonetti, P. J. (1992). *E. coli*, *Shigella*, antibiotic associated diarrhea and prevention and treatment of gastroenteritis. *Curr. Opin. Infect. Dis.*, 5: 66- 73.

- Savarino, S. T.; Fasono, A.; Watson,, J.; Martin, B. M.; Levine, M. M.; Guandalni, S. and Guerr, P. (1993). Enteropathogenic *E. coli* heat stable toxin. *Proc. Nat. Acad. Sci. USA.*, 90: 3093- 3097.
- Schoonderwoerd, M.; Clarke, R. C.; VanDreumel, A. A. and Rawluk, S. A. (1988). Colitis in calves: natural and experimental infection with a verotoxin producing strain of *E. coli* O111: NM. *Can. J. Res.*, 52: 484- 487.
- Scotland, S. M.; Flowman, R. H.; and Rpwe, B. (1989). Evaluation of reversed passive latex agglutination test for detection of *E. coli* heat labile toxin in culture supernatants. *J. Clin. Micro.*, 27: 339- 340.
- Shetty, N.; Hill, G. and Ridgway, G. L. (1998). The Vitek analyser for routine bacterial identification and susceptibility testing: protocols, problems, and pitfalls; *Journal of Clinical Pathology.*, 51:316- 323.
- Shulaw, B. (2000). Calf scour: Causes, protection, prevention. Weekly Purcell Agricultural Commodity Market Report.
<http://beef.osu.edu/beef/beefjan19.html>.
- Silva, R. M. (1980). Toledo, M. R. and Trabulsi, L. R. Biochemical and cultural characteristics of invasive *E. coli*. *J. Clin. Microbiol.*, 11 (5): 441- 4.
- Simmons, J. S. (1926). A culture medium for differentiating organisms of typhoid-colon aero-genes groups and for isolation of certain fungi. *J. Infect. Dis.*, 39:209- 214.
- Simoons-Smit, A. M. and Maclaren, D. M. (1994). Comparison of Vitek2 and Cobas Microsystems with a semiautomated conventional microsystem for identification and susceptibility testing of gram negative bacilli. *J. Clin. Pathol.*, 47: 71- 75; doi:10.1136/jcp.47.1.71
- Smith, H. W. and Halls, S. (1967). Studies on *Escherichia coli* enterotoxin. *J.*

- Path. Bact.* 39: 531- 543.
- Snodgrass, D. R. (1986). Evaluation of combined rotavirus and enterotoxigenic *E. coli* vaccine in cattle. *Veterinary Record*, 119, 39- 43.
- Sojka, W. J. (1971). Enteric diseases in New-born piglets, Calves and lambs due to *Escherechia coli* infection. *Vet. Bull.* 41: 509- 522.
- Svensson, C.; Lundbory, K.; Emanuelson, U.; and Olsson, S.O. (2003). Morbidity in Swedish diary calves from birth to 90 days of age and individual calf-level risk factors for infectious diseases. *J. Preventive Veterinary Medicine*. Elsevier science B. V. Amsterdam, Netherland., 58: 179- 197.
- Tamura, K.; Sakazaki, R.; Kosako, Y. and Yoshizaki, E. (1986). *E. adecarboxylata*. *Curr. Micro.*, 13: 179.
- Tauschek, M.; Gorrell, R. and Robins-Browne, R. M. (2002). Identification of the protein secretory pathway for the secretion of heat-labile enterotoxin by an enterotoxigenic strain of *Escherichia coli*. *PANS.*, 99: 7066- 7071.
- Theodor, E. (1885). Die darmbakterien des neugeborenen und sauglings, *Fortshr. Med.* 3: 515- 522.
- Thorn, C. S.; Roeder, P. L. (1988). Use of a monoclonal antibody to detect the F41fimbrial adhesion of *Enterotoxigenic Escherichia coli*. *J. Res. Ve.t Sci.*, 44: 394- 395.
- Thorns, C. J.; Sojka, M. G. and Roeder, P. L. (1989). Detection of fimbrial adhesions of enterotoxigenic *E. coli* using monoclonal antibody-based latex reagents. *Vet. Rec.*, 125: 91- 92.
- Todrak, K. (2002). Todar's on line Textbook of Bacteriology. University of Wisconsin in Madison, Department of bacteriology. <http://www.textbookofbacteriology.net>.

- Toledo, M. R. F. and Trabulsi, L. R. (1983). Correlation between biochemical and serological characteristics of *E. coli* and results of the serology test. *J. Clin. Microbiol.*, 170: 419- 421.
- Tzipori, S. (1981). The aetiology and diagnosis of calf diarrhoea. *Vet. Rec.*, 108:510-514.
- Tzipori, S. (1985). The relative importance of enteric pathogen affecting neonates of domestic animals. In: Cornelius, C. E. and Simpson, C. F. (eds.) *Adv. Vet. Sci. Comp. Med.* Vol. 29: Academic Press. Toronto.PP. 103- 206.
- Vial,P. A.; Robins-Browne, R.; Lior, H.; Prado, V.; Kaper, J. B.; Nataro, J. P.; Maneval, D.; El Sayed, A. and Levine, M. M. (1988). Characterization of entero-adherent aggregative *E. coli* a putative agent of diarrhoeal diseases. *J. Infect. Dis.*, 158: 70- 79.
- Voges, O. and Proskauer, B. (1998). Beitrag zue Ernahrungsphysiologie und zur Differential-diagnose der Bakterien der hamorrhagischen Septicamia. *Z. Hyg.*, 28: 20- 30.
- Vracko, R. and Sherris, J. C. (1963). Indol-spot test in bacteriology. *Am. J. Clin. Pathol.*, 39: 429- 432.
- Waltner-Towes, D.; Martin, S. W. and Meek, A. H. (1986). Dairy calf management, morbidity and mortality in Ontario Holstein herds and seasonal patterns. *Prev. Vet. Med.*, 4: 125,137, 159.
- Wang, H. Y. and Neter, E. (1962). Immunologic studies of a heterogenic enterobacterial antigen (Kunin). *J. Bac.*, 84: 1245- 1250.
- Wastesson, Y. (2002). Zoonotic *Escherichia coli*. *Act. Vet. Scandinavia.*, 43 (11): 79-84.
- Williamson lisa (2000). Young ruminants diarrhea (coliform disease) LAMS

5350 large animal digestive syster. <http://128-102.2019/LAM/LMOOO154.HTML>.

Willis, G. and Cook, I. J. Y. (1975). Enterobacteriaceae identification: a comparative study of Api, Encise and conventional methods. *The Medical Technologist.*, 51 (4): 6- 9.

Wilson, G. S.; Twigg, R. S.; Wright, R. C.; Hindry, C. B.; Cowell, M. P. and Maier, I. (1935). The bacteriological grading of milk (H. M. Stat. off London). Spec. Rep. Ser. Med. Res. Counsil No. 206) Cited by Sojka, W. J. (1965). p. 13.

Woodward, M. J. and Wray, C. (1990). Nine DNA Probes detection of toxin and adhesion genes in *E. coli* isolated from diarrhoeal disease in animals. *Vet. Microbiol.*, 25: 55- 65.

Wray, C.; McLaren, I.. M. and Carroll, P. J. (1993). *Escherichia coli* isolated from farm animals in England and Wales between 1986 and 1991. *Veterinary Record.*, 133: 439- 42.

Wray, C., McLaren, I. M. and Pearson, G. R. (1989). Occurrence of 'attaching and effacing' lsions in the small intestine of calves experimentally infected with bovine isolates of verocytotoxigenic *Escherichia coli*, *Veterinary Record.*, 125, 365- 368.

