

Histopathology result	Vascularity	Marginal appearance	Type calcification	Calcification	Halo	Echogenicity	Parenchymal composition	Multiplicity	Size	Age	Sex	No	Appendix 1 Data of patient
Nodular colloid goitre	W	W	-	-	4	2	P.S	M	2.3	45	F	1	
Cystic colloid goitre	N	W	-	-	4	1	P.C	M	1.3	43	F	2	
Nodular goiter	N	W	COARSE	+	4	3	P.S	M	4.5	56	F	3	
Nodular goiter	N	P		-	1	2	C.S	S	1.5	55	F	4	
lymphoma	M	W	PUNCTATE	+	4	1	MIXED	M	3.5	32	M	5	
Follicular neoplasm	W	P	COARSE	+	2	1	C.S	M	3.2	54	M	6	
Nodular goiter with cystic changes	M	W		-	4	1	MIXED	M	4.2	23	M	7	
Nodular goiter	N	W		-	4	2	C.S	M	2.2	25	F	8	
Nodular colloid goiter	M	W		-	2	1	MIXED	S	2.5	35	M	9	
Nodular goiter	N	W		-	4	2	C.S	S	1.9	49	F	10	
Cooloid goiter with cystic changes	N	P	COARSE	+	4	1	P.C	M	4	20	F	11	
Nodular goiter	N	W		-	1	2	C.S	M	1.1	50	F	12	
Nodular goiter with cystic changes	N	P	C	+	2	1	C.S	M	1.6	36	M	13	
No abnormal lymphoid cells or malignant seen	N	W		-	1	2	C.S	S	1.2	38	F	14	
Nodular goiter	N	W		-	2	1	C.S	M	2.8	40	F	15	

Nodular goiter	N	P		-	4	2	C.S	M	4.1	40	F	16
Follicular neoplasm	N	W	C	+	2	2	MIXED	M	2.2	58	F	17
Follicular neoplasm	M	W		-	2	1	C.S	M	-	70	F	18
Nodular goiter	N	W		-	4	1	MIXED	S	3.2	35	M	19
Nodular colloid goiter	M	W		-	4	1	MIXED	M	4.4	46	F	20
Nodular goiter with cystic changes	N	W		-	4	2	P.S	S	2	52	F	21
Nodular goiter with cystic changes	N	W		-	2	2	MIXED	S	3.9	49	M	22
Benign cyst	N	W		-	4	1	P.C	S	2.6	24	M	23
Nodular goiter with cystic changes	N	W		-	4	1	MIXED	S	1.8	44	F	24
Nodular goiter with cystic changes	N	W		-	4	1	P.C	S	1.3	30	F	25
Nodular goiter	N	W	P	+	4	2	MIXED	S	2	46	F	26
Nodular goiter	N	W	P	+	4	1	P.S	S	5.4	23	F	27
Colloid goiter with cystic changes	M	W		-	4	1	P.S	S	4.4	46	F	28
Nodular goiter	N	W		-	4	1	C.S	S	-	7	F	29
Nodular goiter	N	W		-	4	3	MIXED	M	2.4	26	F	30
Nodular goiter	N	W	P	+	4	2	P.S	S	2.4	35	F	31
Nodular goiter with cystic changes	N	P		-	1	1	P.S	M	1.2	55	F	32

Nodular colloid goiter	N	W		-	4	1	P.S	S	-	40	F	33
Nodular colloid goiter	M	W	P	+	4	1	P.S	S	4.4	37	F	34
Noulard goiter	N	W		-	4	2	MIXED	S	2.6	37	F	35
Nodular colloid goiter	N	W	C	+	4	1	C.S	M	3	34	M	36
Nodular goiter with cystic changes	N	W		-	4	1	P.C	M	3.4	40	F	37
Nodular colloid goiter	N	W		-	4	3	C.S	M	-	45	F	38
Noulard goiter	N	W		-	4	2	C.S	S	2.3	27	F	39
Nodular goiter with cystic changes	N	W		-	4	1	P.S	M	2.8	45	F	40
Noulard goiter	N	W	C	+	4	2	MIXED	S	-	43	M	41
Follicular neoplasm	N	W	C	+	1	2	P.S	M	2.1	45	F	42
Nodular goiter with cystic changes	W	P		-	2	1	MIXED	M	3.2	37	M	43
Follicular neoplasm	N	W	P	+	2	1	MIXED	M	4.2	82	M	44
Nodular goiter with cystic changes	M	W		-	4	2	P.C	S	2.8	36	F	45
Follicular neoplasm	N	P	C	+	2	1	P.S	M	4.9	45	F	46
Nodular goiter with cystic changes	W	W		-	4	1	MIXED	S	1.3	25	F	47
Nodular colloid goiter	N	W		-	4	3	P.C	S	2.5	35	F	48
Nodular goiter	M	W		-	4	3	P.S	M	3.4	39	F	49
Nodular goiter	N	W		-	4	2	P.S	S	2.7	53	F	50

1.Age :f=female, m=male

2. Multiplicity :- m=multiple , s= solitary

3. Parenchymal composition:- p.s=predominantly solid , p.c=predominantly C.S=Complete Solid , C.C=Complete Cystic .
- 4.Echogenecity:- 1=hypoechoic, 2=isoechoic , 3=hyperechoic
5. halo :- 1=abscent 2= < 50% 3= 50% 4 = > 50% .
6. calcification : C=coarse P= punctuate
7. vascularity : W = well perfused P= poor perfused N = No perfusion
8. Marginal appearance ;- W = well defined , P = poorly defined