

References

- Abdelrahman, M. A. (2008). Characterization and thermodynamic properties of gum of *Acacia* origin. Ph.D Thesis Sudan University of Science and Technology. pp 32 and 46-47.
- Alberts, Bruce (2008). Molecular biology of the cell. New York: Garland Science.
- Anderson, D.M.W.; Ashby, P.; Busuttil, A.; Eastwood, M.A.; Hobson, B.M.; Ross, A.H. M.L. and Street, C.A. (1982). Subchronic effects of gum arabic (*Acacia*) in the rat. *Toxicology Letters*. **14**, 221–227.
- Anderson, D.M.W. and Bell, P.C. (1977). The composition of the gum exudates from some *combretem* species; the botanical nomenclature and systematics of the *combreteaceae*. *Carbohydr. Res.*, **57**, 215-221.
- Anderson, D.M.W. (1986). Nitrogen Conversion Factor for the proteinaceous content – of gums permitted as food additives. *Food Additives and contaminants*, **3**:231-234.
- Angeh, J.E., (2006). Isolation and characterization of anti-bacterial compounds present in members of *Combretem* section Hypocrateropsis, Ph.D Thesis, Department of paraclinical sciences-university of Pretoria-South Africa, pp. 13-14.
- AOAC (2000). Association of Official Analytical Chemists. Official Methods of Analysis, 15th Edn. Washington DC.
- AOAC (1995). Association of Official Analytical Chemists. Official Methods of Analysis, 15th Edn. Washington DC. Gum Arabic, Gum Talha and other *Acacia* Gums.
- Awad, M .H. (2011). Characterization and physicochemical studies on *Combretem glutinosum* gum. Ph.D Thesis, Sudan University of Science and Technology. pp. 45-50.
- Brito, A. C. F., Silva, D. A., De Paula, R. C. M., & Feitosa, J. P. A. (2004). *Sterculia striata* exudates polysaccharide: Characterization, rheological properties and comparison with *Sterculia urens* (*karaya*) polysaccharide, *Polymer International*, **53**, 1025–1032.
- Chamberlain, E. K., Rao, M. A., (2000). Effect of concentration on rheological properties of acid-hydrolysed amylopectin solutions, 2000. *Food Hydrocolloid*, **14**, 163–171.

Collins, T. F. X.; Welsh, J. J.; Black, T. N.; Graham, S. L.; and Brown, L. H. (1987). Developmental toxicity of guthion in rats and mice. *Food and Chemical Toxicology*, **25**, 815–821.

Decker T, Lohmann-Matthes ML (1988). "A quick and simple method for the quantitation of lactate dehydrogenase release in measurements of cellular cytotoxicity and tumor necrosis factor (TNF) activity". *J. Immunol. Methods* **115** (1): 61–9.

De Clercq, E. (2005). Recent highlights in the development of new antiviral drugs. *Curr. Opin. Microbiol.*; **8**; 552–60.

Doi, Y., Ichihara, T., Hagiwara, A., Imai, N., Tamano, S., Orikoshi, H., Ogasawara, K.; Sasaki, Y.; Nakamura, M. and Shirai, T. (2006). Biological effects of gum arabic: A review of some recent research .*Food and Chemical Toxicology*, **44**, 560–566.

El-Amin, H. M. (1990) Trees & shrubs of the Sudan, Ithaca Press London.

PP. 84-85.

Engler, A.; DIELS, L. Engi., Mon. Afi. Pflanr.-Fam. and Gatt., Englemann, Leipzig, **(1899)**. pp. 111.

Exell, A. W. **(1953)**. Historical nuggets, bibliotheca Americana. London, 55 pp. 103-141.

Exell, A.W.; STACE, C.A., **(1966)**. Revision of the *Combretaceae*. Boletim da la Sociedad Broteriana. *Boi.sot. Broteriana*, 40 pp 5-25.

Exell, W. A.; STACE, C. A., **(1969)**. Bat. J Linn. Sot., 62 . pp 166-168.

Exell, A. W, Kirkia, **(1970)**. Summary of the *Combretaceae* of Flora Zambesiaca. 7. pp 159-252.

FAO. Rome (1991). Food and Nutrition Paper No. 5 Rev. 2.

FAO. Rome (1991). Food and Nutrition paper No. 49

Fan F, Wood KV (2007). "Bioluminescent assays for high-throughput screening". *Assay Drug Dev Technol* **5** (1): 127–36.

Freimoser, F.M.; Jakob, C.A.; Aebi, M. and Tuor, U. (1999). The MTT [3-(4,5-dimethylthiazol- 2-yl)-2,5- diphenyltetrazolium bromide] assay is a fast and reliable method for colorimetric determination of fungal cell densities. *Applied Environmental Microbiology*; **65**; 3727–3729.

Garle, M., I.H. Fentem, and J.R. Fry. (1994). *In vitro* cytotoxicity tests for the prediction of acute toxicity *in vivo*. *Toxicol. In Vitro* 8:1303-1312.

Gilbert, S.G. (2001). An introduction to toxicology. A lecture given at “A Small Dose of Toxicology: How Chemicals Affect Your Health” a conference sponsored by the Northwest Center for Occupational Safety and Health, University of Washington, Oct.17.

Halle, W. (1998). Toxizitätsprüfungen in Zellkulturen für eine Vorhersage der akuten Toxizität (LD_{50}) Zur Einsparung von Tierversusuchen. Life sciences/Lebenswissenschaften, Volume 1, pp 94, Julich: Forschungszentrum. Julich.

Halle, W. and H.Spielmann. (1992). Two procedures for the predication of acute toxicity (LD_{50}) from cytotoxicity data. *ATLA* 20: 40-49.

Halle, W, Göres E. (1987) Prediction of LD_{50} values by cell culture. *Pharmazie*. 42: 245-248.

Instruction manual for KBr tablet die, Shimadzu Corporation, analytical and measuring instruments division, Kyoto, Japan, 2007.

ICCVAM (2001). Guidance Document on Using *in vitro* data to Estimate *in vivo* starting doses for Acute Totoxicity. Available from: <http://iccvam.niehs.nih.gov/>

Jacqueline Nairn, J. and Nicholas, P.C. (2009). Exploring proteins: a student's guide to experimental skills and methods. Oxford University Press.

JECFA. (1982). Toxicological evaluation of certain food additives, 526. Arabic gum (gum arabic). In: Twenty-sixth Report of the Joint FAO/ WHO Expert Committee on Food Additives. WHO Food Additive Series 17.

Jefferies, M. Pass, Phillips, O.G., (1981). Cations effects on the viscosity of Gum Gatti. *J. Sci Food Agric.* **24**:905-911.

Jefferies, M., Pass, Phillips, O.G. (1978). The viscosity of aqueous solutions of Gum Gatti. *J. Sci Food Agric.*,**29**:193-200.

Jeffrey M.Perkel (2007). Life Science Technologies Cell Signaling: *In Vivo* Veritas, Science Magazine.

Karamalla,K.A., Siddig, N.E. and Osman, M .E. (1998) .Analytical data for *Acacia senegal* var. *senegal* gum samples collected between 1993 and 1995 from Sudan. *Food hydrocolloids* **12**: 373-378.

Lapasin, R., & Pricl, S., Rheology of polysaccharide systems. *Rheology of industrial polysaccharides: theory and applications*, (1995). pp. 250–494. Glasgow: Blackie Academic and Professional.

Marquet and Jansen, P.C.M. (2005). *Combretum glutinosum* Perr.ex DC.Prota3:Dyes and tannins/Colorant et tanins.Wageningen, Netherland.

Melnick, R. L.; Huff, J. K.; Haaemman, J. K.; Dieter, M. P. and Grieshaber, C. K. (1983). The regulatory and scientific approach to defining gum arabic as a dietary fibre. *Food Chemistry and Toxicology*, **21**, 305–311.

Mosmann, T. (1983). Rapid colourimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J. Immunol. Methods*, 65.55-63.

National Institute of Environmental Health Sciences (2001). Report of the International Work on *In vitro* methods for assessing a acute systemic toxicity. NIH Publication 01-4499. NIEHS, Research Triangle Park, North Carolina.

Niles AL, Moravec RA, Eric Hesselberth P, Scurria MA, Daily WJ, Riss TL (2007). "A homogeneous assay to measure live and dead cells in the same sample by detecting different protease markers". *Anal. Biochem.* **366**: 197–206.

Nussinovitch, A. (1997). Hydrocolloid applications. Gum technology in the food and other industries. London: Blackie Academic & Professional/Chapman & Hall. 45. Phillips, G.O; Ogasawara, T and Ushida, K (2008) *Food Hydrocolloids*, **22**, 24-35.

Phillips, G.O. (1998). Hydrocolloids. Physical Chemistry and Industrial Application of Gels Polysaccharides and Proteins. *Food Additives Contaminant*, **15**, 251–264.

Phillips, G.O; Ogasawara, T and Ushida, K (2008). The regulatory and scientific approach to defining gum Arabic as a dietary fibre. *Food Hydrocolloids*, **22**, 24-35.

Promega Corporation (2006). Protocols and Applications Guide. Cell Viability.

Promega Corporation (2007). Protocols and Applications Guide. Apoptosis.

Randall, R.C.; Phillips, G.O. and Williams, P.A. (1989). Fractionation and characterization of gum from *Acacia senegal*. *Food Hydrocolloids*, **3**:65-75.

Riss TL, Moravec RA (2004). "Use of multiple assay endpoints to investigate the effects of incubation time, dose of toxin, and plating density in cell-based cytotoxicity assays". *Assay Drug Dev Technol* **2**: 51–62.

Rothman, S. S. (2002). Lessons from the living cell: the culture of science and the limits of reductionism. New York: McGraw-Hill.

Sahni, K.C. (1968). Important trees of the Northeran Sudan, United Nation and FAO publication. pp.20-22.

Satti, A. A. (2011). Characterization and toxicological study of *Acacia nilotica* var. *nilotica* gum from sudan . Ph.D Thesis Sudan University of Science and Technology.PP.31, 58.

Scheers, M.E.; Ekwall, B. and Dierickx, J.P. (2001). Toxicology *In Vitro*; **15**; 153–161.

Sheu, C.W.; Cain, K.T.; Rushbrook, C.J.; Jorgenson, T.A. and Generoso, W.M. (1986). Tests for mutagenic effects of ammoniated glycyrrhizin, butylated hydroxytoluene, and gum arabic in rodent germ cells. *Environ. Mutagen.* **8**, 357–367.

Shirazi, F.H.; Ahmadi, N. and Kamalinejad, M. (2004). Evaluation of northern Iran Mentha pulegium on cancer cells. *Journal of Daru*; **12**; 3

Spielmann, H., E. Genschow, M. Libsch, and W. Halle. (1999). Determination of the starting dose for a acute oral toxicity (LD_{50}) testing in the up and down procedure (UDP) from cytotoxicity data. *ATLA* **27**: 957-966.

Spielmann, H., M. Balls, J. Dupuis, W.J.W. Pape, G. Pechovitch, O. De Silva, H.G. Holzhutter, R. Clothier, P. Desolle, F. Gerberick, M.J. Iebsch, W.W. Lovell, T. Maurer, U. Pfannenbecker, J.M. Potthast, M. Csato, D. Sladowski, W. Steiling, and P. Brantom. (1998a). EU/COLIPA “*In vitro* phototoxicity” validation

study, results of phaseII (blind trial), part I: THE 3T3 NRU phototoxicity test. Toxicol. *In vitro* **12**:305-327.

Stace, C.A, (1969) Bot. J. Lim. Sot. **62** 131-166.

Stace, C.A., (1973) Bot. J. Linn. Sot. **66**, 97-115.

Steentoft. M. (1988). Flowering plants in West Africa. Cambridge University press. Cambridge.

Sunshine, Geoffrey, S. and Richard, C. (2009). Immunology: a short course.

Wiley-Blackwell.

Sun, S.F. (2004). Physical chemistry of macromolecules, Basic principle and issues 2nd edition John Wiley & Sons, Inc. pp 1,199-202.

Swanson, S.M.; Pezzuto, J.M (1990). Bioscreening technique for cytotoxicity potential and ability to inhibit macromolecule biosynthesis. In Drug bioscreening: drug evaluation techniques in pharmacology; Thompson, E.B., Ed.; VCH Publishers: New York, NY, USA, 1990; pp. 273-297.

Tan, C. T. (2004). Beverage emulsions. In S. E. Friberg, K. Larsson, & J. Sjöblom (Eds.), Food emulsions (4th ed.). (pp. 485–524) Boca Raton: CRC Press.

Vogt, K. (1995) A field worker's guide to the identification, propagation and uses of common trees and shrubs of dry land Sudan. Sos sahel international (UK).London. PP-32.

Whistler, R. L. (1993). Exudate gums. In R. L. Whistler, & J. N. BeMiller (Eds.), Industrial gums, polysaccharides and their derivative .3rd ed .pp. 309–340 New York: Academic Press.

Williams, P. A.; Phillips, G. O. (2000) .Gum arabic Handbook of Hydrocolloids; Wood head publishing: Cambridge, U.K; pp. 155.2.

Williams, P. A.; Phillips, G. O.; Stephen, A. M.; Churms, S. C. Stephen, A. M., (2006). In Food Polysaccharides and Their Applications; pp 455.

Zang, W.; Torabinejad, M. and Li, Y. (2003). Evaluation of cytotoxicity of MTAD using the MTT-tetrazolium method. *Journal of Endodontics*; **29**; 654-657.

Zhou.C.Y., Ming keong Wong, Lip Lin Koh and Yeow Chin WEE. (1996). Analytical sciences. Vol. 12. pp. 471-476.

