References

[1] Sami Hakola, Tao Chen, Janne Lehtomäki and Timo Koskela , Device-to-Device (D2D) Communication in Cellular Network - Performance Analysis of Optimum and Practical Communication Mode Selection, IEEE WCNC proceedings 2010.

[2] Qiaoyang Ye, Mazin Al-Shalash, Constantine Caramanis and Jeffrey G. Andrews, Resource Optimization in Device-to-Device Cellular Systems Using Time-Frequency Hopping, Volume 37 May 2014.

[3] Xingqin Lin, Jeffrey G. Andrews and Amitabha Ghosh, Spectrum Sharing for Device-to-Device Communication in Cellular Networks, 23 Sep 2014.

[4] Yiyang Pei, Ying-Chang Liang, Resource Allocation for Device-to-Device Communications Overlaying Two-Way Cellular Networks, IEEE TRANSACTIONS ON WIRELESS COMMUNICATIONS, VOL. 12, NO. 7, JULY, 2013.

[5] Xingqin Lin Andrews, J. ; Ghosh, A. ; Ratasuk, R.,An overview of 3GPP device-to-device proximity services, Communications Magazine, IEEE (Volume:52 , Issue: 4), April 2014.

[6] Yongsheng CHENG, Yuantao GU, Xiaokang LIN, Power and Channel Allocation for Device-to-device Enabled Cellular Networks, Journal of Computational Information Systems, January 15, 2014.

[7] Bin Wang, Li Chen, Xiaohang Chen, Xin Zhang, and Dacheng Yang, Resource Allocation Optimization for Device-to- Device Communication Underlaying Cellular Networks, Beijing University of Posts and Telecommunications (BUPT), *IEEE* 2011.

[8] Brett Kaufman, Behnaam Aazhang, and Jorma Lilleberg, Interference Aware Link Discovery for Device to Device Communication, Nokia Technology Platforms, Oulu, Finland, 2009.

[9] Hussain E. Elkotby ,Khaled M. F. Elsayed and Mahmoud H. Ismail, Performance Evaluation of Next Generation Wireless Systems using Interference Alignment, Master Thesis, Department of Electronics and Communications Engineering, Port Said University , 2013.

[10] Quang Duong and Oh-Soon Shin, Distance-Based Interference Coordination for Device-to-Device Communications in Cellular Networks, School of Electronic Engineering, Soongsil University, Seoul, Korea, 2012.

[11] Hyang Sin Chae, Jaheon Gu, Bum-Gon Choi, and Min Young Chung, Radio Resource Allocation Scheme for Device-to-Device Communication in Cellular Networks Using Fractional Frequency Reuse, 17th Asia-Pacific Conference on Communications (APCC) 2nd – 5th October 2011 Republic of Korea.

[12] Monowar Hasan, Ekram Hossain, and Dong In Kim, Resource Allocation Under Channel Uncertainties for Relay-Aided Device-to-Device Communication Underlaying LTE-A Cellular Networks, IEEE TRANSACTIONS ON WIRELESS COMMUNICATIONS, VOL. 13, NO. 4, APRIL 2014.

[13] Wu Tonghui, Liu Liang, Li Zhuo-ming, Sun Jin, Resource Allocation with Shared Channel and Control Channel For LTE Downlink, Instrumentation, Measurement, Computer, Communication and Control (IMCCC), Second International Conference, Harbin , 8-10 Dec. 2012.

[14] Marcos Meibergen, Device-to-Device Communications Underlaying a Cellular Network, Faculty of Electrical Engineering, Mathematics and Computer Science Department of Telecommunications, Delft University of Technology, Master of Science Thesis, Netherlands, January 2011.

[15] Serveh Shalmashi, Guowang Miao, ZhuHan, and Slimane Ben Slimane, Interference Constrained Device-to-Device Communications, Wireless Communications Symposium IEEE ICC 2014.

[16] Shahid Mumtaz, Kazi Mohammed Saidul Huq, Ayman Radwan, Jonathan Rodriguez, Rui L. Aguiar, Energy Efficient Interference-Aware Resource Allocation in LTE-D2D Communication, Ad-hoc and Sensor Networking Symposium IEEE ICC 2014.

[17] Serveh Shalmashi, Guowang Miao, and Slimane Ben Slimane, Interference Management for Multiple Device-to-Device Communications Underlaying Cellular Networks, 24th International Symposium on Personal, Indoor and Mobile Radio Communications: Fundamentals and PHY Track, IEEE 2013.

[18] Bin Guo, Shaohui Sun,Qiubin Gao, Interference Management for D2D Communications Underlying Cellular Networks at Cell Edge, The Tenth International Conference on Wireless and Mobile Communications, ICWMC 2014.

[19] Yuxin Zhao, Benoit Pelletier, Paul Marinier, Diana Pani, D2D Neighbor Discovery Interference Management for LTE Systems, International Workshop on Device to Device (D2D) Communication With and Without Infrastructure, Globecom 2013.

[20] Wonjae Shin, KyungHun Jang and Hyun-Ho Choi, Memb, Device-to-Device Communication Assisted Interference Mitigation for Next Generation Cellular Networks, IEEE International Conference on Consumers Electronics (ICCE), 2013.

[21] Huy-Dung Han, Chenxi Zhu, Dorin Viorel, Akira Ito, Resource Allocation and Beamforming Algorithm Based on Interference Avoidance Approach for Device-to-Device Communication Underlaying LTE Cellular Network, Journal of Communications and Network, 2013.

[22] Tae-Sub Kim, Kwang-Hyung Lee, Seungwan Ryu and Choong-Ho Cho, Resource Allocation and Power Control Scheme for Interference Avoidance in an LTE-Advanced Cellular Networks with Device-to-Device Communication, International Journal of Control and Automation,Vol. 6, No. 1, February, 2013.

[23] Jia Liu, Bingbing Li, Bing Lan, Junren Chang , A Resource Reuse Scheme of D2D Communication Underlaying LTE Network with Intercell Interference, Journal of Communications and Network, 2013.

[24] Zhibo Wang, Hui Tian, and Nannan Chen, Reliability Improvement Using Power Control in Device-to-Device Networks, JOURNAL OF NETWORKS, VOL. 9, NO. 2, FEBRUARY 2014.

[25] Ralph Tanbourgi, Holger J□akel and Friedrich K. Jondra, Cooperative Interference Cancellation using Device-to-Device Communications, Communications Engineering Lab, Karlsruhe Institute of Technology, Germany, May 23, 2014.

[26] Klaus Doppler, Mika Rinne, Carl Wijting, Cássio B. Ribeiro, and Klaus Hugl, Device-to-Device Communication as an Underlay to LTE-Advanced Networks, Nokia Research Center, IEEE Communications Magazine ,December 2009.

[27] Yan CAI, Shixiang SHAO, Hongbo ZHU, A D2D Pair Access Strategy Based on Interference Limited Area of CUE, Journal of Computational Information Systems 9: 9707–9714. December 15, 2013.

[28] PHOND PHUNCHONGHARN, EKRAM HOSSAIN, ANDDONGINKIM, RESOURCE ALLOCATION FOR DEVICE-TO-DEVICE COMMUNICATIONS UNDERLAYING LTE-ADVANCED NETWORKS, *IEEE Wireless Communications*, Volume 20, Issue 4, *August 2013*.

[29] Namyoon Lee, Xingqin Lin, Jeffrey G. Andrews, and Robert W. Heath Jr, Power Control for D2D Underlaid Cellular Networks: Modeling, Algorithms and Analysis, Wireless Networking and Communication Group19 Nov 2013.

[30] Chen Xu, Lingyang Song, Zhu Han, Qun Zhao, Xiaoli Wang, Efficiency Resource Allocation for Device-to-Device Underlay Communication Systems: A Reverse Iterative Combinatorial Auction Based Approach, 9 Nov 2012.

[31] Amin Ghazanfari, COORDINATED BEAMFORMING AND POWER CONTROL FOR NETWORK CONTROLLED DEVICE – TO – DEVICE (D2D) COMMUNICATION, UNIVERSITY OF OULU ,MASTER'S THESIS, January 2014.

[32] pekka jänis, Interference Management Techniques for Cellular Wireless Communication Systems, Aalto University ,School of Electrical Engineering, PhD Thesis, July 2013.

[33] HIẾU T. ĐỖ, Fundamental Aspects of Cooperative Interference Management, Doctoral Thesis in Telecommunications, KTH, School of Electrical Engineering, Stockholm, Sweden 2013.

[34] LEI NIU, MUHAMMAD SALMAN, Resource Allocation and Power Control for Device-to-Device (D2D) Communication, Master of Science Thesis, CHALMERS UNIVERSITY OF TECHNOLOGY, Goteborg, Sweden 2013.

[35] http://whatis.techtarget.com/definition/greedy-algorithm, *Posted by:* Margaret Rouse , access date *in* February 2015.

[36] http://en.wikipedia.org/wiki/Greedy_algorithm , access date 18 February 2015.