
HOSE LOOP AND GALVANIZED WIRE 7' ABOVE FINISHED GRADE (MIN.)
1/2 2" DIA.-10' LONG CEDAR STAKES 7' EXPOSED-2 PER TREE
BURLAP OR KRINKLE KRAFT TREE WRAP
BARK CHIPS 3" DEEP
BRICK OR UNIT PAVERS-LAID IN 2" SAND BED
TREE IRRIGATING SYSTEM. 6X6" STRAINER TO BE
SOIL MIX
4" PERFORATED CORRUGATED PLASTIC TUBING WITH NYLON DRAIN GUARD ON 4 SIDES OF WRAPPED BALL. TUBING TO CONFORM TO THE LATEST REVISION OF ASTM F-405'
SECTION
SOIL MIX
PERFORATED CORRUGATED PLASTIC TUBING
CEDAR STAKES-2 1/2" DIA.
STRAINER
PAVERS (BRICK, GRANITE BLOCK, ETC.)
PLAN
D5


Solar Cell
Halogen Filament P(w):75-250
Neon
Battary
D3


RIGID (MORTARED) PAVERS
EXPANSION JOINT
NEOPRENE TACK COAT (2%)
MEMBRANE LAYER AS BOND BREAK AND CUSHION MATERIAL
CONCRETE BASE COURSE (RIGID)
MEMBRANE LAYER AS MOISTURE BARRIER
4" GRAVEL
D1


SPRINKLER
GRASS
SWEET SOIL 30cm
P.V.C PIPE 1" FOR WATER SUPPLY
ORDINARY SOIL
WATER FLOW INDICATOR
P.V.C PIPE 1" FOR WATER SUPPLY
ELBOW
SPRINKLER SYSTEM
D3


1" TO 1 1/2" SCREENINGS OR SAND SETTING BED
MORTARLESS PAVER
4" MIN. COMPACTED GRAVEL BASE
GEOTEXTILE LAYER
SOLDIER COURSE EDGING
2 - "1/8 1"
CONCRETE
GEOTEXTILE LAYER
PERFORATED DRAIN
BRICK, CLAY TILE, OR ASPHALT BLOCK PAVERS OVER GRAVEL BASE


WEEP HOLES AT 16" O.C.
EXPANSION JOINT
RIGID BRICK PAVING
DRAIN
SETTING BED 3/8)" TO 1/2")
BOND BREAK
4" CONCRETE BASE OVER VAPOR BARRIER
4" GRAVEL OVER COMPACTED EARTH
CONCRETE CURB
D2