Dedication

To my dear father and mother, to my dear brother and sisters.

ACKNOWLEDGMENT

Above all, I thank almighty god who help me to complete this dissertation and who surround me with so many wonderful people.

I would like express my gratitude and deepest appreciation to my dear supervisor, **Dr. Talaat Mohyeldin Wahby** for this kind support, sharing of knowledge and experience, continuous encouragement, feedback and idea toward my research direction.

My gratitude also to **ALNoor Institute for the Blindness** for their support and help to implement part of my research at Institute. My thanks also to the management and staff at Institute. **ABSTRACT**

Visual impairment is the consequence of a functional loss of vision, rather than the eye disorder itself. Eye disorders which can lead to visual impairments can include retinal degeneration, albinism, cataracts, glaucoma, muscular problems that result in visual disturbances, corneal disorders, diabetic retinopathy, congenital disorders, and infection.

The software (web application) is an increasingly important resource in many aspects of life: education, employment, government, commerce, health care, recreation, and more. It is essential that the Web be accessible in order to provide equal access and equal opportunity to people with disabilities. An accessible Web can also help people with Visual impairment more actively participate in society.

The Web offers the possibility of unprecedented access to information and interaction for many people with Visual impairment. That is, the accessibility barriers to print, audio, and visual media can be much more easily overcome through Web technologies.

This research provides software solutions rely on Scripting only of what makes the users with visual impairment are better able to interact with web content compared to high cost software.

Centric of solutions in building a Web site depends on the scripts produces user interface aligning with various kinds of visual disabilities, blind, color blindness, low vision .By adopting the member is not disabled for the blind, such as ear (hearing), speech (voice commands) to interact with Web sites, as designed Internet browser supports the same methodology.

Adopted Find results on the level of interaction between visual impairments users and other users of the software provided to people with visual disabilities

And it found that follow the development of the methodology provided in the search more effective and less expensive, which makes its application on websites guarantor of the interaction of users with visual disability with Web sites in better way.

الملخص

الاعاقة البصرية هي نتيجة لفقدان العين لوظيفة الرؤية او اضطراب في العين نفسها, اضطرابات العين التي يمكن أن تؤدي إلى الإعاقة البصرية يمكن أن تشمل مشاكل الشبكية ، وإعتام عدسة العين ، ومشاكل العضلات التي تؤدى إلى اضطرابات بصرية.

البرمجيات (تطبيقات الويب) هي مصدر متزايد الأهمية في كثير من جوانب الحياة: التعليم، والعمل، والحكومة، والتجارة، والرعاية الصحية، والترفيه، وأكثر من ذلك. فمن الضروري أن شبكة الانترنت يمكن الوصول إليها من أجل توفير فرص متساوية وتكافؤ الفرص للأشخاص ذوي الإعاقة. يمكن للوصول الي شبكة الويب ان يساعد الأشخاص الذين يعانون من الإعاقة البصرية المشاركة بصورة أكبر في انشطة المجتمع. يقدم الويب إمكانية وصول غير مسبوقه على المعلومات والتفاعل لكثير من ذوي الإعاقات البصرية. الحواجز والمعوقات التي تقابل ذوي الاعاقة البصرية في الوصول إلى المحتوي المسموع و وسائل الإعلام المرئية صعوبات يمكن التغلب عليها من خلال تقنيات الويب.

يقدم هذا البحث حلولا برمجية تعتمد علي الاسكريبت فقط من ما يجعل المستخدمين ذوي الضعف البصري اكثر . قدرة على التفاعل مع محتوى الويب مقارنة بالبرمجيات الجاهزة ذات التكلفة العالية

تتمحور الحلول في بناء موقع ويب يعتمد علي اسكريبتات(كود) ينتج واجهة استخدام موائمة مع مختلف انواع الاعاقات البصرية عمي, عمي الوان،ضعف بصر وذلك باعتماد عضو غير معاق للمكفوف مثل الاذن (السمع). والكلام (الاوامر الصوتية) للتفاعل مع مواقع الويب، كما صمم متصفح انترنت يعتمد نفس المنهجية

اعتمدت نتائج البحث علي مستوي تفاعل ذوي اعاقات بصرية تم اختيارهم من معهد للمكفوفين ومستخدمين اخرين للبرمجيات المقدمة لذوي الاعاقة البصرية، ووجدت ان اتباع منهجية التطوير المقدمة في البحث اكثر فعالية واقل تكلفة مما يجعل تطبيقها علي مواقع الويب ضامنا لتفاعل المستخدمين من ذوي الاعاقة البصرية مع مواقع الانترنت بصورة افضل

Table of Contents

Dedication
5
ACKNOWLEDGMENT
5
ABSTRACT,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
5
اللاخص
5
List of table
5
List of Figure
5
Chapter One
1
INTRODUCTION
1
1.1 Types of Disabilities
1
1.2 Visual
impairment1
1.3 Visual impairment Forms:
1.5 Visual impairment forms.
⊥
1.4 People with Visual impairment & web Technologies:
1.4 reopic with visual impairment & web recimologies.
±

2
1.7 Questions:
1.8. Objectives:
1.9Methodology and Tools:
4 19.1 The ISO 9126 model: 4
1.10. Chapters Organization:4
Chapter Two
LITERAURE REVIEW & RELATED WORK
2.1. Literature Review:
2.1.1. The disability
2.1.2. Types of Disabilities:
2.1.3 Visual impairment5 2.1.3.1. Visual impairment Forms:
5 2.1.2.1.1. Blindness
5 2.1.2.1.2. Low
vision5 2.1.2.1.3. Color blindness6
2.2. Related Work6
2.1. Essential Software: A Screen Reader6
2.2Free Software Makes 'Universal' Access a Reality
2.2.1. Software for people with Blindness:6
2.2.1.1. <u>NVDA</u> (Windows)
2.2.1.4. <u>ONCA</u> (Linux) Billioness

2.2.1.7. Web Anywhere (All OSs, Web browsers)
2.2.2. Software for people with Color Blindness:9
2.2.2.1 <u>BRLTTY</u> (Linux) Color blindness
2.2.3. Software for people with Low vision:
2.2.3.1. Spoken Web (Internet Explorer) Low vision
12 Chapter Three
14 METHDOLOGY AND TOOLS
3.1.1 Speech mechanism:,
3.1.2. Processes of Speech Production:
15 3.1.2.1. Conceptual:1515
3.1.2.2. Formulation:
3.1.2.3 Articulation / Execution
3.2 Speech Recognition:
3.2.1 .Speech Recognition work:
16 3.3. Text-to-speech:
16 3.4. Hyperlink:
17 3.5.1.1 Hypertext Navigation:
17 3.5.2. Hypermedia:
17 3.6. User interface
18 3.7. Uniform Resource Locator (URL):
3.9 Web browser engine:
19 3.10 Web browsers User interface:

DESIGNING SOFTWARE SOULTIONS & PRODUCT THE PACKAGES
20 4.1. The Web Application:20
4.1.1. Web application For Blindness Users:
4.1.2. Web application for low vision Users:
4.1. The Web Browsers:
4. 1. Browser using via speech of the disabled25 4.1.2. Open Home page:
4.1.3. Go to website address:
4.1.5. Open browser links:28
4.1.6. Browser language Change (speech/ interface) to Arabic:
4.1.7. Open browser help:
4.1.8. Close Browser:
32 4.2. Browser using via hearing to audio buttons
4.2.2. Go to website address:
4. 3. Open Back page:
4.4 Open browser link:
5. Results and Discussions:
5.1. Results:
5.2. Discussions:
41 Reference43
Appendices44
Interview quainter45
mmmmmm 13

List of Table

Table 2.1: Feasibility	
Study	10
Table2.2: Feasibility	
Study	13

List of Figures

Figure 1.1: Scope of the	
	2
Figure 1.2: (Source: ISO 1991)	
4	
Figure 2.1 : <u>NVDA</u> (Windows)	
6	
Figure 2.2 : <u>Serotek System</u>	
	7
Figure	
2.4 : <u>ORCA</u>	8
Figure	
2.5 : <u>Emacspeak</u>	8
Figure	
2.6 : <u>ChromeVox</u>	9
Figure 2.7 : <u>Web</u>	
Anywhere	9
Figure 2.8	
5	11
Figure 2.9	
ChromeVis	11
Figure 2.10 <u>Spoken</u>	
-	12
 Figure 3.1 Speech	
mechanism	14
Figure 3.2 Speech	
	15
Figure 3.3 Speech	16
Recognition	16 Figure 4.1 UML use case
diagram	24
_	
rigule 4.1 open browser	25
	Figure 4.2 open Home
nago	·
page	26 Figure 4.3 Go to website
addross	rigure 4.5 Go to website
address	
222	Figure 4.4 Refresh website
page	
limb.	Figure 4.5 Open browser
IINK	Eigure 4.6 Janguage Change (speech interface) to
	Figure 4.6 language Change (speech/ interface) to
	Arabic30

Figure 4.7 open browser help&	
31	FAQ
Figure 4.8 writing websites in address	
33	bar
Figure 4.9 Go to website	
34	address
Figure 4.10 open Back	
35	pages
Figure 4.11 Open browser	
36	links