

List of Symbols

<i>Symbol</i>		<i>Page</i>
<i>max</i>	maximum	1
H_2	Hilbert space	2
<i>inf</i>	infimum	2
<i>min</i>	minimum	4
<i>dist</i>	distant	8
<i>Sup</i>	Supremum	10
L^2	Hilbert space	11
<i>Im</i>	Imaginary	11
\oplus	Direct orthogonality	11
H_σ^q	Hilbert spaces	12
<i>Ric</i>	Ricci	13
\otimes	tensor product	13
<i>dim</i>	dimension	14
<i>Dom</i>	Domain	14
<i>Ker</i>	Kernel	14
<i>Sgn</i>	Sginature	19
ℓ^2	Hilbert space	38
<i>RKHS</i>	Reproducing Kernel Hilbert Space	40
<i>Supp</i>	Support	45
Lip_α	Lipschitz	49
<i>a.e</i>	almost everywhere	49
H^2	Hardy space	49
$\mathcal{H}^\infty(\mathbb{D})$	The algebra of bounded analytic functions	49
$AB_{p,q}^s$	Besov algebras	50
<i>co</i>	convex hull	50
L^1	Lebesgue space on the real line	58
<i>det</i>	determinant	91
<i>WSK</i>	Whittaker- Shannon Kotel'nikor	126
<i>Ran</i>	Range	127
<i>Sym</i>	symmetric	128
<i>Sp</i>	spectrum	128
<i>Loc</i>	locally	149
<i>arg</i>	argument	150
\ominus	Direct different	155
<i>tr</i>	trace	176

References

- [1] Alexandru Aleman, R. T. W. Martin, And William T. Ross On A Theorem Of Livsic Sep2012
- [2] M. Abramowitz and I. A. Stegun, Handbook of mathematical functions with formulas, graphs, and mathematical tables, National Bureau of Standards Applied Mathematics Series, vol. 55, For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 1964.
- [3] P. R. Ahern and D. N. Clark, Radial limits and invariant subspaces, Amer. J. Math. 92 (1970), 332–342.
- [4] N. I. Akhiezer and I. M. Glazman, Theory of linear operators in Hilbert space. Vol. II, Translated from the Russian by Merlynd Nestell, Frederick Ungar Publishing Co., New York, 1963.
- [5] A. Aleman, N. Feldman, and W. T. Ross, The Hardy space of a slit domain, Frontiers in Mathematics, Birkhauser, Basel, 2009.
- [6] S. K. Berberian, Notes on spectral theory, Van Nostrand Mathematical Studies, No. 5, D. Van Nostrand Co., Inc., Princeton, N.J.-Toronto, Ont.-London, 1966.
- [7] J. A. Cima and W. T. Ross, The backward shift on the Hardy space, Mathematical Surveys and Monographs, vol. 79, American Mathematical Society, Providence, RI, 2000.
- [8] Joseph A. Cima, Alec L. Matheson, and William T. Ross, The Cauchy transform, Mathematical Surveys and Monographs, vol. 125, American Mathematical Society, Providence, RI, 2006.
- [9] C. Cowen, On equivalence of Toeplitz operators, J. Operator Theory 7 (1982), no. 1, 167–172.
- [10] M. J. Cowen and R. G. Douglas, Complex geometry and operator theory, Acta Math. 141 (1978), no. 3-4, 187–261.
- [11] L. de Branges, Perturbations of self-adjoint transformations, Amer. J. Math. 84 (1962), 543–560.
- [12] , Hilbert spaces of entire functions, Prentice-Hall Inc., Englewood Cliffs, N.J., 1968.
- [13] P. L. Duren, Theory of Hp spaces, Academic Press, New York, 1970.
- [14] S. Elliott, A matrix-valued Aleksandrov disintegration theorem, Complex Anal. Oper. Theory 4 (2010), no. 2, 145–157.
- [15] John B. Garnett, Bounded analytic functions, first ed., Graduate Texts in Mathematics, vol. 236, Springer, New York, 2007. MR 2261424 (2007e:30049)
- [16] F. Gesztesy, N. Kalton, K. A. Makarov, and E. Tsekanovskii, Some applications of operator-valued Herglotz functions, Operator theory, system theory and related

- topics (Beer- Sheva/Rehovot, 1997), Oper. Theory Adv. Appl., vol. 123, Birkhäuser, Basel, 2001, pp. 271– 321.
- [17] F. Gesztesy and E. Tsekanovskii, On matrix-valued Herglotz functions, Math. Nachr. 218 (2000), 61–138.
- [18] R. C. Gilbert, Simplicity of linear ordinary differential operators, J. Differ. Equations 11 (1972), 672–681.
- [19], Simplicity of differential operators on an infinite interval, J. Differ. Equations 14 (1973), 1–8.
- [20] M. L. Gorbachuk and V. I. Gorbachuk, M. G. Krein’s lectures on entire operators, Operator Theory: Advances and Applications, vol. 97, Birkhäuser Verlag, Basel, 1997.
- [21] H. Helson, Large analytic functions, Linear operators in function spaces (Timișoara, 1988), Oper. Theory Adv. Appl., vol. 43, Birkhäuser, Basel, 1990, pp. 209–216.
- [22] , Large analytic functions. II, Analysis and partial differential equations, Lecture Notes in Pure and Appl. Math., vol. 122, Dekker, New York, 1990, pp. 217–220.
- [23] H. Helson and D. Lowdenslager, Prediction theory and Fourier series in several variables, (1958).
- [24] E. Hille, Ordinary differential equations in the complex domain, American Mathematical Society, Providence, RI, 1976. 40 A. ALEMAN, R. T. W. MARTIN, AND W.T. ROSS
- [25] M. Krein, On Hermitian operators whose deficiency indices are 1, C. R. (Doklady) Acad. Sci. URSS (N.S.) 43 (1944), 323–326.
- [26] , On Hermitian operators with deficiency indices equal to one. II, C. R. (Doklady) Acad. Sci. URSS (N. S.) 44 (1944), 131–134.
- [27] M. G. Krein, The fundamental propositions of the theory of representations of Hermitian operators with deficiency index (m,m), Ukrain. Mat. Zurnal 1 (1949), no. 2, 3–66.
- [28] H. Langer and B. Textorius, On generalized resolvents and Q-functions of symmetric linear relations (subspaces) in Hilbert space, Pacific J. Math. 72 (1977), no. 1, 135–165.
- [29] M. S. Livšic, Isometric operators with equal deficiency indices, quasi-unitary operators, Amer. Math. Soc. Transl. (2) 13 (1960), 85–103.
- [30] , On a class of linear operators in Hilbert space, Amer. Math. Soc. Transl. (2) 13 (1960), 61–83.
- [31] N. Makarov and A. Poltoratski, Meromorphic inner functions, Toeplitz kernels and the uncertainty principle, Perspectives in analysis, Math. Phys. Stud., vol. 27, Springer, Berlin, 2005, pp. 185–252.

- [32] R. T. W. Martin, Representation of simple symmetric operators with deficiency indices (1, 1) in de Branges space, *Complex Anal. Oper. Theory* 5 (2011), no. 2, 545–577.
- [33] , Unitary perturbations of compressed n-dimensional shifts, *Compl. Anal. Oper. Theory*. In press: <http://arxiv.org/abs/1107.3439> (2012).
- [34] M.A. Naimark, Linear differential operators Vol. II, Frederick Ungar Publishing Co., New York, 1969.
- [35] N. K. Nikolski, Operators, functions, and systems: an easy reading. Vol. 1, Mathematical Surveys and Monographs, vol. 92, American Mathematical Society, Providence, RI, 2002, Hardy, Hankel, and Toeplitz, Translated from the French by Andreas Hartmann. MR 1864396 (2003i:47001a)
- [36] , Operators, functions, and systems: an easy reading. Vol. 2, Mathematical Surveys and Monographs, vol. 93, American Mathematical Society, Providence, RI, 2002, Model operators and systems, Translated from the French by Andreas Hartmann and revised by the author.
- [37], Treatise on the shift operator, Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], vol. 273, Springer-Verlag, Berlin, 1986, Spectral function theory, With an appendix by S. V. Hruščev [S. V. Khrushchëv] and V. V. Peller, Translated from the Russian by Jaak Peetre.
- [38] V. Paulsen, An introduction to the theory of reproducing kernel Hilbert spaces, www.math.uh.edu/~vern/rkhs.pdf, 2009.
- [39] A. Poltoratski, Boundary behavior of pseudocontinuable functions, *Algebra i Analiz* 5 (1993), no. 2, 189–210.
- [40] C. Remling, Schrödinger operators and de Branges spaces, *J. Funct. Anal.* 196 (2002), 323–394.
- [41] W. T. Ross and H. S. Shapiro, Generalized analytic continuation, University Lecture Series, vol. 25, American Mathematical Society, Providence, RI, 2002.
- [42] D. Sarason, Sub-Hardy Hilbert spaces in the unit disk, John Wiley & Sons Inc., New York, NY, 1994.
- [43] D. Sarason, Unbounded Toeplitz operators, *Integral Equations Operator Theory* 61 (2008), no. 2, 281–298.
- [44] K. Stephenson, Analytic functions of finite valence, with applications to Toeplitz operators, *Michigan Math. J.* 32 (1985), no. 1, 5–19.
- [45] G. N. Watson, A treatise on the theory of Bessel functions, Cambridge Mathematical Library, Cambridge University Press, Cambridge, 1995, Reprint of the second (1944) edition.
- [46] Silva, L.O., Toloza, J.H.: Applications of Krein's theory of regular symmetric operators to sampling theory. *J. Phys. A* **40**, 9413–9426 (2007)
- [47] Akhiezer N I 1965 The Classical Moment Problem and Some Related Questions in Analysis (New York: Hafner)

- [48] Akhiezer N I and Glazman I M 1993 Theory of Linear Operators in Hilbert Space (New York: Dover)
- [49] Annaby M H 2003 On sampling theory associated with the resolvents of singular Sturm–Liouville problems Proc. Amer. Math. Soc. 131 1803–12
- [50] Boumenir A and Zayed A I 2002 Sampling with a string J. Fourier Anal. Appl. 8 211–31
- [51] de Branges L 1968 Hilbert Spaces of Entire Functions (Englewood Cliffs, NJ: Prentice-Hall)
- [52] de Branges L 1959 Some Hilbert spaces of entire functions Proc. Amer. Math. Soc. 10 840–6
- [53] Garc’ia A G and Hern’andez-Medina M A 2001 The discrete Kramer sampling theorem and indeterminate moment problems J. Comput. Appl. Math. 134 13–22
- [54] Garc’ia AG and Hern’andez-Medina MA 2003 Discrete Sturm–Liouville problems, Jacobi matrices and Lagrange interpolation series J. Math. Anal. Appl. 280 221–31
- [55] Garc’ia A G and Hern’andez-Medina M A 2005 Sampling theory associated with a symmetric operator with compact resolvent and de Branges spaces Mediterr. J. Math. 2 345–56
- [56] Garc’ia A G and Littlejohn L L 2004 On analytic sampling theory J. Comput. Appl. Math. 171 235–46
- [57] Garc’ia A G 2000 Orthogonal sampling formulas: a unified approach SIAM Rev. 42 499–512
- [58] Gorbachuk M L and Gorbachuk V I 1997 M G Krein’s Lectures on Entire Operators (Operator Theory: Advances and Applications) vol 97 (Basel: Birkhauser)
- [59] Kaltenbäck M and Woracek H 1999 Pontryagin spaces of entire functions I Integr. Equ. Oper. Theory 33 34–97
- [60] Kempf A 2004 Fields with finite information density Phys. Rev. D 69 124014
- [61] Kempf A 2004 Covariant information-density cutoff in curved space-time Phys. Rev. Lett. 92 221301
- [62] Kempf A 1999 On the three short-distance structures which can be described by linear operators Rep. Math. Phys. 43 171–7
- [63] Kotel’nikov V A 1933 On the carrying capacity of the ‘ether’ and wire in telecommunications All-Union Conference on Questions of Communications (Izd. Red. Upr. Svyazi RKKA, Moscow) (in Russian)
- [64] Kramer H P 1959 A generalized sampling theorem J. Math. Phys. 38 68–72
- [65] Krein M G 1944 On Hermitian operators with defect numbers one Dokl. Akad. Nauk SSSR 43 339–42 (in Russian)
- [66] Krein M G 1944 On Hermitian operators with defect numbers one: II Dokl. Akad. Nauk SSSR 44 143–6 (in Russian)
- [67] Krein MG 1944 On one remarkable class of Hermitian operators Dokl. Akad. Nauk SSSR 44 191–5 (in Russian)

- [68] Krein M G 1949 Fundamental aspects of the representation theory of Hermitian operators with deficiency indices (m,m) Ukr. Mat. Zh. 23–66 (in Russian)
- [69] Landau H J 1967 Sampling, data transmission, and the Nyquist rate Proc. IEEE 55 1701–6
- [70] Marks R J II 1991 Introduction to Shannon Sampling and Interpolation Theory (New York: Springer)
- [71] Shannon C E 1949 Communication in the presence of noise Proc. IRE 37 10–21
- [72] Simon B 1998 The classical moment problem as a self-adjoint finite difference operator Adv. Math. 137 82–203
- [73] Whittaker J M 1929 The ‘Fourier’ theory of the cardinal function Proc. Edinburgh. Math. Soc. 1 169–76
- [74] Zayed A I 1993 A new role of Green’s function in interpolation and sampling theory J. Math. Anal. Appl. 175 222–38
- [75] Zayed A I, Hinsen G and Butzer P L 1990 On Lagrange interpolation and Kramer-type sampling theorems associated with Sturm–Liouville problems SIAM J. Appl. Math. 50 893–909
- [76] K. D. Elworthy and Y. Yang[†] The vanishing of L^2 harmonic one-forms on based path spaces April 11, 2013
- [77] S. Aida, Vanishing of one-dimensional L^2 -cohomologies of loop groups, Journal of Functional Analysis (2011).27
- [78] A.B. Cruzeiro and S. Fang, An L^2 Estimate for Riemannian Anticipative Stochastic Integrals, Journal of Functional Analysis 143 (1997), no. 2, 400–414.
- [79] , A Weitzenböck formula for the damped Ornstein-Uhlenbeck operator in adapted differential geometry: Une formule de Weitzenböck pour l’opérateur d’Ornstein-Uhlenbeck amorti en géométrie différentielle adaptée, Comptes Rendus de l’Académie des Sciences- Series I-Mathematics 332 (2001), no. 5, 447–452.
- [80] , Weak Levi-Civita connection for the damped metric on the Riemannian path space and vanishing of Ricci tensor in adapted differential geometry, Journal of Functional Analysis 185 (2001), no. 2, 681–698.
- [81] A.B. Cruzeiro and P. Malliavin, Renormalized Differential Geometry on Path Space: Structural Equation, Curvature, Journal of Functional Analysis 139 (1996), no. 1, 119–181.
- [82] H. Donnelly, The differential form spectrum of hyperbolic space, Manuscripta Mathematica 33 (1981), no. 3, 365–385.
- [83] B.K. Driver, The lie bracket of adapted vector fields on wiener spaces, Applied mathematics & optimization 39 (1999), no. 2, 179–210.

- [84] J. Eells Jr, On the geometry of function spaces, *Symposium Internacional de Topología Algebraica*, Universidad Nacional Autónoma de México y la UNESCO, 1958, p. 303.
- [85] K. Elworthy and M. Yor, Conditional expectations for derivatives of certain stochastic flows, *Séminaire de Probabilités XXVII* (1993), 159–172.
- [86] K.D. Elworthy, Stochastic flows and geometric analysis on path spaces, *Probabilistic Approach to Geometry. Advanced Studies in Pure Mathematics (ASPM)*, vol. 57, 2010, pp. 61–78.
- [87] K.D. Elworthy, Y. Le Jan, and X.M. Li, On the geometry of diffusion operators and stochastic flows, *Lecture notes in mathematics* (1999).
- [88] K.D. Elworthy and X.M. Li, Special Itô maps and an L^2 Hodge theory for one forms on path spaces, *Stochastic processes, physics, and geometry: new interplays*, 2000, pp. 145–162.
- [89] , Geometric stochastic analysis on path spaces, *Proceedings of the International Congress of Mathematicians: Madrid, August 22-30, 2006: invited lectures*, 2006, pp. 575–594.
- [90] , Itô maps and analysis on path spaces, *Mathematische Zeitschrift* 257 (2007), no. 3, 643–706.28
- [91] , An L^2 theory for differential forms on path spaces I, *Journal of Functional Analysis* 254 (2008), no. 1, 196–245.
- [92] , An L^2 theory for differential forms on path spaces II, In preparation.
- [93] S. Fang, Inégalité du type de Poincaré sur l'espace des chemins riemanniens, *Comptes rendus de l'Académie des sciences. Série 1, Mathématique* 318 (1994), no. 3, 257–260.
- [94] S. Fang and J. Franchi, A differentiable isomorphism between Wiener space and path group, *Séminaire de Probabilités XXXI* (1997), 54–61.
- [95] , De Rham-Hodge-Kodaira Operator on Loop Groups, *Journal of Functional Analysis* 148 (1997), no. 2, 391–407.
- [96] L. Gross, Potential theory on Hilbert space, *Journal of Functional Analysis* 1 (1967), no. 2, 123–181.
- [97] S. Kobayashi and K. Nomizu, Foundations of differential geometry, Interscience, 1969.
- [98] S. Kusuoka, de Rham cohomology of Wiener-Riemannian manifolds, *Proceedings of the International Congress of Mathematicians, August 21-29, 1990, Kyoto, Japan*, Springer Verlag, 1991, p. 1075.
- [99] S. Lang, *Introduction to differentiable manifolds*, Springer Verlag, 2002.
- [100] R. Léandre, Cohomologie de bismut-nualart-pardoux et cohomologie de hochschild entière, *Séminaire de Probabilités XXX* (1996), 68–99.

- [101] , Analysis on loop spaces and topology, Mathematical Notes 72 (2002), no. 1, 212–229.
- [102] D. Nualart, The Malliavin Calculus and Related Topics, Springer-Verlag Berlin/Heidelberg, 2006.
- [103] D. Nualart and E. Pardoux, Stochastic calculus with anticipating integrands, Probability Theory and Related Fields 78 (1988), no. 4, 535–581.
- [104] I. Shigekawa, Vanishing theorem of the Hodge-Kodaira operator for differential forms on a convex domain of the Wiener space, Infin. Dimens. Anal. Quantum Probab. Relat. Top 6 (2003), 53–63.
- [105] A.S. Üstünel and M. Zakai, Random rotations of the Wiener path, Probability Theory and Related Fields 103 (1995), no. 3, 409–429.
- [106] , The construction of filtrations on abstract Wiener space, Journal of Functional Analysis 143 (1997), no. 1, 10–32.29
- [107] L.M. Wu, Un traitement unifié de la représentation des fonctionnelles de Wiener, Séminaire de Probabilités 24 (1990), 166–187.
- [108] Y. Yang, Generalisations and applications of the Clark-Ocone formula, PhD Thesis, University of Warwick, 2011.
- [109] , Generalised Clark-Ocone formulae for differential forms, Preprint arXiv:1111.1194 (2011).
- [110] S. Zucker, Hodge theory with degenerating coefficients: L^2 cohomology in the Poincaré metric, Annals of Mathematics 109 (1979), no. 3, 415–476.30
- [111] M. Capitaine, E.P. Hsu, and M. Ledoux, Martingale representation and a simple proof of logarithmic Sobolev inequalities on path spaces, Elec-tron. Comm. Probab 2 (1997), 71–81.
- [112] J.M.C. Clark, The representation of functionals of Brownian motion by stochastic integrals, The Annals of Mathematical Statistics (1970), 1282–1295.17
- [113] H. Donnelly, The differential form spectrum of hyperbolic space, Manuscripta Mathematica 33 (1981), no. 3, 365–385.
- [114] K.D. Elworthy and X.M. Li, Itô maps and analysis on path spaces, Mathematische Zeitschrift 257 (2007), no. 3, 643–706.
- [115] , An L^2 theory for differential forms on path spaces I, Journal of Functional Analysis 254 (2008), no. 1, 196–245.
- [116] K.D. Elworthy and Y. Yang, The vanishing of L^2 harmonic one-forms on based path spaces, 2011.
- [117] S. Fang, Inégalité du type de Poincaré sur l'espace des chemins riemanniens, Comptes rendus de l'Académie des sciences. Série 1, Mathématique 318 (1994), no. 3, 257–260.
- [118] S. Fang and J. Franchi, A differentiable isomorphism between Wiener space and path group, Séminaire de Probabilités XXXI (1997), 54–61.

- [119] L. Gross, Abstract Wiener spaces, Proc. Fifth Berkeley Symposium on Mathematics Statistics and Probability, 1965, pp. 31–42.
- [120] , Potential theory on Hilbert space, Journal of Functional Analysis 1 (1967), no. 2, 123–181.
- [121] , Logarithmic sobolev inequalities, American Journal of Mathematics 97 (1975), no. 4, 1061–1083.
- [122] , Logarithmic Sobolev inequalities on loop groups, Journal of functional analysis 102 (1991), no. 2, 268–313.
- [123] D. Nualart, The Malliavin Calculus and Related Topics, Springer-Verlag Berlin/Heidelberg, 2006.
- [124] D. Nualart and E. Pardoux, Stochastic calculus with anticipating integrands, Probability Theory and Related Fields 78 (1988), no. 4, 535–581.
- [125] D. Ocone, Malliavin’s calculus and stochastic integral representations of functionals of diffusion processes, Stochastics An International Journal of Probability and Stochastic Processes 12 (1984), no. 3, 161–185.
- [126] I. Shigekawa, De Rham-Hodge-Kodaira’s decomposition on an abstract Wiener space, J. Math. Kyoto Univ 26 (1986), no. 2, 191–202.18
- [127] L.M. Wu, Un traitement unifié de la représentation des fonctionnelles de Wiener, Séminaire de Probabilités 24 (1990), 166–187.
- [128] Y. Yang, Itô-Wiener chaos and the Hodge decomposition on an abstract Wiener space, 2011.
- [129] Brahim Bouya ,Closed ideals in analytic weighted Lipschitz algebras , Advances in Mathematics 219 (2008) 1446–1468
- [130] B. Bouya, Closed ideals in some algebras of analytic functions, Canad. J. Math., in press.
- [131] K. Hoffman, Banach Spaces of Analytic Functions, Dover Publications Inc., New York, 1988, reprint of the 1962 original.
- [132] B.I. Korenblum, Invariant subspaces of the shift operator in a weighted Hilbert space, Mat. Sb. 89 (131) (1972) 110–138.
- [133] A. Matheson, Cyclic vectors for invariant subspaces in some classes of analytic functions, Illinois J. Math. 36 (1)(1992) 136–144.
- [134] F.A. Shamoyan, Closed ideals in algebras of functions that are analytic in the disk and smooth up to its boundary, Mat. Sb. 79 (2) (1994) 425–445.
- [135] N.A. Shirokov, Closed ideals of algebras of B_{pq}^α -type, Izv. Akad. Nauk SSSR Mat. 46 (6) (1982) 1316–1333 (in Russian).
- [136] N.A. Shirokov, Analytic Functions Smooth up to the Boundary, Lecture Notes in Math., vol. 1312, Springer-Verlag,Berlin, 1988.

- [137] P.M. Tamrazov, Contour and solid structural properties of holomorphic functions of a complex variable, *Uspekhi Mat. Nauk* 28 (1 (169)) (1973) 131–161 (in Russian).
- [138] B. Bouya, Id'eaux ferm'es de certaines alg`ebres de fonctions analytiques, *C. R. Math. Acad. Sci. Paris* 343 (2006), no. 4, 235–238.
- [139] L. Carleson, A representation formula in the Dirichlet space, *Math. Z.* 73 (1960), 190–196.
- [140] P. L. Duren, *Theory of Hp spaces*, Academic Press, New York, 1970.
- [141] O. El-Fallah, K. Kellay, T. Ransford, Cyclicity in the Dirichlet space, *Ark. Mat.* 44 (1) (2006), 61–86.
- [142] J. Esterle, E. Strouse, F. Zouakia, Closed ideal of A^+ and the Cantor set, *J. reine angew. Math.* 449 (1994), 65–79.
- [143] H. Hedenmalm, A. Shields, Invariant subspaces in Banach spaces of analytic functions, *Mich. Math. J.* 37 (1990), 91–104.
- [144] K. Hoffman, *Banach spaces of analytic functions*, Dover Publications Inc., New York, 1988, Reprint of the 1962 original.
- [145] B. I. Korenblum, Invariant subspaces of the shift operator in a weighted Hilbert space, *Mat. Sb.* 89(131)(1972), 110–138.
- [146] A. Matheson, Approximation of analytic functions satisfying a Lipschitz condition, *Mich. Math. J.* 25 (1978), no. 3, 289–298.
- [147] W. Rudin, *Real and complex analysis*, second ed., McGraw-Hill Series in Higher Mathematics, McGraw-Hill Book Co., New York, 1974.
- [148] F. A. Shamoyan, Closed ideals in algebras of functions that are analytic in the disk and smooth up to its boundary, *Mat. Sb.* 79 (1994), no. 2, 425–445. Closed Ideals In Some Algebras Of Analytic Functions 19
- [149] N. A. Shirokov, *Analytic functions smooth up to the boundary*, Lecture Notes in Mathematics, 1312. Springer-Verlag, Berlin, 1988.
- [150] N. A. Shirokov, Closed ideals of algebras of B_{pq} -type, (Russian) *Izv. Akad. Nauk. SSSR, Mat.* 46 (1982), no. 6, 1316–1333.
- [151] B. A. Taylor, D.L. Williams, Ideals in rings of analytic functions with smooth boundary values, *Can. J. Math.* 22 (1970), 1266–1283.
- [152] A. G. Garcia And L. L. Littlejohn, On Analytic Sampling Theory, 1991 Mathematics Subject Classification. Primary 44A05, 46E22; Secondary 94A20.
- [153] N.I. Akhiezer, *The Classical Moment Problem*, Hafner, New York, 1965.
- [154] G. Bachman, L. Narici, E. Beckenstein, *Fourier and Wavelet Analysis*, Springer, New York, 2000.
- [155] W.N. Everitt, W.K. Hayman, G. Nasri-Roudsari, On the representation of holomorphic functions by integrals, *Appl. Anal.* 65 (1997) 95–102.
- [156] W.N. Everitt, G. Nasri-Roudsari, Interpolation and sampling theories, and linear ordinary boundary value problems, in: J.R. Higgins, R.L. Stens (Eds.),

- Sampling Theory in Fourier and Signal Analysis: Advanced Topics Oxford University Press, Oxford, 1999 (Chapter 5).
- [157] W.N. Everitt, G. Nasri-Roudsari, J. Rehberg, A note on the analytic form of the Kramer sampling theorem, *Results Math.* 34 (3–4) (1988) 310–319.
- [158] A.G. García, Orthogonal sampling formulas: a unified approach, *SIAM Rev.* 42 (2000) 499–512.
- [159] A.G. García, M.A. Hernández-Medina, The discrete Kramer sampling theorem and indeterminate moment problems, *J. Comp. Appl. Math.* 134 (2001) 13–22.246A.G. García, L.L. Littlejohn/Journal of Computational and Applied Mathematics 171 (2004) 235–246
- [160] A.G. García, M.A. Hernández-Medina, M.J. Muñoz-Bouzo, On the analytic form of the discrete Kramer sampling theorem, *Int. J. Math. Math. Sci.* 25 (11) (2001) 709–715.
- [161] A.G. García, A. Portal, Sampling in the functional Hilbert space induced by a Hilbert space valued kernel, *Appl. Anal.* 2003, to appear.
- [162] J.R. Higgins, Sampling Theory in Fourier and Signal Analysis: Foundations, Oxford University Press, Oxford, 1996.
- [163] M.E.H. Ismail, D.R. Masson, q-Hermite polynomials, biorthogonal rational functions, and q-beta integrals, *Trans. Amer. Math. Soc.* 346 (1994) 63–116.
- [164] H.P. Kramer, A generalized sampling theorem, *J. Math. Phys.* 63 (1957) 68–72.
- [165] S. Saitoh, Integral Transforms, Reproducing Kernels and Their Applications, Longman, Essex, England, 1997.
- [166] A.E. Taylor, D.C. Lay, Introduction to Functional Analysis, Wiley, New York, 1980.
- [167] R.M. Young, An Introduction to Nonharmonic Fourier Series, Academic Press, New York, 1980.
- [168] A.I. Zayed, Advances in Shannon's Sampling Theory, CRC Press, Boca Raton, 1993
- [169] AHMED I. AYED, Sampling in A Hilbert Space (Communicated by J. Marshall Ash) *Proceedings of the American Mathematical Society.* Volume 124, Number 12, December 1996, Page 3767-3776, S 0002-9939(96)03526-5
- [170] J. Benedetto, Frame decompositions, sampling and uncertainty principle inequalities, *Wavelets: Mathematics and Applications*, Editors, J. Benedetto and M. Frazier, CRC Press, Boca Raton, FL (1994), pp. 247{304. MR 94i:94005
- [171] , Irregular sampling and frames, *Wavelet-A Tutorial*, Editor C. Chui, Academic Press (1991), pp. 1{63. MR 93c:42030
- [172] J. Benedetto and W. Heller, Irregular sampling and the theory of frames I, *Note di Matematica*, Vol. X, Suppl. 1 (1990), pp. 103{125. MR 94e:94006
- [173] F. Beutler, Error-free recovery of signals from irregularly spaced samples, *SIAM Rev.* 8 (1966), pp. 328{335. MR 34:5568

- [174] , Sampling theorems and bases in a Hilbert space, *Information and Control*, 4 (1961), pp. 97–117. MR 26:4832
- [175] R. Boas, *Entire Functions*, Academic Press, New York (1954). MR 16:914f
- [176] C. Heil and D. Walnut, Continuous and discrete wavelet transforms, *SIAM Rev.*, Vol. 31 (1989), pp. 628–666. MR 91c:42032
- [177] H. Kramer, A generalized sampling theorem, *J. Math. Phys.*, 63 (1959/60), pp. 68–72. MR 21:2550
- [178] N. Levinson, Gap and Density Theorem, *Amer. Math. Soc. Colloq. Publs., Ser.*, Vol. 26, Amer. Math. Soc., Providence, RI (1940). MR 2:180d
- [179] J. Mikusinski, *The Bochner integral*, Birkhäuser, Basel (1978). MR 58:11296
- [180] R. Paley and N. Wiener, Fourier transforms in the complex domain, *Amer. Math. Soc. Colloq. Publs., Ser.*, Vol. 19, Amer. Math. Soc., Providence, RI (1934). MR 31:5038
- [181] C. E. Shannon, A mathematical theory of communication, *Bell System Tech. Report Journal*, Vol. 27 (1948), pp. 379–423. MR 10:133e
- [182] K. Yao, Applications of reproducing kernel Hilbert space of band-limited signal models, *Information and Control*, Vol. 11 (1967), pp. 429–444.
- [183] A. I. Zayed, *Advances in Shannon's sampling theory*, CRC Press, Boca Raton, FL (1993). MR 95f:94008
- [184] , A new role of Green's function in interpolation and sampling theory, *J. Math. Anal. Appl.*, 175 (1993), pp. 272–238. MR 94d:41001
- [185] T. Kazumi and I. Shigekawa, Differential calculus on a submanifold of an abstract Wiener space, I. Covariant derivative, in “Stochastic analysis on infinite dimensional spaces,” ed. by H. Kunita and H.-H. Kuo, pp. 117–140, Longman, Harlow, 1994.
- [186] T. Kazumi and I. Shigekawa, Differential calculus on a submanifold of an abstract Wiener space, II. Weitzenböck formula, in “Dirichlet forms and stochastic processes,” Proceedings of the International Conference held in Beijing, China, October 25–31, 1993, ed. by Z. M. Ma, M. Röckner and J. A. Yan, pp. 235–251, Walter de Gruyter, Berlin-New York, 1995.
- [187] D. B. Ray and I. M. Singer, R -torsion and the Laplacian on Riemannian manifolds, *Adv. in Math.*, 7 (1971), 145–210.
- [188] R. C. Reilly, Applications of the Hessian operator in a Riemannian manifold, *Indiana Univ. Math. J.*, 26 (1977), 459–472.
- [189] I. Shigekawa, De Rham-Hodge-Kodaira's decomposition on an abstract Wiener space, *J. Math. Kyoto Univ.*, 26 (1986), 191–202.12
- [190] I. Shigekawa, Semigroup domination on a Riemannian manifold with boundary, *Acta Applicandae Math.*, 63 (2000), 385–410.

- [191] G. Schwarz, “Hodge-decomposition—a method for solving boundary value problems,” Lecture Notes in Math., vol. 1607, Springer-Verlag,Berlin-Heidelberg-New York, 1995.
- [192] C.-Y. Xia, The first nonzero eigenvalue for manifolds with Ricci curvature having positive lower bound, in “Chinese mathematics into the 21st century,” ed. W.-T. Wu and M.-D. Cheng, pp. 243–249, Peking Univ. Press, Beijing, 1991.
- [193] K. D. Elworthy and Xue-Mei Li. Hodge de Rham decomposition for an L^2 space of differential 2-forms on path spaces.
- [194] K. D. Elworthy and Xue-Mei Li. Special \hat{I}^o maps and an L^2 Hodge theory for one forms on path spaces. Canadian Math. Soc. Con. Proc., 28:145–162, 2000.
- [195] K. D. Elworthy and Xue-Mei Li. An L^2 theory for 2-forms on path spaces. In preparation (preprint available soon).
- [196] R. Léandre. Cohomologie de Bismut-Nualart-Pardoux et cohomologie de Hochschild entière. In Séminaire de Probabilités, XXX, Lecture Notes in Mathematics 1626, pages 68–99. Springer, 1996.
- [197] R. Léandre. Stochastic cohomology of Chen-Souriau and line bundle over the Brownian Bridge. To appear in Prob. Theory Relat. Fields.
- [198] I. Shigekawa. De Rham-Hodge-Kodaira’s decomposition on an abstract Wiener space. J. Math. Kyoto Univ., 26(2):191–202, 1986.
- [199] S. Z. Fang and J. Franchi. A differentiable isomorphism between Wiener space and path group. In Séminaire de Probabilités, XXXI, Lecture Notes in Mathematics 1655, pages 54–61. Springer, 1997.
- [200] A. Arai and I. Mitoma. de Rham-Hodge-Kodaira decomposition in 1 dimensions. Math. Ann., 291(1):51–73, 1991.
- [201] I. Mitoma. De Rham-Kodaira decomposition and fundamental spaces of Wiener functionals. In Gaussian random fields (Nagoya, 1990), pages 285–297. World Sci. Publishing, 1991.4
- [202] B. K. Driver. The Lie bracket of adapted vector fields on Wiener spaces. Appl. Math. Optim., 39(2):179–210, 1999.
- [203] K. D. Elworthy, Y. LeJan, and Xue-Mei Li. Concerning the geometry of stochastic differential equations and stochastic flows. In ‘New Trends in stochastic Analysis’, Proc. Taniguchi Symposium, Sept. 1994, Charingworth, ed. K. D. Elworthy and S. Kusuoka, I. Shigekawa. World Scientific Press, 1996.
- [204] A. B. Cruzeiro and S. Z. Fang. A Weitzenbock formula for the damped Ornstein- Uhlenbeck operator in adapted differential geometry. Preprint. Presented at the Ac. Sc. Paris (29/01/01).
- [205] J. Esterle, E. Strouse and F. Zouakia, Closed Ideals of The Algebra of Absolutely Convergent Taylor Series. Volume31, Number 1, July 1994

- [206] A. Atzmon, Operators which are annihilated by analytic functions and invariant subspaces, *Acta. Math.* 144 (1980), 27-63.
- [207] C Bennett and J. E. Gilbert, Homogeneous algebras on the circle. I-ideals of analytic functions, *Ann. Inst. Fourier Grenoble* 22 (1972), 1-19.
- [208] L. Carleson, Sets of uniqueness of functions regular in the unit circle, *Acta Math.* 87 (1952), 325-345.
- [209] O. El Fallah, Idéaux fermés de $L'(R+)$, *Math. Scand.* (1) 72 (1993), 120-130.
- [210] J. Esterle, E. Strouse, and F. Zouakia, Theorems of Katznelson-Tzafriri type for contractions, *J. Funct. Anal.* 94 (1990), 273-287.
- [211] Closed ideals of A^+ and the Cantor set, *J. Reine Angew. Math.*, (to appear).
- [212] J. Esterle, Distributions on Kronecker sets, strong forms of uniqueness, and closed ideals of A^+ , *J. Reine Angew. Math.*, (to appear).
- [213] C. C. Graham and O. C. McGehee, Essays in commutative harmonic analysis, Springer-Verlag, Berlin, Heidelberg, and New York, 1979.
- [214] V. P. Gurarii, Spectral synthesis of bounded functions on the half axis, *Funct. Anal. Prilozhen* 4 (1969), 34-48.
- [215] Harmonic analysis in spaces with weight, *Trans. Moscow Math. Soc.* 35 (1979), 21-75.
- [216] H.H. Hedenmalm, A comparison between the closed ideals in \mathcal{L}_ζ and L_ζ , *Math. Scand.* 58 (1986), 275-300.
- [217] J. P. Kahane, Idéaux fermés dans certaines algèbres de fonctions analytiques, *Actes Table Ronde Int. C. N. R. S. Montpellier*, Lecture Notes in Math., vol. 336, Springer-Verlag, Berlin, Heidelberg, and New York, 1973, pp. 5-14.
- [218] Series de Fourier absolument convergentes, *Ergeb. Math. Grenzgeb.* (3), vol. 50, Springer-Verlag, Berlin, Heidelberg, and New York, 1970.
- [219] Y. Katznelson and L. Tzafriri, On power bounded operators, *J. Funct. Anal.* 68 (1986), 313-328.
- [220] R. Kaufman, M-sets and distributions, *Astérisque* 5 (1973), 225-230.
- [221] B. I. Korenblum, Closed ideals in the ring A'' , *Funct. Anal. Appl.* 6 (1972), 203-214.
- [222] A. L. Matheson, Closed ideals in rings of analytic functions satisfying a lipschitz condition, *Lecture Notes in Math.*, vol. 604, Springer-Verlag, Berlin, Heidelberg, and New York, 1976, pp. 67-72.
- [223] B. Nyman, On the one dimensional translation group and semigroup in certain function spaces, Thesis, Uppsala, 1950. Algebrao F Absolutelyc Onvergentt Aylor Series 43
- [224] W. Rudin, The closed ideals in an algebra of analytic functions, *Cañad. J. Math.* 9 (1957), 426-434.
- [225] B. A. Taylor and D. L Williams, Ideals in rings of analytic functions with smooth boundary values, *Cañad. J. Math.* 22 (1970), 1266-1283.

- [226] N. Varopoulos, Sur les ensembles parfaits et les séries trigonométriques, C. R. Acad. Sei. Paris Sér. I. Math. 260 (1965), 3831-3834.
- [227] M. Zarrabi, Contractions à spectre dénombrable et propriétés d'unicité forte des fermés dénombrables du cercle, Ann. Inst. Fourier (1) 43 (1993), 251-263.
- [228] Anne Beurling, On two problems concerning linear transformations in Hilbert space, Acta Math., 81 (1949), 239-255.
- [229] P. Fatou, Séries trigonométriques et séries de Taylor, Acta Math., 30 (1906), 335-400.
- [230] L. H. Loomis, An Introduction to Abstract Harmonic Analysis (New York, 1953).
- [231] N. Lusin and J. Priwaloff, Sur l'unicité et la multiplicité des fonctions analytiques, Ann. Sci. Ec. Norm. Sup., 42 (1925), 143-191.
- [232] Rolf Nevanlinna, Eindeutige analytische Funktionen (Berlin, 1936).
- [233] F. and M. Riesz, Ueber die Randwerte einer analytischen Funktion, Quatrième congrès des math. scand., 1916, 27-44.
- [234] Stanislaw Saks, Theory of the Integral (Warsaw, 1937). University of Rochester
- [235] Shawgy Hussein and Musa Siddig, Closed Ideals In Lipschitz Algebras And Hilbert Harmonic Forms With Livsic Theorem, Ph.D. Thesis, Sudan University of Science and Technology, Sudan (2015).