

## REFERENCES

- Almond, S.W., Bland, W.E. and Ripley, H.E., 1984. "The Effect Of Break Mechanisms On Gelling Agent Residue And Flow Impairment In 20/40 Mesh Sand". In *Annual Technical Meeting*.
- American Petroleum Institute, 2010. "Water Management Associated with Hydraulic Fracturing". *API Guidance Document*, HF2(June).
- Anon, 1998. "Stable breaker-crosslinker-polymer complex and method of use in completion and stimulation". Available at: <http://www.google.com/patents/US5806597> [Accessed August 11, 2015].
- Arthur, J., Langhus, B. and Patel, C., 2005. "Technical Summary of Oil & Gas Produced Water Treatment Technologies". *Tulsa, Oklahoma, USA, ALL ...*, pp.1–53.
- Aqualon, 2007. "Guar and Guar Derivatives Oil and Gas Field Applications". Available at [http://www.ashland.com/Ashland/Static/Documents/AAFI/PRO\\_250-61\\_Guar.pdf](http://www.ashland.com/Ashland/Static/Documents/AAFI/PRO_250-61_Guar.pdf).
- Bankole, K.S. and Blaich, M., 2014. "Applications of Oilfield Produced Formation Water for Fracturing Fluid". , 7(11), pp.2208–2216.
- Bybee, K., 2005. "Oil/Water-Separation Experience From a Large Oil Field". *Journal of Petroleum Technology*, 57(12), pp.41–42.
- Bybee, K., 2011. "Produced-Water-Volume Estimates and Management Practices". *Journal of Petroleum Technology*, 63(03), pp.77–79.
- Department of Energy, U.S., 2004. EPA 816-R-04-003 Appendix A Hydraulic Fracturing White Paper. , (June), p.23.

- E.J. Sullivan, R.S. Bowman, L. Katz, K.K., 2004. "Water treatment technology for oil and gas produced water". *Identifying Technologies to Improve Regional Water Stewardship*, (April), pp.216–225.
- Esmaeili, a & Dehghani, M., 2010. Matrix Acid Stimulation. , (April), pp.26–28.
- Economides, M. J. 2007. "Modern Fracturing Enhancing Natural Gas Production". Houston: Energy Tribune Publishing Inc
- Farajzadeh, R., 2004. "Produced Water Re-Injection ( PWRI ) An Experimental Investigation into Internal Filtration and External Cake Build up". *Civil Engineering*, (August).
- Fluids, H.F., 2004. Chapter 4 Hydraulic Fracturing Fluids. , (June), pp.1–26.
- Fink, J. K. 2003. Oil field chemicals. Amsterdam: Gulf Professional Publ.
- Gandossi, L., 2013. "An overview of hydraulic fracturing and other formation stimulation technologies for shale gas production".
- Georgie, W.J., Sell, D. and Baker, M.J., 2001. "Establishing Best Practicable Environmental Option Practice for Produced Water Management in the Gas and Oil Production Facilities". In *SPE/EPA/DOE Exploration and Production Environmental Conference*.
- Guo, B., Lyons, W. C., and Ghalambor, A. 2007. "Petroleum production engineering: a computer-assisted approach". Amsterdam: Elsevier.
- Guo, B., Sun, K., and Ghalambor, A. 2008. "Well productivity handbook: vertical, fractured, horizontal, multilateral, and intelligent wells". Houston, Tex.: Gulf Publ. Co.
- Harris, P.C., 1993. "Chemistry and Rheology of Borate-Crosslinked Fluids at Temperatures to 300F". *Journal of Petroleum Technology*, 45(03), pp.264–269.
- Harris, P.C. and Heath, S.J., 1997. "Rheological Properties of Low Gel-Loading Borate Frac Gels". In *SPE Annual Technical Conference and Exhibition*.
- Hang, P. et al., 2014. "Heavy metal ions removal from water using modified zeolite". , 6(11), pp.507–514.

- Gandossi, L., 2013. "An overview of hydraulic fracturing and other formation stimulation technologies for shale gas production".
- Georgie, W.J., Sell, D. and Baker, M.J., 2001. "Establishing Best Practicable Environmental Option Practice for Produced Water Management in the Gas and Oil Production Facilities". In *SPE/EPA/DOE Exploration and Production Environmental Conference*.
- Igunnu, E.T. and Chen, G.Z., 2012. "Produced water treatment technologies". *International Journal of Low-Carbon Technologies*, pp.cts049–v2.
- Khatib, Z. and Verbeek, P., 2003. "Water to Value - Produced Water Management for Sustainable Field Development of Mature and Green Fields". *Journal of Petroleum Technology*, 55(01), pp.26–28.
- Kalantari-Dahaghi, A.M., Moghadasi, J. and Gholami, V., 2006. "A New Model to Describe Particle Movement and Deposition in Porous Media". *International Oil Conference and Exhibition in Mexico*.
- Mathis, S.P. and Saucier, R.J., 1997. "Water-Fracturing vs. Frac-Packing: Well Performance Comparison and Completion Type Selection Criteria". In *SPE Annual Technical Conference and Exhibition*.
- Moghadasi, J., 2004. "Formation Damage Due to Scale Formation in Porous Media Resulting From Water Injection". In *SPE International Symposium and Exhibition on Formation Damage Control*.
- Moghadasi, J., 2003. "Scale Formation in Iranian Oil Reservoir and Production Equipment During Water Injection". In *International Symposium on Oilfield Scale*.
- Norman, W.D., Jasinski, R.J, and Nelson, E.B. "Hydraulic Fracturing Process and Compositions". U.S. Patent 5,551,516
- Powell, R.J. and Jasinski., 1999. "Applications of a New, Efficient Hydraulic Fracturing Fluid System". In *Latin American and Caribbean Petroleum Engineering Conference*.
- Riksheim, H. and Johnsen, S., 1994. "Determination of Produced Water Contaminants in the Marine Environment".

- R. S. Jimenez, S. M. D. Bosco, W. A. Carvalho. 2004. "Remoção de metais pesados de efluentes aquosos pela zeólita natural escolecita – Influência da temperatura e do pH na adsorção em sistemas monoelementares". Química Nova, v. 27, p. 734-738.
- Vo, L.K. and JIM., 2014. AADE-14-FTCE-36 "Novel Low-Residue High Brine Fracturing Fluid".
- Veil, J.A. and Clark, C.E., 2010. "Produced Water Volume Estimates and Management Practices".
- V. J. Inglezakis, M. D. Loizidou, H. P. 2002 Grigoropoulou. "Equilibrium and kinetic ion exchange studies of  $Pb^{2+}$ ,  $Cr^{3+}$ ,  $Fe^{3+}$  and  $Cu^{2+}$  on natural clinoptilolite". Water Research, v. 36, p. 2784–2792,.
- Vo, L.K., 2014. AADE-14-FTCE-36 "Novel Low-Residue High Brine Fracturing Fluid". <http://www.onepetro.org/mslib/servlet/onepetropreview?id>.