

References:

- Alçiçek, A., Bozkurt, M. and Çabuk, M., (2004).** The effects of a mixture of herbalessential oil, an organic acid or a probiotic on broiler performance. S. Afr. J. Anim. Sci. 34, 217-222.
- Anonymous (2001).** Health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria joint FAO/WHO.
- Ashayerizadeh A.; N. Dabiri; K. H. Mirzadeh and M. R. Ghorbani (2011).** Effect of dietary supplementation of probiotic and prebiotic on growth indices and serum biochemical parameters of broiler chickens Cell and Animal Biology Vol. 5(8), pp. 152-156,
- Baurhoo, B.; Ferket, P. R.; Zhao, X. (2009).** "Effects of diets containing different concentrations of mannan oligosaccharide or antibiotics on growth performance, intestinal development, cecal and litter microbial populations, and carcass parameters of broilers". Poultry Science 88 (11): 2262–72.
- Baurhoo, B; Phillip, L; Ruiz-Feria, CA (2007).** "Effects of purified lignin and mannan oligosaccharides on intestinal integrity and microbial populations in the ceca and litter of broiler chickens". Poultry science 86 (6): 1070–8.
- Bezkorovaimr, A., (2001).** Probiotics: Determinants of survival and growth in the gut. Am. J. Clin. Nutr., 73(suppl.): 3998-4058.
- Biggs, P.; Parsons, C. M.; Fahey, G. C. (2007).** "The Effects of Several Oligosaccharides on Growth Performance,

Nutrient Digestibilities, and Cecal Microbial Populations in Young Chicks". Poultry Science 86 (11): 2327–36.

Blake, J. P., J. B. Hess, K. S. Macklin, S. F. Bilgili, T. Sefton, and A. Kocher. (2005). Broiler live performance on wheat based feeds supplemented with Mannan Oligosaccharides, Poster presented at Alltechs 22nd International symposium, Lexington,Kentucky.

Bonomi A, Bonomi BM, Quarantelli A, Orlandi A (1999). Organic chromium in the feeding of broiler chickens. Riv. Sci. Aliment. 28:385–397.

Bozkurt, M. Küçükyılmaz, K. Çatlıand A.U. Çınar M. (2009). Effect of dietary mannan oligosaccharide with or without oregano essential oil and hop extract supplementation on the performance and slaughter characteristics of male broilers. South African Journal of Animal Science, 39 (3).

Bozkurt, M., Küçükyılmaz, K., Çatlı, A.U. and Çınar, M., (2005a). Growth performance and carcass yield of broiler chickens given antibiotic, mannan oligosaccharide and dextran oligosaccharide supplemented diets. Nutritional Biotechnology in the Feed and Food Industries.Proc. 21st Annual Symposium.May 22-25,2005 Lexington, Kentucky, USA. (Suppl. 1).pp. 69.

Bozkurt, M., Küçükyılmaz, K., Çatlı, A.U., Çınar, M., (2005b). The effect of dietary supplementation of prebiotic, probiotic and organic acid, either alone or combined, on broiler performance and carcass characteristics. In: Proc. 15th European Symp. Poultry Nutrition. September 25-29, 2005, Balatonfüred, Hungary. pp.288-290.

Brzóska, F., S. Buluchevskij, K. Stecka and B. Śliwiński. (2007). The effects of lactic acid bacteria and manan oligosaccharide, with or without fumaric acid, on chicken performance, slaughter yield and digestive tract microflora. *J. Anim. Feed Sci.* 16:241-251.

Ceylan, N., Çiftçi, İ. & İlhan, Z., (2003). The effects of some alternative feed additives for antibiotic growth promoters on the performance and gut miclora of broiler chicks. *Turkish J. Vet. Anim. Sci.* 27 (3), 727-733.

Clementino Dos Santos, E., A. Soares Teixeira, A. Gilberto Bertechini, R. Tadeu Fonseca De Freitas, P. Borges Rodregues, E. Souza Dias, D.M. Torres, A. Vieira Santos and R.A. Giacometi, (2002). Effect of growth beneficial additives on broiler carcass yield. In: Proc. Braz. Soc. Anim. Prod., p: 5.

Corduk, M., N. Ceylan, N. Dede, and O. Y. Tel. (2008). Effects of novel feed additives on performance, carcass traits and *E. coli*, aerobic bacteria and yeast counts in broilers. *Arch. Geflugelkd.* 72:61–67.

Corrigan, A. and Horgan, K. A. (2010) "The Effects of Mannan oligosaccharide Supplementation on Bacterial Populations in Broiler Caecal Contents Analysed by Automated Ribosomal Intergenic Spacer Analysis (ARISA). XIIIth European Poultry Conference 2010". *World Poultry Science Journal* 66 (Suppl): 417.

Cotter, P. F., A. E. Sefton, and M.S. Lilburn. (2002). Manipulating the immune system of layers and breeders: Novel applications for mannanoligo saccharides. Pages 21–28 in Nutritional Biotechnology in the Feed and food

Industries. T. P. Lyons and K. A. Jacques, ed. Nottingham University Press, Nottingham.

Cotter, P. F., A. Malzone, B. Paluch, M. S. Lilburn, and A. E. Sefton. (2000). Modulation of humoral immunity in commercial laying hens by a dietary prebiotic. *Poult. Sci.* 79(Supp1):38. (Abstr.)

Crumplen, R., T. D'Amore, C. J. Panchal, I. Russell, and G. G. Stewart. (1989). Industrial uses of yeast: Present and future. *Yeast* 5(Special issue):3–9.

Dankowiakowska, I. and Marek, B. (2013). Probiotics, Prebiotics and Snybiotics In Poultry – Mode Of Action *Journal of Central European Agriculture*, 14(1), p.467-478.

Dawson, K. A. (2001). The application of yeast and yeast derivatives in the poultry industry. *Proc. Aust. Poult. Sci. sym.* pp 100-105.

Denli, M., Okan, F. and Uluocak, A.M., (2004). Effect of dietarysupplementation of herb essential oils on the growth performance, carcass and intestinal characteristics of quail (*Coturnix coturnix japonica*). *S. Afr. J. Anim. Sci.* 34, 174-179.

Dimitroglou, A.; Merrifield, D. L.; Moate, R.; Davies, S. J.; Spring, P.; Sweetman, J. and Bradley, G. (2009). "Dietary mannan oligosaccharide supplementation modulates intestinal microbial ecology and improves gut morphology of rainbow trout, *Oncorhynchusmykiss* (Walbaum)". *Journal of Animal Science* 87 (10): 3226–34.

Dvorak, R. A.; Newman, K. E.; Jacques, K. A. and Waterman, D. F. (1997). "Effects of Bio-Mos® on performance of calves fed whole milk". J. Dairy Sci. 80 (Suppl. 1): 281.

Elijah I.O. and Ruth T.S. (2012). The Effect of Probiotic and Prebiotic Feed Supplementation on Chicken Health and Gut Microflora: A Review International Journal of Animal and Veterinary Advances 4(2): 135-143.

Eseceli, H., Demir. E., N. Degirmencioglu, and M. Bilgic. (2010). The effects of Bio-Mos Mannan Oligosaccharide and antibiotic growth promoter performance of broilers. Journal of Animal and Veterinary advances 9:392-395.

Fairchild, A.S., Grimes. J.L., Edens, F.W., Wineland, M.J., Jones, F.T. and Sefkon, A.E. (1999), In: Biotechnology in the Feed Industry, Proceedings of the 15th Annual Symposium. Eds T.P. Lyons and K.A. Jacques, Nottingham University Press, U.K. pp.185.

Ferket, P. R. (2002). "Use of oligosaccharides and gut modifiers as replacements for dietary antibiotics". Proc. 63rd Minnesota Nutrition Conference, September 17–18(Eagan, MN): 169–82.

Ferket, P.R., (2004). Alternatives to antibiotics in poultry production: response, practical experience and recommendations. In: Lyons, T.P. and K.A. Jacques (eds.), Biotechnology in the Feed and Food Industry, Proceedings of Alltech's 20th Annual Symposium, pp: 57–66. Nottingham University Press, UK.

Firon, N; Ashkenazi, S; Mirelman, D; Ofek, I. and Sharon, N (1987). "Aromatic alpha-glycosides of mannose are powerful inhibitors of the adherence of type 1 fimbriated

Escherichia coli to yeast and intestinal epithelial cells". Infection and immunity 55 (2): 472–6.

Flickinger, E.A. and G.C. Fahey Jr., (2002). Pet food and feed applications of inulin, oligofructose and other oligosaccharides. *Br. J. Nutr.*, 87: 8297-8300.

Flickinger, E.A.; Van J.; Loo G.C. and Fahey Jr., (2003). Nutritional response to the presence of inulin and oligofructose in the diets of domesticated animals: a review. *Crit. Rev. Food Sci. Nutr.*, 43: 19-60.

Fox, S. M. (1988). probiotic intestinal inoculant for production animal 83:806_830.

Franklin, S.T.; Newman, M.C.; Newman, K.E. and Meek, K.I. (2005). "Immune Parameters of Dry Cows Fed Mannan Oligosaccharide and Subsequent Transfer of Immunity to Calves". *Journal of Dairy Science* 88 (2): 766–75.

Fuller, R. (1989). Probiotics in man and animals. *J. Appl. Bacteriol.* 66:365–378.

Funicane, M.C., K.A. Dawson, P. Spring and K.E. Newman, (1999). Effects of mannanoligosaccharide on composition of the gut microflora of turkey poult. *Poult. Sci.*, 78: 77.

Gao, J., H. J. Zhang, S. H. Yu, S. G. Wu, I. Yoon, J. Quigley, Y. P. Gao, and G. H. Qi. (2008). Effects of yeast culture in broiler diets on performance and immunomodulatory functions. *Poult. Sci.* 87:1377–1384.

Ghiyasi, M; M. Rezaei and H. Sayyahzadeh, (2007). Effect of prebiotic (Fermacto) in low protein diet on performance and carcass characteristics of broiler chicks. *Int. J. Poult. Sci.*, 6: 661-665.

Ghosh, T. K.; S. Haldar; M. R. Bedford; N. Muthusami, and I. Samanta. (2012). Assessment of yeast cell wall as replacements for antibiotic growth promoters in broiler diets: Effects on performance, intestinal histo-morphology and humoral immune responses. *J. Anim. Physiol. Anim. Nutr. (Berl.)* 96:275–284.

Gibson, G. R. and M. B. Roberfroid, (1995). Dietary modulation of the human colonic microbiota: Introducing the concept of prebiotics. *J. Nutr.*, 125: 1401-1412.

Hajati H., and Rezaei M., (2010). The Application of Prebiotics in Poultry Production, *International Journal of Poultry Science*, 9 (3), 298-304.

Haldar, S., T. K. Ghosh, Toshiwati, and M. R. Bedford. (2011). Effects of yeast (*Saccharomyces cerevisiae*) and yeast protein concentrate on production performance of broiler chickens exposed to heat stress and challenged with *Salmonella enteridis*. *Anim. Feed Sci. Technol.* 168:61–71.

Hatemink, R. V. (1995). Non digestible oligosaccharides Healthy food for the colon. *Proceedings Symposium Wageningen*, 4-5 December, pp: 'I-'I77.

Hawrysh, Z.J.; Steedman – Douglas, C.D.; Robblee, A.R.; Hardin, R.T. and Sam, R.M. (1980). Influence of low glucosinolate {CV. Tower} rapseed meal on the eating quality of broiler chicken, I. Subjective evaluation by a trained test panel and objective measurements. *Poult. Sci.* 59: 550-557.

Heinrichs, A.J.; Jones, C.M. and Heinrichs, B.S. (2003). "Effects of Mannan Oligosaccharide or Antibiotics in Neonatal Diets on Health and Growth of Dairy Calves1". *Journal of Dairy Science* 86 (12): 4064–9.

Hernandez, F.; Madrid, J.; Garcia, V.; Orengo, J. and Megias, M.D., (2004). Influence of two plant extracts on broiler performance, digestibility, and digestive organ size. Poult. Sci. 83, 169-174.

Hillman, K., (2001). Bacteriological Aspects of the Use of Antibiotics and Their Alternatives in the Feed of Non-ruminant Animals. In: Recent Advances in Animal Nutrition, Garnsworthy, P.C. and J. Wiseman (Eds). Nottingham University Press, Nottingham, pp: 107-134.

Hooge, D.M.; Sims, M.D.; Sefton, A.E.; Connolly, A. and Spring, P.S., (2003b). Effect of dietarymannan oligosaccharide, with or without bacitracin or virginiamycin on live performance of broiler chickens at relatively high stocking density on new litter. J. Appl. Poult. Res. 12, 461-467 .

Hooge, Danny M. (2004). "Meta-analysis of Broiler Chicken Pen Trials Evaluating Dietary Mannan Oligosaccharide, 1993-2003". International Journal of Poultry Science 3(3): 163–74.

Horgan, K. A. (2010). "Monitoring the Effects of Yeast Mannan oligosaccharides on Enterobacteriaceae, using Real-Time PCR, in Supplemented Broilers. XIIIth European Poultry Conference 2010". World Poultry Science Journal 66 (Suppl): 432.

Houdijk, J.G.M.; B.A. Williams; S. Tamming and M.W.A. Verstegen, (1997). Relation between in vivo and in vitro fermentation of oligosaccharides in weaner pigs. Proceeding of Br. Soci. Anim. Sci. Br. Soci. Anim. Sci., pp: 59.75:170-175.

Hounidonougbô, M.F Crysostome, C.A.A.M. and Amoussa, Z. L. A. O. (2011). tchoukoutou residue and yogurt as feed additives in broiler feed 1:597_600.

Huang, R. L.; L. Yin and M. X. Li, (2007). Dietary oligochitosan supplementation enhances immune status of broilers. J. Sci. Food. Agric., 87: 153-1 59.

Iji, P. A. and D. R. Tivey, (1998). Natural and synthetic oligosaccharides in broiler chicken diets. Word's Poultry. Sci., 54: 129-143.

Iji, P.A.; Saki, A.A. and Tivey, D.R. (2001). Intestinal structure and function of broiler chickens on diets supplemented with amannanoligosaccharide. J. Sci. Food Agric., 2001; 81: 1186 1192.

Jacques, K. A. and Newman, K. E. (1994). "Effect of oligosaccharide supplements on performance and health of Holstein calves pre- and post-weaning". Journal of Animal Science 72 (Suppl. 1): 295.

Jiang, H.Q.; Gong, L.M.; Ma, Y.X.; He, Y.H.; Li, D.F. and Zhan, H.X. (2006). Effect of stachyose supplementation on growth performance, nutrient digestibility and caecal fermentation characteristics in broilers. British Poultry Science 47: 516 -522.

Karaoglu M and Durdag H. (2005). The influence of dietary probiotic (*Saccharomyces cerevisiae*) supplementation and different slaughter age on the performance, slaughter and carcass properties of broilers. Int J Poult Sci.; 4: 309-316.

Kath, F. and Kulicke, W. M. (1999). "Mild enzymatic isolation of mannan and glucan from yeast *Saccharomyces*

cerevisiae". Die Angewandte Makromolekulare Chemie 268: 59–68.

Keithley J and Swanson B (2005). "Glucomannan and obesity: a critical review". Alternative Therapies in Health and Medicine 11 (6): 30–34.

Kermanshahi, H. and H. Rostami, (2006). Influence of supplemental dried whey on broiler performance and cecal flora. Int. J. Poult. Sci., 5: 538-543.

Khair Alla, M. A. (2014). Response OF Broiler Chicks TO Diets Containing Commercial Synbiotic product (Poultry Star) As Natural Feed Additive. M.Sc.Thesis, Sudan University of Science and Technology.

Khksar, V.; A. Golian; H. Kermanshahi; Movasseghi and and A. Jamshidi, (2008). Effect of prebiotic fermacto on gut development and performance of broiler chickens fed diet low in digestible amino acids. J. Anim. Vet. AdV., 7: 251-257.

Konca Y; Kirkpinar F; Mert S and Kayhan B. (2009). Performance, intestinal microflora and blood constituents in finishing turkeys fed diets supplemented with dietary mannan oligosaccharide and live yeast. J Anim Feed Sci. 2009; 18: 508-517.

Küçükyilmaz,K.; M. Bozkur; A.U. Çatlı and M. Çınar, (2005). Growth performance and carcass characteristics of broiler chickens fed with different level of dextranoligosaccharide supplemented diets. In: Proceedings of 3rd National Anim. Nutri. Congress, pp: 48-52.

Kumprecht, I.; P. Zobac, V.; Siske, A. E.; Sefton, and P. Spring. (1997). Effects of dietary mannanoligosaccharide

level on performance and nutrient utilization of broilers. Poult. Sci. 76(Suppl. 1):132. (Abstr.)

Kung L.; Kreck E.M.; Tung R.S.; Hession A.; Sheperd A.C.; Cohen M.A.; Swain H.E. and Leedle J (1997). Effects of a live yeast culture and enzymes on in vitro ruminal fermentation and milk production of dairy cows. J. Dairy Sci. 80: 2045–2051.

Langhans W. and Scharrer E. (1983). "Changes in food intake and meal patterns following injection of D-mannoheptulose in rats". Behavioral and Neural Biology 38 (2): 269–286.

Lazarevic, M.; Spring, P.; Shabanovic, M.; Tokic, V. and Tucker, L. A. (2010). "Effect of gut active carbohydrates on plasma IgG concentrations in piglets and calves". Animal 4(6): 938–43.

Lee J.I.; Kim Y.D.; Kim D.Y.; Choi Y.I.; Ahn J.N.; Chae H.S. and Choi J.H. (2002) . Effects of *Saccharomyces cerevisiae* on growth performance and meat quality of broiler chickens. Proc. Korean J. Anim. Sci. Technol. 34.

Lesage, G. and Bussey, H. (2006). "Cell Wall Assembly in *Saccharomyces cerevisiae*". Microbiology and Molecular Biology Reviews 70 (2): 317–43.

Lilly, D.M and Stillwell, H. (1965). probiotic growth promoting factors produced by microorganisms .Science147:747_748.

Loddi M.M.; Gonzales E.; Takita T.S.; Mendes A.A.M. and Roça R.O. (2000). Uso de probiótico e antibiótico sobre o desempenho, rendimento e qualidade da carcaça de

frangos de corte. Revista Brasileira de Zootecnia 2000; 29(4):1124-1131.

Lodhi, G.N., D. Singh and I. Ichoponani (1976). Variation in nutrient contents of feeding stuffs rich in proteins and reassessment of the chemical methods of metabolizable energy estimation for poultry. Journal of Agricultural Science. 86: 293-303.

MacDonald, F. 1995. Use of immunostimulants in agricultural applications. Pages 97–103 in Biotechnology in the Feed Industry. T. P. Lyons and K.A. Jacques, ed. Nottingham University Press, Nottingham.

Mansour, Michael K. and Levitz, Stuart M. (2003). "Fungal Mannoproteins: the Sweet Path to Immunodominance". ASM News 69 (12): 595–600.

Midilli, M.; M. Alp; N. Kocabagh; O. H. Muglali; N. Turan; H. Yilmas, and S. Cakir.(2008). Effects of dietary probiotic and prebiotic supplementation on growth performance and serum IgG concentration of broilers. South African Journal of Animal Science 38:21-27.

Miguel, Jennifer C.; Rodriguez-Zas, Sandra L. and Pettigrew, James E. (2004). "Efficacy of a mannan oligosaccharide (Bio-Mos®) for improving nursery pig performance". Journal of Swine Health and Production 12 (6): 296–307.

Morales-López, R.; E. Auclair; F. Garcia; E. EsteveGarcia, and J. Brufau. 2009. Use of yeast cell walls; β-1, 3/1, 6-glucans; and mannoproteins in broiler chicken diets. Poult. Sci. 88:601–607.

Morrison, S.J.; Dawson, S. and Carson, A.F. (2010). "The effects of mannan oligosaccharide and Streptococcus faecium addition to milk replacer on calf health and performance". Livestock Science 131 (2–3): 292–6.

Muihead S. (1992). Direct- feed products. In S. Muihead (editor).Direct Feed microbial enzyme and forage additive compendium. The Miller publishing coy. Minnetonka, M.N. pp. 45-207.

Mul, A. J. and F. G. Perry, (1994). The role of fructo-oligosaccharides in animal nutrtition. In: Recent Advances in Animal Nutrition, Garnsworthy, P.C. and D.J.A. Cole (Eds.). Nottingham, UK.

Newman, K. (1994). Mannan-oligosaccharides: Natural polymers with significant impact on the gastrointestinal microflora and the immune system. In: T. P. Lyons and K. A. Jacques (ed.) Biotechnology in the Feed Industry: Proc. Alltech's 10th Annual Symposium. University Press, Loughborough, UK.

Newman, K.; Jacques, K. A. and Buede, R. (1993). "Effect of mannanoligosaccharide on performance of calves fed acidified and non-acidified milk replacers". J. Anim. Sci.

NRC, National Research Council (1994). Nutrient Requirements of Poultry. (9th rev. Ed). National Academy Press. Washing, D.C., USA.

Nutrex.be (2015). Feed/yeast derivates. Y-MOS & Y-Boost.

O'Dea, E. E.; Fasenko G. M.; Allison,G. E.; Korver, D. R.; Tannock, G. W. and Guan, L. L. (2006). Investigating the effects of commercial probiotics and on broiler chicks quality and production efficiency poultry science 85:1855_863.

Owens, B., and K. J. McCracken.(2007). A comparison of the effects of different yeast products and antibiotic on broiler performance . Br. Poult. Sci. 48:49–54.

Oyofo, B.A.; Deloach, J.R.; Corrier, D.E.; Norman, J.O.; Ziprin, R.L. and Mollenhauer, H.H. (1989). "Prevention of *Salmonella typhimurium* colonization of broilers with D-mannose". Poultry science 68 (10): 1357–60.

Parker, B (1974). Probiotic the other half of the antibiotic story .animal nutrient and health 29:4_8.

Parks, C.W.; Grimes, J.L. and Ferket, P.R. (2005). "Effects of virginiamycin and a mannanoligosaccharide-virginiamycin shuttle program on the growth and performance of large white female turkeys". Poultry science 84 (12): 1967–73.

Parks, C.W.; Grimes, J.L.; Ferket, P.R. and Fairchild, A.S. (2001). "The effect of mannanoligosaccharides, bambermycins, and virginiamycin on performance of large white male market turkeys". Poultry science 80 (6): 718–23.

Paryad, A. and M. Mahmoudi (2008). Effect of different levels of supplemental yeast (*Saccharomyces cerevisiae*)on performance, blood constituents and carcass characteristics of broiler chicks. African Journal of Agricultural Research. Vol. 3 (12). 835 –842.

Patterson, J. A. and K. M. Burkholder, (2003). Prebiotic feed additives: Rationale and use in pigs. In: Proceedings of the 9"“ international symposium on Digestive Physiology in Pigs, Ball, R.A. (Ed.). Banff, Canada: University of Alberta, 1: 319-331.

Paul A.; Saki, Ali A. and Tivey, David R. (2001). "Intestinal structure and function of broiler chickens on diets supplemented with a mannan oligosaccharide". Journal of the Science of Food and Agriculture 81 (12) : 1186–92. doi:10.1002/jsfa.925.

Pelicano E.R.L.; Souza P.A.; Souza H.B.A.; Leonel F.R.; Zeola N.M.B.L. and Boiago M.M. (2004). Productive traits of broiler chickens fed diets containing different growth promoters. Revista Brasileira de Ciência Avícola; 6 (3):177-182.

Pelicano E.R.L.; Souza P.A.; Souza H.B.A.; Oba A. Norkus E.A.; Kodawara L.M. and Lima T.M.A. (2003). Effect of different probiotics on broiler carcass and meat quality. Revista Brasileira de Ciência Avícola; 5 (3):207-214.

Pelicano, E.R.L.; Souza P.A.; Souza H.B.A.; Oba A.; Boiago M.M.; Zeola N.M.B.L.; Scatolini A.M.; Bertanha V.A. and Lima TMA., (2005). Carcass and Cut Yields and Meat Qualitative Traits of Broilers Fed Diets Containing Probiotics and Prebiotics. Brazilian Journal of Poultry Science. v.7 / n.3 / 169 – 175.

Peric, L. D. Zikic and M. Lukic, (2009). Aplication of alternative growth promoters in broiler production.Biotech. Anim. Husb., 25: 387-397.

Pourabedin, Mohsen; Xu, Zhengxin; Baurhoo, Bushansingh; Chevaux, Eric and Zhao, Xin.(2031) "Effects of mannan oligosaccharide and virginiamycin on the cecal microbial community and intestinal morphology of chickens raised under suboptimal conditions". Canadian Journal of Microbiology 60 (5): 255–266.

Quigley, J. D. (1996). "Intake, growth and health of dairy calves in response to a mannan oligosaccharide and oral challenge with *E. coli*". *J. Dairy Sci.* 79 (Suppl. 1): 230.

Raju, M.V.L.N., and G. Devegowda. (2002). Esterified-Glucosmannan in broiler chicken diets-contaminated with aatoxin, ochratoxin and T-2 toxin: Evaluation of its binding ability (in vitro) and efficacy as immunomodulator. *Asian-Aust. J. Anim. Sci.* 15:1051–1056.

Roozbeh Sh.; Mehran N.; Faramin J.; Ali A.; Alaw G. and Hamed K. (2012). Effect of probiotic on growth performance *Annals of Biological Research*, 2012, 3 (12):5450-545.

Rosen, G. D. (2007). "Holo-analysis of the efficacy of Bio-Mos® in broiler nutrition".*British Poultry Science* 48 (1): 21–6.

Saleh and A. Hayashi, (2011). Aspergillusniger reduces muscle skeletal protein breakdown and stimulates growth in broiler 1:209_212.

Santin, E.; A. Maiorka; M. Macari; M. Grecco; J. C. Sanchez; T. M. Okada, and A. M. Myasaka. (2001). Performance and intestinal mucosa development of broiler chickens fed diets containing Saccharomyces cerevisiae cell wall. *J. Appl. Poult. Res.* 10:236–244.

Sarica, S.; Erdogan, S.; Koc, A. and Erdogan, Z. (2005). Addition of avilamycin, mannanoligosaccharide and organic acids mixture to corn-soybean meal based broiler diets. *Indian J. Anim. Sci.*; 75: 961-964.

SAS (2004). Statistical user's Guide. Statistical Analysis System. INT., Cary, NC. USA.

Savage, T. F; P. F. Cotter, and E. I. Zakrzewska. (1996). The effect of feeding mannanoligosaccharide on immunoglobulins, plasma IgG and bile IgA of wrolstad MW male turkeys. Poult. Sci. 75(Suppl. 1):143. (Abstr.).

Sellars, K.; Burrill, M.; Trei, J.; Newman, K. E. and Jacques, K. A. (1997). "Effect of mannan oligosaccharide supplementation on performance and health of Holstein calves". J. Dairy Sci. 80 (Suppl. 1): 188.

Shafey, T. M.; A. S. Mufarej; M. I. Shalaby; and A. J. Jarelnabi. (2001). Effects of mannan oligosaccharides on antibody response to infectious bronchitis, infectious bursal disease and Newcastle disease in chickens. J. Appl. Anim. Res. 19:117–127.

Shane, M.S., (2001). Mannan oligosaccharides in poultry nutrition: mechanisms and benefits. In: Proc. Alltech's 17th Ann. Symp. Science Technology in the Feed Industry. Ed. Lyons, T.P. & Jacques, K.A., Nottingham University Press. pp. 65-77.

Shashidhara R. G. and Devegowda G. (2003). Effect of Dietary Mannan Oligosaccharide on Broiler Breeder Production Traits and Immunity. Department of Poultry Science, Veterinary College, University of Agricultural Sciences, Hebbal, Bangalore-560 024, India.

Sims, M. and Sefton, A.E. (1999). Poster presented at the 48th Western Poultry Disease Conference, Vancouver, British Columbia. Canada.

Sims, M. D.; K. A. Dawson; K. E. Newman; P. Spring, and D. M. Hooge. (2004). Effect of dietary Mannan oligosaccharide, Bacitracin methylene Disalicylate, or both

on the live performance and intestinal microbiology of turkeys. Poult Sci 83:1148-1154.

Sinovec,Z.; R. Markovic and D. Gledic., (2005). Influence of Bio-Mos on broiler performances and gut morphology.In: Proceedings of 15 European Symposium on Poult. Nutr., pp: 339-341.

Smith D.L.J.r; Nagy T.R.; Wilson L.S.; Dong S.; Barnes S. and Allison D.B. (2004). "The effect of mannan oligosaccharide supplementation on body weight gain and fat accrual in C57Bl/6J mice". Obesity 18 (5): 995–999.

Spring P.; Wenk C.; Connolly A. and Kiers A. (2015). A review of 733 published trials on Bio-Mos®, a mannan oligosaccharide, and Actigen®, a second generation mannose rich fraction, on farm and companion animals. Journal of Applied Animal Nutrition, Vol. 3; e7; page 1 of 11.

Spring, P; Wenk, C; Dawson, KA and Newman, KE (2000). "The effects of dietary mannaoligosaccharides on cecal parameters and the concentrations of enteric bacteria in the ceca of salmonella-challenged broiler chicks". Poultry science 79 (2): 205–11.

Stanczuk, J.; Zdunczyk, Z.; Juskiewicz, J. and Jankowski, J. (2005). Indices of response of young turkeys to diets containing mannan oligosaccharide or inulin. Veterinar. Zootech. T.,; 31: 98-101.

Stewart, G.G.; Russell, I .(1998). "Brewer's Yeast". Brewing Science & Technology Series III (The Institute of Brewing, London).

Terre, M.; Calvo, M.; Adelantado, C.; Kocher, A. and Bach, A. (2007). "Effects of mannan oligosaccharides on performance and microorganism fecal counts of calves following an enhanced-growth feeding program". Animal Feed Science and Technology 137: 115–25.

Vinogradov, E.; Petersen, B. and Bock, K. (1998). "Discussion". Carbohydrate Research 307(1–2): 177–83.

Waldroup, P.W.; Edgar, O.; Oviedo-Rondon and Fritts, C.A., (2003a). Comparison of Bio-Mos® and antibiotic feeding program in broiler diets containing copper sulphate. Int. J. Poult. Sci. 2 (1), 28 -31.

Waldroup, P.W.; Fritts, C.A. and Fenglan Yan, (2003b). Utilization of Bio-Mos® mannan oligosaccharide and Bioplex® copper in broiler diets. Int. J. Poult. Sci. 2 (1), 44-52.

Wellens, A.; Garofalo, A.; Nguyen, H.; Van Gerven N.; Slattegard R.; Hernalsteens, J. P.; Wyns, L.; Oscarson, S.; De Greve H.; Hultgren, S. and Boukaert J. (2008). "Intervening with Urinary Tract Infections Using Anti-Adhesives Based on the Crystal Structure of the Fim-oligomannose-3 Complex". PLoS one, 3 (4): e2040, 1-13.

Wismar, R.; Brix, S.; Frøkjaer, H. and Laerke, H.N. (2010). "Dietary fibers as immunoregulatory compounds in health and disease". Annals of the New York Academy of Sciences 1190: 70–85.

Yalçın S.; Eser H.; Yalçın S.; Cengiz S. and Eltan Ö. (2013). Effects of dietary yeast autolysate (*Saccharomyces cerevisiae*) on performance, carcass and gut characteristics, blood profile, and antibody production to sheep red blood

cells in broilers. Poultry Science Association, Inc. Appl. Poult. Res. 22 :55–61.

Yalcin, S.; A.G. Onol; D. Kocal; and I. Ozcan. (1993). "The use of Baker's Yeast as a Protein Source in Diets of Broilers. Veterinerlik-ve-HayvancilikDergisi, 17 (4): 305-309.

Yang, Y. (2007). Effects of mannan oligosaccharides on growth performance, the development of gut microflora and gut function of broiler chickens raised on new litter. J. Appl. Poult. Res. 16:280-288.

Yang, Y.; Iji, P. A.; Kocher, A.; Thomson, E.; Mikkelsen, L. L. and Choct, M. (2008). "Effects of mannanoligosaccharide in broiler chicken diets on growth performance, energy utilisation, nutrient digestibility and intestinal microflora". British Poultry Science 49 (2): 186–94.

Zhang, A. W.; B. D. Lee; S. K. Lee; K. W. Lee; G. H. An, K. B. Song, and C. H. Lee. (2005). Effects of yeast (*Saccharomyces cerevisiae*) cell components on growth performance, meat quality and ileal mucosa development of broiler chicks. Poult. Sci. 84:1015–1021.