

آيات قرآنية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

II

اقْرَأْ بِاسْمِ رَبِّكَ الَّذِي خَلَقَ (1) خَلَقَ الْإِنْسَانَ مِنْ
عَلَقٍ (2) اقْرَأْ وَرَبُّكَ الْأَكْرَمُ (3) الَّذِي عَلَّمَ بِالْقَلَمِ (4)
(عَلَّمَ الْإِنْسَانَ مَا لَمْ يَعْلَمْ (5)

صدق الله العظيم

الآيات من (1-5) من سورة العلق

IV

DEDICATION

VI

This thesis is dedicated to my parents, my family, and especially my uncle Abdalraziq Altayib who have supported me all the way since the beginning of my life.

Also, this thesis is dedicated to all those who has been a great source of motivation and inspiration.

Finally, this thesis is dedicated to all those who believe in the richness of learning.

X

ACKNOWLEDGEMENT

XI

First and foremost I would like to thank my supervisor, Dr. Yasser Saber, for his continuous assistance and feedback during the past few months. I am indebted to Dr. Yasser as he initially proposed this project when I had a tiny about what I wanted to work on, beyond “something about benchmarking techniques”.

I am also grateful to Open University of Sudan (OUS) staff for their crucial help and support, especially OUS developers for their timely answers about OUS OLTP. In particular I would like to thank Ustaz Salah Altigani Alhilo who is essentially a precise auditor to endure many of my early thesis drafts.

Finally, I would like to thank my family who has supported me during the course of this dissertation. Without their assistance this work would not have been possible. Above all thanks GOD enabling me to finish and submit this work.

CONTENTS

XVI

آیات	i
Dedication یتة	قرآء
	ii
Acknowledgements	iii
List of Figures	vii
List of Tables	viii

1	المستخلص
Abstract	2
Chapter One	3
Part One: Introduction	4
1.1.1 Introduction	5
1.1.2 Problem Statement	25

1.1.3 Research Objective	25
1.1.4 Scope and Significance of the Study	25
1.1.5 Overview	25
Part Two: Literature Review	26
1.2 Literature Review.	28
Chapter Two	30

Part One: System Architecture 31

- 2.1.1 Introduction 32
- 2.1.2 Hardware 33
- 2.1.3 Software. 33
- 2.1.4 Virtualization Environments 34
- 2.1.5 The Testing Sample 36

Part Two: Implementation	37
2.2.1 Introduction	38
2.2.2 Network Storage Server (Openfiler)	39
2.2.3 Cluster Instances Environment (RAC)	44
2.2.4 Single Instance Environment (SI)	75
2.2.5 Miscellaneous Setup	76

Chapter Three: Results and Discussions	78
3.1 Preparing for the Benchmarking	79
3.2 Running the Benchmark and Discussing the Results.	79
3.2.1 Running Benchmark	79
3.2.2 Result Discussion	80
Chapter Four: RAC Performance Improving and Application Redesigning	85

4.1 Introduction.	86
4.2 DB file Sequential Read	87
4.3 Latches: ges resource Hash List	88
4.4 Reversing the Indexes Key	90
4.5 Memory Target	92
4.5.1 Enable MEMORY_TARGET	94

4.5.2 Resize MEMORY_TARGET.....	94
4.6 Application Redesigning.....	96
4.6.1 Data Redesigning.....	96
4.6.1 Application Redesigning.....	98
Chapter Five: Conclusion and Recommendations	102
5.1 Recommendations.....	103

5.2 Conclusion.	104
References	105
Appendices	109
A DNS Configuration Files	110
A.1 /etc/named.conf.	110
A.2 /srv/named/data/sust.info.zone	112

A.3 /srv/named/data/1.168.192.in-addr.arpa.zone	114
B Users Logging Scripts	116
B.1 Grid user login script “.bash_profile”	116
B.2 Oracle user login script “.bash_profile”	123
C Benchmark Configuration File	130
C.1 Stored Procedures Benchmark Configuration File	130

XXX

List of Figures

1.1 RAC of two Nodes and Openfiler Storage Server Structure.	32
3.1 Oracle Single Instance Stress Test over view Chart	81
3.2 Oracle RAC Stress Test over view Chart.	82

3.3 Stress Test Response Times for 50 Users: SI and RAC.	84
4.1 Oracle Enhanced RAC Stress Test over view Chart	91
4.2 Stress Test Response Times for 50 Users: RAC and Enhanced RAC	91

List of Tables

2.1 Openfiler eth0 and eth1 setting	40
2.2 Openfiler server configurations setting.	43
2.3 RAC nodes Network Configuration	45

2.4 Oracle RAC configuration network settings	50
2.5 logical volumes created in the volume group (racdbvg)	52
2.6 iSCSI target names (the Target IQN) and iSCSI logical mapping	53
2.7 Current iSCSI Target Name to local SCSI Device Name Mappings	55
2.8 iSCSI Target Name to Local Device Name Mappings.	58
2.9 Oracle Shared Drive Configuration	59

2.10 O/S groups created to support job role separation	61
2.11 resources limits	64
2.12 Single Instance Node - (nonrac) configuration.	76
3.1 Key SPFILE Tuning Parameters for the Test Instances	80

