

## Bibliography

- [1].Abohela, I., Hamza, N., & Dudek, S. (2013). Effect of roof shape, wind direction, building Height and urban configuration on the energy yield and positioning of roof mounted wind Turbine s. *Renewable Energy*, 50, 1106-1118.  
ISSN 09601481, <http://dx.doi.org/10.1016/j.renene.2012.08.068>.
- [2]Ai, Z.T., & Mak, C.M. (2013). CFD simulation of flow and dispersion around an isolated Building: Effect of inhomogeneous ABL and near-wall treatment. *Atmospheric Environment*, 77, 568-578.  
ISSN 1352-2310, <http://dx.doi.org/10.1016/j.atmosenv.2013.05.034>.
- [3].Hernández, M. A. G., López, A. I. M., Jarzabek, A., Perales, J. M. P., Wu, Y., & Xiaoxiao, S. (2013). Design Methodology for a Quick and Low-Cost Wind Tunnel, *Wind Tunnel Designs and Their Diverse Engineering Applications*, Dr. Noor Ahmed (Ed.). ISBN: 978-953-51-1047-7, InTech, DOI: 10.5772/54169. Retrieved from: <http://www.intechopen.com/books/wind-tunnel-designs-and-their-diverse-engineering-applications/design-methodology-for-a-quick-and-low-cost-wind-tunnel>
- [4].Janssen, W.D., Blocken, B., & Hooff, T. V. (2013). Pedestrian wind comfort around buildings: Comparison of wind comfort criteria based on whole-flow field data for a complex case study. *Building and Environment*, 5, 547-562.  
ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2012.10.012>.
- [5].Hooff, T.V., & Blocken, B. (2013). CFD evaluation of natural ventilation of indoor environments by the concentration decay method: CO<sub>2</sub> gas dispersion from a semi-enclosed stadium. *Building and Environment*, 61, 1-17.  
ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2012.11.021>.
- [6].Pieterse, J.E., & Harms, T.M. (2013). CFD investigation of the atmospheric boundary layer under different thermal stability conditions. *Journal of Wind Engineering and Industrial Aerodynamics*, 121, 82-97.  
ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2013.07.014>.
- [7].Kaijima, S., Bouffanais, R., & Willcox, K. (2013). Computational Fluid Dynamics for Architectural Design. In *Open Systems: Proceedings of the 18th International Conference on Computer-Aided Architectural Design Research in Asia*, 169-178. CAADRIA. Hong Kong, SAR: The Association for Computer-Aided Architectural Design Research in Asia, 2013.
- [8].Lo, L.J., Banks, D., & Novoselac, A. (2013). Combined wind tunnel and CFD analysis for indoor airflow prediction of wind-driven cross ventilation. *Building and Environment*, 60, 12-23.  
ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2012.10.022>.
- [9].Balogh, M., Parente, A., & Benocci, C. (2012). RANS simulation of ABL flow over complex terrains applying an Enhanced k- model and wall function formulation: Implementation and comparison for fluent and OpenFOAM. *Journal of Wind Engineering and Industrial Aerodynamics*, 104 106, 360-368.  
ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2012.02.023>.

- [10].Bangalee, M.Z.I., Lin, S.Y., & Miao, J.J. (2012). Wind driven natural ventilation through multiple windows of a building: A computational approach. *Energy and Buildings*, 45, 317-325. ISSN 0378-7788, <http://dx.doi.org/10.1016/j.enbuild.2011.11.025>.
- [11].Blocken, B., & Gualtieri, C. (2012). Ten iterative steps for model development and evaluation applied to Computational Fluid Dynamics for Environmental Fluid Mechanics. *Environmental Modelling & Software*, 33, 1-22. ISSN 1364-8152, <http://dx.doi.org/10.1016/j.envsoft.2012.02.001>.
- [12].Blocken, B., Janssen, W.D., & Hooff, T.V. (2012). CFD simulation for pedestrian wind comfort and wind safety in urban areas: General decision framework and case study for the Eindhoven University campus. *Environmental Modelling & Software*, 30, 15-34. ISSN 1364-8152, <http://dx.doi.org/10.1016/j.envsoft.2011.11.009>
- [13].Chavez, M., Hajra, B., Stathopoulos, T., & Bahloul, A. (2012). Assessment of near-field pollutant dispersion: Effect of upstream buildings. *Journal of Wind Engineering and Industrial Aerodynamics*, 104 106, 509-515. <http://dx.doi.org/10.1016/j.jweia.2012.02.019>.
- [14].Chiang, W. H., Wang, C.Y., & Huang, J. S. (2012). Evaluation of cooling ceiling and mechanical ventilation systems on thermal comfort using CFD study in an office for subtropical region. *Building and Environment*, 48, 113-127. ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2011.09.002>.
- [15].Hooff, T.V. & Blocken, B. (2012). Full-scale measurements of indoor environmental conditions and natural ventilation in a large semi-enclosed stadium: Possibilities and limitations for CFD validation. *Journal of Wind Engineering and Industrial Aerodynamics*, 104 106, 330-341. ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2012.02.009>.
- [16].Moonen, P., Dorer, V., & Carmeliet, J. (2012). Effect of flow unsteadiness on the mean wind flow pattern in an idealized urban environment. *Journal of Wind Engineering and Industrial Aerodynamics*, 104 106, 389-396. ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2012.01.007>.
- [17].Ramponi, R., & Blocken, B. (2012). CFD simulation of cross-ventilation for a generic isolated building: Impact of computational parameters. *Building and Environment*, 53, 34-48. ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2012.01.004>.
- [18].National Program for Applications-Oriented Research in CFD. (2012). NPARC Alliance CFD verification and validation. Retrieved from <http://www.grc.nasa.gov/WWW/wind/valid/tutorial/process.html>
- [19].Udoewa, V., & Kumar, V. (2012). *Computational Fluid Dynamics, Applied Computational Fluid Dynamics*, Prof. Hyoungh Woo Oh (Ed.), ISBN: 978-953-51-0271-7, InTech, DOI: 10.5772/28614. Retrieved from: <http://www.intechopen.com/books/applied-computational-fluid-dynamics/computational-fluid-dynamics>

- [20].Zeng, Z., Li, X., Li, C., & Zhu, Y. (2012). Modeling ventilation in naturally ventilated double-skin façade with a venetian blind. *Building and Environment*, 57, 1-6.  
ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2012.04.007>.
- [21].Balocco, C. & Lio, P. (2011). Assessing ventilation system performance in isolation rooms. *Energy and Buildings*, 43(1), 246-252.  
ISSN 0378-7788, <http://dx.doi.org/10.1016/j.enbuild.2010.09.020>.
- [22].Blocken, B., Stathopoulos, T., Carmeliet, J., & Hensen, J.L.M. (2011). Application of computational fluid dynamics in building performance simulation for the outdoor environment: an overview. *Journal of Building Performance Simulation*, 4 (2), 157-184.
- [23].Cheung, J.O.P., & Liu, C.H. (2011). CFD simulations of natural ventilation behaviour in high-rise buildings in regular and staggered arrangements at various spacings. *Energy and Buildings*, 43(5), 1149-1158.  
ISSN 0378-7788, <http://dx.doi.org/10.1016/j.enbuild.2010.11.024>.
- [24]. Tominaga, Y., & Stathopoulos, T. (2011). CFD modeling of pollution dispersion in a street canyon: Comparison between LES and RANS. *Journal of Wind Engineering and Industrial Aerodynamics*, 99 (4), 340-348.  
ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2010.12.005>.
- [25].Hooff, T.V., & Blocken, B. (2010). Coupled urban wind flow and indoor natural ventilation modelling on a high-resolution grid: A case study for the Amsterdam ArenA stadium. *Environmental Modelling & Software*, 25 (1), 51-65.  
ISSN 1364-8152, <http://dx.doi.org/10.1016/j.envsoft.2009.07.008>.
- [26].Norton, T., Grant, J., Fallon, R., & Sun, D.W. (2010). Optimising the ventilation configuration of naturally ventilated livestock buildings for improved indoor environmental homogeneity. *Building and Environment*, 45(4), 983-995.  
ISSN 0360-1323, <http://dx.doi.org/10.1016/j.buildenv.2009.10.005>.
- [27].Blocken, B., & Persoon, J. (2009). Pedestrian wind comfort around a large football stadium in an urban environment: CFD simulation, validation and application of the new Dutch wind nuisance standard. *Journal of Wind Engineering and Industrial Aerodynamics*, 97 (5 6), 255-270.  
ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2009.06.007>.
- [28].Tominaga, Y., & Stathopoulos, T. (2009). Numerical simulation of dispersion around an isolated cubic building: Comparison of various types of k models. *Atmospheric Environment*, 43 (20), 3200-3210.  
ISSN 1352-2310, <http://dx.doi.org/10.1016/j.atmosenv.2009.03.038>.
- [29].Liu, Z., Smith, J., Masters, F., & Reinhold, T. (2009). Assessment of wind storm facility at the Insurance Center for Building Safety Research. The Seventh Asia-Pacific Conference on Wind Engineering, Nov 8-12 2009, Taipei, Taiwan.
- [30]Gromke, C., Buccolieri, R., Sabatino, S.D., & Ruck, B. (2008). Dispersion study in a street canyon with tree planting by means of wind tunnel and numerical investigations Evaluation of CFD data with experimental data. *Atmospheric Environment*, 42 (37), 8640-8650.  
ISSN 1352-2310, <http://dx.doi.org/10.1016/j.atmosenv.2008.08.019>.

- [31]. Tominaga, Y., Mochida, A., Yoshie, R., Kataoka, H., Nozu, T., Yoshikawa, M., & Shirasawa, T. (2008). AIJ guidelines for practical applications of CFD to pedestrian wind environment around buildings. *Journal of Wind Engineering and Industrial Aerodynamics*, 96(10-11), 1749-1761. ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2008.02.058>.
- [32]. Uddin, N. (2008). Turbulence modeling of complex flows in CFD (Doctoral dissertation). Retrieved from <http://elib.uni-stuttgart.de/opus/volltexte/2008/3638/>
- [33]. Zhang, A., & Gu, M. (2008). Wind tunnel tests and numerical simulations of wind pressures on buildings in staggered arrangement. *Journal of Wind Engineering and Industrial Aerodynamics*, 96 (10-11), 2067-2079. ISSN 0167-6105, <http://dx.doi.org/10.1016/j.jweia.2008.02.013>.
- [34]. Franke, J., Hellsten, A., Schlünzen, H., & Carissimo, B. (2007). Best Practice Guideline for the CFD Simulation of Flows in the Urban Environment. COST 732: Quality Assurance and Improvement of Microscale Meteorological Models. COST Office Brussels, ISBN 3-00-018312-
- [35]. Sodja, J. (2007). Turbulence models in CFD. Internal Report, Department of Physics, University of Ljubljana, 2007. Retrieved from [www-f1.ijs.si/~rudi/sola/Turbulence-models-in-CFD.pdf](http://www-f1.ijs.si/~rudi/sola/Turbulence-models-in-CFD.pdf)
- [36]. Hirsch, C. (2006). The Development of a Framework for CFD Validation and Best Practice: The QNET-CFD Knowledge Base. *Chinese Journal of Aeronautics*, 19(2), 105-113. ISSN 1000-9361, [http://dx.doi.org/10.1016/S1000-9361\(11\)60290-2](http://dx.doi.org/10.1016/S1000-9361(11)60290-2).
- [37]. Li, X.X., Liu, C.H., Leung, D.Y.C., & Lam, K.M. (2006). Recent progress in CFD modeling of wind field and pollutant transport in street canyons. *Atmospheric Environment*, 40, 5640-5658. ISSN 1352-2310, <http://dx.doi.org/10.1016/j.atmosenv.2006.04.055>.
- [38]. Souza, A.D. (2005). How to understand computational fluid dynamics jargon. NAFEMS Ltd
- [39]. Chung, T. (2002). Computational fluid dynamics. New York, NY: Cambridge University Press.
- [40]. Menter, F., Hemstrom, B., Henriksson, M., Karlsson, R., Latrobe, A., Martin, A., Muhlbauer, P., Scheuerer, M., Smith, B., Takacs, T., & Willemssen, S. (2002). CFD Best Practice Guidelines for CFD Code Validation for Reactor-safety Applications. Report EVOLECORA-D01, Contract No. FIKS-CT-2001-00154, 2002.
- [41]. Baker, C., J. (1998), The use of the technique of orthogonal modal decomposition in understanding the unsteady wind driven ventilation through buildings, *Proceedings of the United Kingdom Wind Engineering Conference*, Bristol.
- [42]. Chand, I., Bhargava, P.K., & Krishak, N.L.V. (1998). Effect of balconies on ventilation inducing aeromotive force on low-rise buildings. *Build Environment*, 33, 385-396. ISSN 0360-1323, [http://dx.doi.org/10.1016/S0360-1323\(97\)00054-1](http://dx.doi.org/10.1016/S0360-1323(97)00054-1).
- [43]. Etheridge, D. W. (1998), Unsteady flow effects in natural ventilation design-mean flow rates, Internal report, School of building technology, University of Nottingham.
- [44]. Miguel, A. F., van de Braak, N. J., Silva, A. M., Bot, G. P. (1998), Physical modelling

of natural ventilation through screens and windows in greenhouses, *J. agricultural engineering resources*, vol. 70, pp.165-176.

[45]. Kindangen, J., Krauss, G., Depecker, P. (1997), Effects of roof shapes on wind-induced air motion inside buildings, *Building and Environment*, vol.32, no.1, pp.1-11.

[46]. Cooper, P., Linden, P. (1996), Natural ventilation of an enclosure containing two buoyancy sources, *Journal of Fluid Mechanics*, vol. 311, pp. 153-176.

[47]. Etheridge, D., Sandberg, M. (1996), *Building Ventilation: Theory and Measurement*, British Gas Research and Technology, Wiley and Sons.

[48]. Jozwiak, R., Kacprzyk, A., Zuranski, J.A. (1996), Influence of wind direction on natural ventilation of apartment buildings, *Journal of Wind Engineering and Industrial Aerodynamics*, vol.60, pp.167-176.

[49]. Boulard, T., Draoui, B. (1995), Natural ventilation of a greenhouse with continuous roof vents: Measurement and data analysis, *J. Agricultural Engineering Resources*, vol.61, pp.27-36.

[49]. Versteeg, H. & Malalasekera, W. (1995). *An introduction to computational fluid dynamics: The finite volume method*. England: Pearson Education Ltd.

[50]. Saathoff, P.J., Stathopoulos, T., Dobrescu, M. (1995). Effects of model scale in estimating pollutant dispersion near buildings. *Journal of Wind Engineering and Industrial Aerodynamics*, 54-55, 549-559.

[51]. BRE (1994), *Natural ventilation in non-domestic buildings*, BRE Digest:399, BRE, England.

Matthews, E.H., Rousseau, P.G. (1994), A new integrated design tool for naturally ventilated buildings part 1: Ventilation model, *Building and Environment*, vol.29, no.4, pp.461-471.

[52]. Ohba, M. (1993), Study on three-dimensional characteristics of natural ventilation in half enclosed buildings using video imaging equipment, *Journal of wind engineering and industrial aerodynamics*, vol.46-47, pp.831-836.

[53]. Demuren, A. (1993), Influence of the turbulence model in calculations of flow over obstacles with second moment closure, *Journal of Wind Engineering and Industrial Aerodynamics*, Vol. 46 & 47, pp. 95-104.

[54]. Choiniere, Y., Tanaka, H., Munroe, J.A., Suchorski-Tremblay, A. (1992), Prediction of wind induced ventilation for livestock housing, *Journal of Wind Engineering and Industrial Aerodynamics*, vol.41-44, pp.2563-2574.

[55]. Dutt, A.J., de Dear, R.J., Krishnan, P. (1992), Full scale and model investigation of natural ventilation and thermal comfort in a building, *Journal of Wind Engineering and Industrial Aerodynamics*, vol.41-44, pp.2599-2609.

[56]. Ernest, D. R., Bauman, F. S., Arens, E. A. (1992), The effects of external wind pressure distributions on wind induced air motion in side buildings, *Journal of wind engineering and industrial aerodynamics*, vol.41-44, pp.2539-2550.

- [57].Feustel., H, Dieris., J. (1992), Survey of airflow models for multi-zone structures, *Energy and Buildings*, vol.18, no.2, pp.79-100.
- [58].Garratt, J. R. (1992), *The atmospheric boundary layer*, Cambridge University Press, Cambridge.
- [59].Haghighat, F., Rao, J., Riberon, J. (1992), Modelling fluctuating airflow through large openings, *Ventilation for Energy Efficiency and optimum Indoor Air Quality*, 13th AIVC Conference, Paper 6, pp.77-85, France.
- [60].Kato, S., Murakami, S., Mochida, A., Akabayashi, S., Tominaga, Y. (1992), Velocity-pressure field of cross ventilation with open windows analysed by wind tunnel and numerical simulation, *Journal of wind engineering and Industrial Aerodynamics*, vol.41-44, pp.2575-2586.
- [61].Awbi, H. B. (1991), *Ventilation of Buildings*, E & F Spon, London.
- [62].British Standards Institution (1991), BS 5925: 1991 Code of practice for Ventilation principles and designing for natural ventilation.
- [63].Ghazi, M., Mohsen, M., Olwi, I. (1990), Comparative study of airflow in and around buildings, *Experiments in Fluids*, vol. 9, no. 4, pp. 235-237.
- [64].Haghighat, F., Fazio, P., Rao, J. (1990), A procedure for measurement of ventilation effectiveness in residential buildings, *Building and Environment*, vol.25, no.2, pp.163-172.
- [65].Ferziger, J. H. (1990). Approaches to turbulent flow computation: Applications to flow over obstacles. *Journal of Wind Engineering and Industrial Aerodynamics*, 35, 1-19. ISSN 0167-6105, [http://dx.doi.org/10.1016/0167-6105\(90\)90208-T](http://dx.doi.org/10.1016/0167-6105(90)90208-T).
- [66].Abbott, M. Basco, D. (1989), *Computational Fluid Dynamics- an introduction for engineers*, Longman Scientific & Technical, New York.
- [67].Awbi, H. B. (1989), Application of computational fluid dynamics in room ventilation, *Building and Environment*, vol.24, no.1, pp.73-84.
- [68].Narasaki, M., Yamanaka, T., Higuchi, M. (1989), Influence of turbulent wind on the ventilation of an enclosure with a single opening, *Environment International*, vol.15, pp.627-634
- [69].Aynsley, R. (1988), A resistance approach to estimating airflow through buildings with large openings due to wind, *ASHRAE Transactions*, vol. 94, pp. 1661-1669.

- [70].Crommelin, R. D., Veins, E. M. (1988), Ventilation through a single opening in a scale model, *Air Infiltration Review*, vol.9, no.3, pp11-15.
- [71].Cermak, J.E., Poreh, M., Peterka, J. A., Ayad, S. S. (1984), Wind Tunnel Investigations of Natural Ventilation, *Journal of Transportation Engineering*, vol. 110, pp.67-81.
- [72].Bruce, J. M. (1978), Natural convection through openings and its application to cattle.
- [73]Aynsley, R., Melbourne, W., Vickery, B. (1977), *Architectural aerodynamics*, Applied Sciences, London. Building ventilation, *J. Agricultural Engineering and Resources*, vol.23, pp.151-167 ISSN 0167-6105, [http://dx.doi.org/10.1016/0167-6105\(94\)00071-K](http://dx.doi.org/10.1016/0167-6105(94)00071-K)
- [74].Etheridge, D. W., Nolan, J. A. (1979), Ventilation measurements at model scale in a turbulent flow, *Building and Environment*, vol.14, pp33-64.
- [75].Malinowski, H. K. (1971), Wind effect on the air movemetn inside buildings, *3rd International conference on Wind on Buildings and Structures*, Tokyo, pp.125-134.
- [76].Snykers, WA. (1970), Wind tunnel studies of the flow through rectangular openings with application to natural ventilation of buildings, MSc thesis, University of Pretoria, South