

Reference

- American Diabetes Association.**(2005). Diagnosis and classification of diabetes mellitus, *Diabetes Care* ;**28** : 37-42.
- Amos,A.F.,** McCarty, D. J., Zimmet, P. (1997). The rising global burden of diabetes and its complications, *Diab. Med*; **14** : 77-85.
- André, P.,** Balkau, B., Royer, B., Wilpart, E., Charles, M. A., & Eschwege, E. (2005). Hepatic markers and development of type 2 diabetes in middle aged men and women: A three-year follow-up study; **31** : 542-550.
- Balogun,W.O.,** Adeleye,J.O, Akinlade, K.S, Adedapo, K.S, Kuti, M. (2008).Frequent occurrence of high gamma-glutamyl transferase and alanine amino transferase among Nigerian patients with type 2 diabetes, *Afr J Med Med Sci* ; **37** : 177-183.
- Betteridge,D. J.** (1994). Diabetic dyslipidemia, *Am. J. Med*; **96** : 255 -315
- Bishop, L. M.,** Edward, P., Fody, Larry, Schoeff, E. (2004). *Clinical Chemistry: Principles, Procedures, Correlations (Bishop, Clinical Chemistry): Clinical correlation and analytic procedures* ,5th edition. 289 - 301.
- Bishop, M.L.,** Fodyep, Schoeffl . . (2005). *Clinical Chemistry (principles ,procedures , correlations.)* 5th edition . Philadelphia : Lippincott William B Willkins.286 – 263 .
- Bloomgarden, Z. T.** (2005). Insulin resistance syndrome and nonalcoholic fatty liver disease. *Second world congress on the insulin resistance syndrome* ;**28**(6): 1518-1523.

Bo, S., Gambino, R., Durazzo, M., Guidi, S., Tiozzo, E., Ghione, F., Gentile, L., Cassader, M., & Pagano, G. F. (2005). Associations between gamma-glutamyl transferase, metabolic abnormalities and inflammation in healthy subjects from a population based cohort: A possible implication for oxidative stress, *World Journal of Gastroenterology*; **11**(45) : 7109-7117.

Bradley, R.D., Fitzpatrick, A.L., Jacobs, D.R., Lee, D.H, Swords Jenny, N., Herrington, D.(2014). Associations between gamma-glutamyl transferase (GGT) and biomarkers of atherosclerosis: the Multi-ethnic Study of Atherosclerosis (MESA), *Atherosclerosis*; **233**(2): 387–393.

Brown, W.V. (2000). Risk factor for vascular disease in patient with diabetes, *obes Metab*; **2**: 1-8.

Carl A-Burtis, Edward R-Ashwood.(2001).Tietz fundamental of clinical Chemistry-5th edition-Philadelphia: 436-438.

Christie, W. W. (2003). *Lipid Analysis*. 3rd edition. Oily Press, Bridgewater, UK.

Desai, G.M., Raghunandana, R., Akka, K.K., Bandi, B.C. (2014).A Cross Sectional Study of Serum Gamaglutamyl Transferase Activity with reference to Atherogenic Lipid Indices in Patients with Ischemic Heart Disease, *J of Evolution of Med and Dent Sci*; **3**(10) : 2655-2662.

Devrajani, B.R., Shah, S.Z., Soomro, A.A., Devrajani, T. (2010). Type 2 diabetes mellitus: A risk factor for Helicobacter pylori infection: A hospital based case-control study, *Int J Diabetes Dev Ctries*; **30**(1) : 22-26.

Duckworth, William, C., Hamel, F.G., Peavy, D.E. (1988). Hepatic metabolism of insulin, *Am J Med*; **85**(5) : 71-76.

Dufour, D. R., Lott, J. A., Nolte, F. S., Gretch, D. R., Koff, R. S., & Seeff, L. B. (2000). Diagnosis and monitoring of hepatic injury. I. Performance characteristics of laboratory tests, *Clinical Chemistry* ;**46**(12) : 2027-2049.

Emdin, M., Passino, C., Donato, L., Paolicchi, A., & Pompella, A. (2002). Serum gammaglutamyltransferase as a risk factor of ischemic stroke might be independent of alcohol consumption, *Stroke*; **33** : 1163-1164.

Emdin, M., Pompella, A., & Paolicchi, A. (2005). Gamma-glutamyltransferase, atherosclerosis, and cardiovascular disease triggering oxidative stress within the plaque, *Circulation*; **112** : 2078-2080.

Feskens, E. J. M., Virtanen, S. M., Rasanen, L., Tuomilehto, J., Stengard, J., Pekkanen, J., Nissinen, A., Kromhout, D. (1995). Dietary factors determining diabetes and impaired glucose tolerance. A 20-year follow-up of the Finish and Dutch cohorts of the seven countries study, *Diabetes Care*; **18** : 1104-1110.

Ganong, W.F. (2003). Review of Medical Physiology 21 edition .Endocrine Function of pancreas & Regulation of Carbohydrate Metabolism; 324-333.

Gilliat-Wimberly, Y. M., Manore, M. M., Woolf, K., Swan, P. D., Carroll, S.S. (2001). Effects of habitual physical activity on the resting metabolic rates and body compositions of women aged 35 to 50 years, *J Am Diet Assoc*; **101** : 1181-1188.

Ginsberg, H.N. (2006). REVIEW: Efficacy and mechanisms of action of statins in the treatment of diabetic dyslipidemia, *J Clin Endocrinol Metab* ; **913**: 83 -92.

Godkar praful, B., Godkar Darshanp. (2003).Text book of medical Laboratory Technology .2nd edition .India : Bhalani.

Goldberg, I.J. (2001). Clinical review 124: Diabetic dyslipidemia: causes and consequences, J Clin Endocrinol Metab; **86** : 965-971.

Haffner, S.M. (2002). Lipoprotein disorders associated with type 2 diabetes mellitus and insulin resistance, Am J Cardiol; **90** : 55-61.

Haffner, S. M. (1998). Management o f dyslipidemia in adults with diabetes, Diabetes Care; **21** : 160-178.

Haki, T.H.M.(2008). the Core of Modical physiology Volume (2) . 1st edition. 197 – 198 .

Hietala, J., Puukka, K., Koivisto, H., Anttila, P., & Niemelä, O. (2005). Serum gammaglutamyl transferase in alcoholics, moderate drinkers and abstainers: Effect on GT reference intervals at population level; **40**(6) : 511-514.

Huseby,N.E. (1982). Multiple forms of serum gammaglutamyltransferase. Association of the enzyme with lipoproteins, Clin Chim Acta ; **124** : 103-112.

James, G., Samarco. (1991) . The foot in diabetes-Philadelphia. London, 1-7

Jimenez-Alonso, J., Barrios, L., Cabrera, D., Jaimez, L., Perez-Jimenez, F., Munoz, R., Bejarano, R., & Jimenez-Pereperez, J. A. (1983). Lack of induction of serum gamma–glutamyltransferase in diabetes mellitus, *Enzyme*, **30**(4) : 277-281.

Jinnouchi, H., Morita, K., Tanaka, T., Kajiwara, A., Kawata, Y., Oniki, K., et al. (2015). Interactive effects of a common γ -glutamyltransferase 1 variant and low high-density lipoprotein-cholesterol on diabetic macro- and micro-angiopathy, *Cardiovasc Diabetol.* 14: 49.

Kasapoglu, B., Turkay, C., Bayram, Y., Koca, C. (2010). Role of GGT in diagnosis of metabolic syndrome: a clinic-based cross-sectional survey, *Indian J Med Res;* **132**(1) : 56- 61.

Kasapoglu, B., Turkay, C., Yalcin, K.S., Carlioglu, A., Koktener, A.(2016). Role of γ -glutamyl transferase levels in prediction of high cardiovascular risk among patients with non-alcoholic fatty liver disease, *Indian J Med Res;* **143** : 30-36

Khan, S.N., Kodliwadmath, M.V. (2015).GGT as a marker for assessment of metabolic syndrome, *RJPBCS* ; **6**(1) : 840-485.

King, D. K., Escalante, D. A., Garber A. J., (1993). Prevention of atherosclerosis in diabetes emphasis on treatment for the abnormal lipoprotein metabolism of diabetes, *clin ther.* **5**: 766-778.

Koenig, G., Seneff, S. (2015). Gamma-Glutamyl transferase: A Predictive Biomarker of Cellular Antioxidant Inadequacy and Disease Risk, *Dis Markers.* 818570.

Krishna, P., Roopakala, Prasanna, K.M. (2005). Dyslipidemia in type 1 diabetes mellitus in the young, *Int J Diab Dev Ctries;* **25**(4) : 110-112.

Laker, M.D., Pipbiochem.(1996). F RCPATH Clinical Biochemistry for Medical Students. London, Philadelphia, Toronto, Tokyo.

Lee, D., Blomhoff, R., & Jacobs, D. J.r. (2004). Is serum gamma glutamyltransferase a marker of oxidative stress, *Free Radical Research;* **38**(6) : 535- 539.

Lee, D. H., Ha, M. H., Kim, J. H., Christiani, D. C., Gross, M. D., Steffes, M., Blomhoff, R., & Jacobs, D. R. (2003). Gamma-glutamyltransferase and diabetes- a 4 year follow-up study, *Diabetologia*; **46** : 359-364.

Lee, D. H., Jacobs, D. R., Gross, M., Kiefe, C. I., Roseman, J., Lewis, C. E., & Steffer, M. (2003). Gamma-glutamyltransferase is a predictor of incident diabetes and hypertension: the CARDIA study, *Clinical Chemistry*; **49**(8) : 1358-1366.

Lee, D. H., Lim, J. S., Yang, J. H., Ha, M. H., & Jacobs, D. R. (2005). Serum gammaglutamyltransferase within its normal range predicts a chronic elevation of alanine aminotransferase: A four year follow-up study, *Free Radical Research*; **39**(6): 589-593.

Lee, D. S., Evans, J. C., Robins, S. J., Wilson, P. W., Albano, I., Fox, C. S., Wang, T. J., Benjamin, E. J., D'Agostino, R. B., & Vasan, R. S. (2007). Gamma glutamyl transferase and metabolic syndrome, cardiovascular disease, and mortality risk: the Framingham Heart Study, *Arteriosclerosis, Thrombosis, and Vascular Biology*; **27**(1) : 127-133.

Lee, D., Silventoinen, K., Jacobs, D., Jusilahti, P., & Tuomileto, J. G. (2004). Gammaglutamyltransferase, obesity, and the risk of type 2 diabetes: Observational cohort study among 20,158 middle-aged men and women, *Journal of Clinical Endocrinology and Metabolism*; **89**(11) : 5410-5414.

Lim, J.S., Lee, D.H., Park, J.Y., Jin, Jacobs. (2007). A strong interaction between serumγ-glutamyl transferase and obesity on the risk of prevalent type 2 diabetes: results from the third national health and nutrition examination survey, *Clin Chem*; **53**(6):1092-1098.

Lim, J. S., Yang, J. H., Chun, B. Y., Kam, S., Jacobs, D. R., & Lee, D. H. (2004). Is serum gamma-glutamyltransferase inversely associated with serum antioxidants as a marker of oxidative stress, *Free Radical Biology and Medicine*; **37**(7) : 1018-1023.

Lippi, G., Targher, G., Montagnana, M., Salvagno, G.L., Guidi, G.C . (2007). Relationship between gamma-glutamyl transferase, lipids and lipoprotein(a) in the general population, *Clin Chim Acta*; **384** : 163-166.

Malnick, S.D., Beergabel, M., Knobler, H. (2003). Non-alcoholic fatty liver: a common manifestation of a metabolic disorder, *QJM* ;**96** : 699-709.

Marchesini, G., Forlani, G.(2002). NASH: from liver diseases to metabolic disorders and back to clinical hepatology. **35** : 497-499.

Mathews, K., Holde van, K. E., Ahem , K. G. (2000). *Biochemistry*, 3d Ed., Addison, Wesley, Longman.

Meisinger, C., Löwel, H., Heier, M., Schneider, A., & Thorand, B. (2005). Serum gammaglutamyltransferase and risk of type 2 diabetes mellitus in men and women from the general population, *Journal of Internal Medicine*; **258** : 527-535.

Meisinger, H., Lowel, et al.(2005). Serum GOT and risk of type 2 diabetes mellitus in-men and women from the general population, *J. of Internal Med*; **258** : 527-535.

Nakanishi, N., Suzuki, K., & Tatara, K. (2004). Serum gamma-glutamyltransferase and risk of metabolic syndrome and type 2 diabetes in middle-aged Japanese men, *Diabetes Care*; **27**(6) : 1427-1432.

Ortega, E., Koska, J., Salbe, A. D., Tatatanni, A., & Bunt, J. C. (2006). Serum gammaglutamyl transpeptidase is a determinant of insulin resistance independently of adiposity in Pima Indian children, *The Journal of Clinical Endocrinology and Metabolism*; **91**(4) : 1419-1422.

Owens, J. F., Matthews, K. A., Wing, R. R., Kuller, L. H., (1992). Can physical activity mitigate the effects of aging in middle-aged women? *Circulation*; **85** : 1265-1270.

Perry, I. J., Wannamethee, S. G., & Shaper, A. G. (1998). Prospective study of serum gamma-glutamyltransferase and risk of NIDDM, *Diabetes Care*, **21**(5) : 732-737.

Polonsky, K.S., stuis, J., Bell, J. I. (1996). Non-Insulin dependent diabetes mellitus: a genetically programmed failure of beta cell to compensate for Insulin resistance *N Engl J Med*; **334** : 777-783.

Prentki, M., Joly, E., El-Assaad, W., Roduit, R., (2002). Malonyl-CoA signaling, lipid partitioning, and glucolipotoxicity role in-cell adaptation and failure in the etiology of diabetes, *Diabetes* ; **51**: 405-413.

Rajarajeswari, D., Sharmila Krishna,T., Prasad Naidu, M., Naidu ,J.N. (2014).Serum gamma glutamyl transferase levels in association with lipids and lipoproteins in type2 diabetes mellitus, *Int J Res Med Sci* ; **2** : 838-841.

Roberto,T., Dodesini, A.R., Lepore,G.(2006).Lipid and Renal disease, *J Am Soc Nephrol* ; **17** : 145-147.

Robertson, R. P., Harmon, J., Tran, P. O., & Poitout, V. (2004). B-cell glucose toxicity, lipotoxicity, and chronic oxidative stress in type 2 diabetes, *Diabetes*; **53**: 119-124.

Rosalki, S.B., Tarlow, D.,Rau,,D. (1971).Plasma gammaglutamyltranspeptidase elevation in patients receiving enzyme-inducing drugs, *Lancet* **2**(7720) : 376–377.

Sabanayagam, C., Shankar, A., Li, J., Pollard, Ducatman, A. (2009).Serum gamma-glutamyl transferase level and diabetes mellitus among US adults, *Eur J Epidemiol*; **24**(7) : 369-373.

Sakuta, H., Suzuki, T., Yasuda, H., & Ito, T. (2005). Gamma-glutamyl transferase and metabolic risk factors for cardiovascular disease, *Internal Medicine*; **44**(6) : 538-541.

Sarli, B., Arinc, H., Baktir, A.O., Saglam, H., Demirci, E., Dogan, Y., Kurtul, S., et al. (2013). Serum Gamma Glutamyl Transferase and Alanine Transaminase Levels Predict Endothelial Dysfunction in Patients with Non-Alcoholic Steatohepatitis, *J Am Coll Cardiol*; **62**(18) : 18.

Scoppola, A., Montecchi, F.R., Meziinger, G., Lala. (2001). Urinary mevalonate excretion rate type2 diabetes: role of metabolic control; *Atherosclerosis*. **156** : 357-361.

Seitz, H. K. (2006). Additive effects of moderate drinking and obesity on serum gamma-glutamyl transferase, *American Journal of Clinical Nutrition*; **83**(6) : 1252-1253.

Sharma, R., Mahajan, M., Ravikant. (2004). Comparative account of serum lipids, lipoproteins and apolipoprotein-B in patients of coronary heart disease, *IJCB*; **19**(1) : 10- 13.

Smith, A.(2000). Oxford Dictionary of Biochemistry and Molecular Biology. 2nd edition. Oxford University Press, Oxford, UK.

Stamler, J., Vaccaro, O., Neaton, J. D., Wentworth, D.(1993). Diabetes, other risk factors, and 12 year cardiovascular mortality for men screened in the Multiple Risk Factor Intervention trial, *Diabetes Care*; **16** : 434-444.

Suryawanshi, N. P., Bhutey, A. K., Nagdeote, A. N., Jadhav, A. A., Manoorkar, G.S. (2006). The study of lipid peroxide and lipid profile in diabetes mellitus, *Indian Journal of Clinical Biochemistry*; 126-130.

Tangvarasittichai, S. (2015). Oxidative stress, insulin resistance, dyslipidemia and type 2 diabetes mellitus, *World J Diabetes*; **6**(3) : 456-480.

Thamer, C., Tschritter, O., Haap, M., Shirkavand, F., Machann, J., Fritsche, A., Schick, F., Häring, H., & Stumvoll, M. (2005). Elevated serum GGT concentrations predict reduced insulin sensitivity and increased intrahepatic lipids, *Hormone Metabolism Research*; **37** : 246-251.

Thibodeau-Patton-Anthony's Text Book of Anatomy physiology-18th edition. Philadelphia. 2007: 627

Van Dam, R. M., Rimm, E. B., Willet, W. C., Stampfer, M. J., Hu, F. B. (2002). Dietary fat and meat intake in relation to risk of type 2 diabetes in men, *Diabetes Care*; **25** : 417-424.

Vijayasamundeeswari, C.K., Sudha, R. (2014). The association between serum gamma glutamyl transferase levels and microalbuminuria in Type 2 diabetic patients, *Global J Med Pub Health*; **3**(5) : 1-5.

Vilhemsén, T., Eliassen, H., Schaefer, T., (2005). Effect of a melt agglomeration process on agglomerates containing solid dispersions, *Internat J Pharm Sci*; **303** : 132-142.

Wannamethee, S. G., Sharper, A. G., Lennon, L., & Whincup, P. H. (2005). Hepatic enzymes, the metabolic syndrome, and the risk of type 2 diabetes in older men, *Diabetes Care*; **28**(12) : 2913-2918.

Whitfield, J. B. (2001). Gamma glutamyl transferase, *Critical Reviews in Clinical Laboratory Sciences*; **38**(4) : 263-355.

WHO., (1994). World Health Organization Prevention of diabetes mellitus, Geneva, (WHO Technical Report Series, No. 844).

WHO., (1999). World Health Organization Consultation. Definition, diagnosis and classification of diabetes mellitus and its complications, part 1: World Health Organization, Diagnosis and classification of diabetes mellitus. Geneva,

WHO West Pacific Region. (2000),The Asia Pacific Perspective: Refining obesity and its treatment, London: International Obesity Taskforce.

WHO., (2003). World Health Organization. The World Health Report 2003. Shaping the future. Geneva.

Wild, S., Roglic, G., Green, A., Sicree, R., King, H., (2004). Global Prevalence of Diabetes: Estimates for the year 2000 and projections for 2030, *Diabetes Care*; **27**: 1047-1053.

William, G., Pickup, J., (1992). Hand book of Diabetes. Cambridge, Mass: Blackwell Publishers; 1.

Wright, E., Scism-Bacon, J. L., & Glass, L. C. (2006). Oxidative stress in type 2 diabetes: The role of fasting and postprandial glycaemia, *International Journal of Clinical Practice*; **60**(3) : 308-314.

Yamada, J., Tomiyama, H., Yambe, M., Koji, Y., Motobe, K., Shiina, K., Yamamoto, Y., & Yamashina, A. (2006). Elevated serum levels of alanine aminotransferase and gamma glutamyltransferase are markers of inflammation and oxidative stress independent of the metabolic syndrome, *Atherosclerosis*; **189** : 198-205.

Yaney, G. C., Corkey, B. E., (2003). Fatty acid metabolism and insulin secretion in pancreatic - cells. *Diabetologia*; **46** : 1297-1312.

Zhang, H., Forman, H. J., & Choi, J. (2005), Gamma-glutamyl transpeptidase in glutathione biosynthesis, *Methods in Enzymology*; **401** :468-483.