

## References :

- Acha N . P . and Szyfres B. (2003) .** *Zoonoses and communicable diseases common to man and animals.*, 3<sup>rd</sup> ed ., VOL. 1. Pan American Health Organization (PAHO), Washington, DC
- Ackermann, H.W; Simon, F., and Vergger, J.M. (1981).** A survey of Brucella phages and morphology of new isolate . *Intervirology* 16, 1-7 . doi: 10.1159/000149240
- Al-khalaf, S; El-khaladi , A. (1989).** *Brucellosis* in Camels in Kuwait. *Comparative Immunology, Microbiology and infectious Disease*, 12(1-2): 1-4;8 ref.
- Allsup, T. N. (1974).** Failure to demonstrate Brucella infection in ewes exposed to natural bovine infection . *Veterinary Record* , 94: 183-186
- Alton , G. G; Jones , L.M ; Angus, R.D; Verger , J.M. (1988).** Techniques for the *brucellosis laboratory* : Institute National de la Recherche Agronomique .Paris, pp. 61 Yousif (2010). P. 9.
- Angara, T-Y and Y. A. Shuaib, (2015).** Evolution of bovine brucellosis over 11-years period in the Sudan . *Inter . J. Vet. Sci.*, 4(1), 33-38
- Bang, B. (1897).** *Die Aetiologie des seuchenhaften (“infectiosen“) Verwerfens.* *Zeitschrift Thiermedizin* 1: 241-78 .

**Beh, KJ. (1974).** Quantitative distribution of *Brucella* antibody among immunoglobulin classes in vaccinated and infected cattle. *Research in Veterinary Science*, 17:1-4.

**Benkirane, A . (2006) .** Ovine and Caprine brucellosis : World distribution and control / eradication strategies in West Asia/ North Africa region . *Small Ruminant Res*, 62,19 , 25.

**Blood , D.C. and Radostits, O. M. (1989).** *Veterinary Medicine 7<sup>th</sup> ed.* Bailliere Tindall. London , pp.677-696.

**Bowden , R. A., Verger , J. M., Crayon , M., Cloeckert, A. (1997).** Rapid identification of rough *Brucella* isolates by a latex co-agglutination assay with 25 Kilo Dalton outer membrane protein and rough Lipopolysaccharide - specific monoclonal antibodies . *Clin , Diagn. Lab Immunol .*, 4: 611-614. (Yousif . 2010). P. 9.

**Brew S. D; Perrett L . L; Stack J.A; MacMillan A. P . and Staunton N. J. (1999) .** Human exposure to *Brucella* recovered from a sea mammal . *Vet Rec*, 144 ,483.

**Brinley –Morgan , W. J; Kay, D; and Bradley , D . E. (1960).** Brucella bacteriophage. *Nature* 188, 74-75. Doi: 10.1038/188074a0

**Bruce, D. (1887).** Note on the discovery of a microorganism in Malta fever. *Practitioner* 39: 161-70 .

**Buxton, A. and Fraser, G. (1977).** Brucellosis, In : *Animal Microbiology* , Blackwell Scientific Publication , Oxford, U.K ., pp. 133-140.

**Casolinuovo, F; Cacia, A; Lopresti, A; Miceli, M.E; Viterbo, A. and Fenizia, D. (1996).** Brucellosis in the Calabria region. Studies on Sources of infection . *Veterinaria Italiana*, **32** : 20. 23-28.

**Chary, JFC. (1970).** *Contribution à l'étude de la brucellose du chien . Une enquête sérologique .* Thesis. Alfort, Paris , France: Ecole National Vétérinaires.

**Chatterjee, A; Mondal, P; De-BN and Sen, G.P. (1995).** Cultural isolation of infection. *Veterinaria Italiana*. 32: 20 23-28

**Collier, JR; Molello , JA. (1964).** Comparative distribution of *Brucella abortus* , *Brucella melitensis* and *Brucella ovis* in experimentally infected pregnant sheep. *American Journal for Veterinary Research* , 25:930-934.

**Corbel MJ (2006).** Brucellosis in Humans and animals . World Health Organization , PP. 12-79.

**Corbel , M. J., and Thomas, E.L. (1976).** Properties of some new Brucella phage isolate ; evidence for lysogeny within the genus . *Dev . Biol. Stand.* 31, 38-45.

**Corbel , M. J., Tolai, F., and Yadava, V. K. (1988).** Characterisation of a new phage Lytic for both smooth and non -smooth Brucella species. *Res. Vet. Sci.* 44, 45-49.  
*de Figueiredo , P., Ficht, T. A., Rice –Ficht, A; Rossetti, C. A; and Adams, L G. (2015).* Pathogenesis and immunobiology of brucellosis: review of Brucella-host interactions. *Am. J. Pathol.* 185, 1505-1517.dio: 10.1016/j.ajpath .2015.03.003

**Corbel , M. J. (1984).** Properties of Brucella- phages lytic for non-smooth Brucella strains . *Dev. Biol Stand.* 56, 55-62.

**Corbel, M J. (1973).** The direct fluorescent antibody test for detection of *Brucella abortus* in bovine abortion material. *Journal of Hygiene*, 71:123-129

**Corbel, M. J. (1989).** Brucellosis : Epidemiology and prevalence world wide . In *E. J. young and M. J. Corbel (ed). Brucellosis Clinical and Laboratory Aspects.* CRC press. Florida, USA. pp. 26-40.

**Corbel, M. J. (1989).** Brucellosis : Epidemiology and prevalence world wide . In *E. J. Young and M. J. Corbel (ed). Brucellosis Clinical and Laboratory Aspects.* CRC press. Florida, USA. pp. 26-40.

**Crawford, RP; Huber, J. D; Adams BS. (1990).** Epidemiology and Surveillance. *Animal brucellosis.*, 131-151: 91 ref.

**Davies, G and Casey, A. (1973).** The survival of *Brucella abortus* in milk and milk products. *Birtish Veterinary Journal*, 129: 345-353.

**Davis, DS; Templeton, JW; Fich, TA; Williams, JD; Kopec, JD ;Adams,LG. (1990) .** *Brucella abortus* in captive bison . Serology , bacteriology , pathogenesis and transmission to cattle . *Journal of wildlife Disease* , 26: 360-371 . <https://doi.org/10.7589/0090-3558-26.3.360>

**Dekeijzer, P. (1981).** *Brucella* biotypen in België. *Landbouwtij dschrift*, 34:1513-1520.

**Esuruoso GO (1974)** Bovine brucellosis in Nigeria. *Veterinary Record* , 95: 54-58.

**Evan, AC. (1918). Further Studies on *Bacterium abortus* and related bacteria . A comparison of *Bacterium abortus* with *Bacterium bronchisepticus* and the organism which causes Malta fever . J Infect Dis 22 : 580-93**

**Forbes, L.B; (1990). *Brucella abortus* infection in 14 farm dogs. Journal of the. American Veterinary Medical Association , 196 (6): 911-916; 27 ref.**

**Godfroid J ; Garin-Bastuji, B; Seagerman, C. and Blasco J. M. (2013). Brucellosis in Wildlife. Rev Sci Tech, 32, 27 -42.**

**Hall, R. (1979). Vet. Rec., control and eradication of brucellosis, 105, 305.**

**Hammerl, J. A., Al Dahouk, S., Nockler, K., Gollner, C., Appel, B., and Hertwig, S. (2014). F1 and Tbilisi are closely related brucella phages exhibiting some distinct nucleotide variations which determine the host specificity Genome Announc. 2: e01250-13. Doi: 10.1128/genome A. -01250-13**

**Herr, S; Ribeiro, LMM. Chaparro, F. (1990). Persistent infection with *Brucella abortus* biotype 1 in a cow. Journal of the South Africa Veterinary Association, 61 (2) :77;6 ref.**

**Hirsh, D., Zee, Y.C. (1999). In Veterinary Microbiology, Blackwall Science, Inc.SF 780.2.V: 48, PP.201.**

**[https://en.m.wikipedia.org/wiki](https://en.m.wikipedia.org/wiki/Brucella_abortus)**

**Jablonski, L. (1962). Variability of Brucella phages. Nature 193, 703-704 doi: 10.1038/193703a0**

**Joint FAO/WHO Expert Committee on Brucellosis (1986).** Technical Report Series **Joint FAO/WHO Expert committee on Brucellosis.** World Health Organization .

**Kerimov, Ch. (1983).** Survival of *Escherichia coli* and *Brucella abortus* in cattle manure. *Veterinariya, Moscow, USSR*, No. 12:23

**King, NB. (1957).** The survival of *Brucella abortus* (USDA strain 2308) in manure . *Journal of the American Veterinary Medical Association*, 131:349-352

**Lambert, G. et, al., (1964) f. AM Vet. Med. Assoc.,** vaccination of cattle, 145, 409.

**Levieux, D. (1974).** Bovine immunoglobulins and *Brucellosis* .11. Activity of serum IgG1 , IgG2 and IgM in agglutination, coombs, cf and Rose Bengal Tests . *Annales de Recherches, Vétérinaires* 5:343-353

**Luchsinger, D.W; Anderson, R. A; (1967).** Epizootiology of Brucellosis in a flock of sheep. *Journal of the American Veterinary Medical Association*, 150:1017-1021.

**MacMillan, A. (1990).** Conventioal serological tests. *Animal brucellosis* ., 153-197; 206 ref.

**Manthei, C. A; Carter, R. W. (1950).** Persistence of *Brucella abortus* infection in cattle. *Aerican Journal for Veterinary Research*, 11: 173-180

**Martin, S. W; Meek, A.H; and Welleberg, P. (1988).** *Veterinary Epidemiology parinciples and Methods*, Chapter 2 PP. 30, 31.

**Matope, G; Bhebhe, E; Muma, J.B; Skjerve, E. and Djonne, B. (2009).** Characterization of some *Brucella* species from Zimbabwe by biochemical profiling and AMOS - PCR. *BMC Research Notes*, **2**, 261.

**Meyer, K. F. and Shaw, E.B. (1920).** A comparison of the morphology, cultural and biochemical characteristics of *B.abortus* and *B. melitensis* from cattle. Studies on the genus *Brucella* nov. gen *Journal of infectious Disease*, **27**,173-184.

**Moreira – Jacob , M. (1968).** New group of virulent bacteriophages showing differential affinity for *Brucella* species. *Nature* 219, 752-753.  
Dio: 10.1038/219752a0

**Musa, M. T.; Jahans K. L. and Fadalla, M. E. (1990).** *Brucellosis biovars* isolated from Nomadic Cattle in the Southern Darfur Province in Western Sudan. *J Comp. Path.*, 102: 46-54

**National, Research Council. (1977).** *Brucellosis Reserch: An Evaluation* Washington , DC: National Academy of Sciences.

**Nicoletti, P. (2013)** Bovine brucellosis. *In The Merck veterinary manual* online . [http:// WWW. Merckvetmanul. Com/reproductive –system/brucellosis-in-large – animals/ brucellosis – in –cattle .](http://WWW.Merckvetmanul.Com/reproductive-system/brucellosis-in-large-animals/brucellosis-in-cattle)

**Nicolotti, P,et. al., (1985).** *J. AM. Vet. Med. Assoc.*, treatment of brucellosis , 187, 493

**Nielson, K, and Duncan, J. R. (1990).** *Animal Brucellosis*, CRC press, Florida, USA, P.453.

**OIE (2009).** *Terrestrial Manual* , Bovine brucellosis, Chapter 2.4.3. Bovine brucellosis. World Organization for Animal Health (OIE).

**OIE (2009).** Bovine Brucellosis : *Brucella abortus*. Institute for international cooperation in animal biology and OIE collaborating center , Paris , France.

**Parnas , J; Feltynowski, A; and Bulikowski , W. (1958).** **Anti-Brucella phage.** *Nature* 182, 1610- 1611. Dio: 10 1038/1821610a0

**Philippon, A; Renoux, G; Plommet, M. (1970).** Expeimental Bovine brucellosis. 111 . Vaginal excretion of *Brucella abortus* before and after calving. *Annales de Recherches Vetérinaires*, 1:215-224.

**Plackett, P. et, al., (1980).** *Aust. Vet.f.*, vaccination of cattle 56, 369.

**Plommet, M. (1972).** Survie de *Brucella abortus* dans le lisier de bovins. Désinfection par le xyléne. *Annales de Recherches Vetérinaires*, 3:621-632

**Prior, M. G. (1976).** Isolation of *Brucella abortus* from two dogs in contact with bovine brucellosis. *Canadian Journal of Comparative Medicine*, 40:117-118.

**Radostits O. M., Gay C. C., Blood D. C. and Hinchcliff K. W. (2007).** Disease caused by *Brucella spp* . *A Textbook of the Disease of Cattle, Sheep, Pigs, Goats and Horses*. 10<sup>th</sup> Ed., ELBS Bailliere Tindall , London , UK, pp: 870-871

**Radostits OM, Gay CC, Blood DC, Hinchcliff KW, (2007).** Disease caused by *Brucella spp*. *A Textbook of the Disease of Cattle, Sheep, Pigs, Goats and Horses.*, 10<sup>th</sup> Edn., ELBS Bailiere Tindall London, UK;pp:870-871



**Ray, W. C. (1979).** *Brucellosis* (due to *Brucella abortus* and *suis*). In: Steele J, ed. *Handbook Series in Zoonoses*. Section A: Bacterial, Rickettial and Mycotic Diseases. Boca Raton, Florida, USA: CRC Press, Inc., 99-127.

**Redman, D. R.et, al., (1967).** *J . AM. Vet. Med. Assoc.*, vaccination of cattle, 150, 403.

**Rigby, C. E., Cerqueira-Campos, M. L., Kelly, H. A., and Surujballi , O. P.(1958).** Properties and partial genetic characterization of Nepean phage and other lytic phages of *Brucella* species . *Can. J. Vet. Res.* 53, 319-325.

**Robertson, F. J; Milne, J; Silver, CL; Clark, H. (1973).** Abortion associated with *Brucella abortus* (Biotype 1) in the TB Mare. *Veterinary Record*, 92: 480-481.

**Rose , JE; Roepke, MH. (1957).** An acidified antigen for detection of nonspecific reactions in the plate agglutination test for bovine brucellosis. *American Journal for Veterinary Research* , 18:550-555

**Schelling, E; Diguimbaye, C; Daoud, S; Nicolet, J; Boerlin, P; Tanner, M; Zinsstage, J . (2003) .** Brucellosis and Q- fever seroprevalences of nomadic pastoralists and their livestock in Chad. *Preventive Veterinary Medicine* , 61 : 279-293.

**Segondy, M; Allardet-Servent, A; Caravano , R., and Ramuz, M. (1988).** Common physical map of four *Brucella* bacteriophage genomes. *FEMS Microbiol. Letti* 56,177-182 . doi :10.1111/j.1574-6968.1988.tb03173.x

**Smith, R.A. et, al., (1983).** *J.A.M. Vet. Med. Assoc.*, treatment of brucellosis, 183, 70

**Sohn, A. H ; Probert, W. S; Glaser C. A; Gupta, N; Bollen A. W; Wong, J. D; Grace, E.M; and McDonald, W. C. (2003).** Human neurobrucellosis with intracerebral granuloma caused by a marine mammal *Brucella* SPP. *Emerg infect Dis*, **9**, 485-488.

**Thimm, B. M. (1982).** Brucellosis . Distribution in Man , Domestic and Wild Animals. *Springer-Verlag*, Berlin , Heidelberg, New York.

**Thrusfield M, (2007).** *Veterinary Epidemiology*. United Kingdom , Black Well Science Ltd, Ed. (3), Chap. 15, PP. 220-221

**Traum, J. (1920).** Report of the Chief of the Bureau of Animal Industry , U.S. Department of Agriculture . U. S. Department of agriculture, *Washington DC* p . 30.

**WHO Report (1992).** Report of the Working Group Meeting on Brucellosis Control and Research Geneva.

**World Organisation for Animal Health, (2006).**

**World Organization for Health (OIE). (2009).** Bovine brucellosis . OIE Terrestrial Manual Chapter 2.4.3. Paris, OIE.

**World Organization for Health (OIE). 2009.** Bovine brucellosis . OIE Terrestrial Manual Chapter 2.4.3. Paris, OIE.

**World Health Organization, (2006).** Brucellosis in humans and animals.

**Wray, C. (1975).** Survival and Spread of pathogenic bacteria of Veterinary importance within the environment . *Veterinary Bulletin*, 45: Abstract 546

**Y. A., Shuaib A. A. M. El-Fadil , M. E. Abdel-Rahman , H. Negussie and K. H. Zessin (2014).** Seroprevalence and risk factors of Pest des petits ruminants in sheep in the Kassala and North Kordofan State of the Sudan. *Inter. J Vet. SCi.* 3(1), 18-28.

**Yousif , M. S. (2010).** Prevalence of Brucellosis in Cattle , Sheep and Goats of West Darfur, state , Sudan P.18