

Table [2]: Demonstrate the radiographic appearance of the pelvic anatomical structures in VD₂, DV and VD₁ pelvic radiographic projections

A.S P PN	A		B		C		D		E		F		G		H		I		J		K		L		M		N		O		P	
	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV	VD	DV
1	1	1	1	1	1	1	2	1	2	1	1	3	1	1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	3	1	3	1	2	1	2	1	3	1	1	1	3	1	2
3	1	1	1	1	1	1	2	1	2	1	1	3	1	1	1	1	1	1	2	3	2	1	1	3	1	1	1	2	1	1	2	
4	1	1	1	1	1	1	1	1	2	1	1	3	2	1	2	1	1	1	2	2	1	2	1	2	1	3	1	1	1	1	3	
5	1	1	1	1	1	1	1	2	1	1	1	3	1	3	1	2	1	2	2	3	3	3	2	2	2	3	2	3	1	1	2	2
6	1	1	1	1	1	1	1	1	2	1	1	3	3	1	2	1	1	1	2	3	2	2	2	1	1	1	2	2	1	1	1	2
7	1	1	1	1	1	1	2	1	2	1	1	3	3	2	3	1	1	1	2	3	3	2	1	2	1	2	2	2	1	1	1	2
8	1	1	1	1	1	1	2	1	2	1	1	1	2	1	3	1	1	1	2	3	3	2	1	1	1	1	2	2	1	1	1	2
9	1	1	1	1	1	1	1	1	1	1	1	3	1	2	2	1	2	1	2	3	2	2	1	1	1	1	2	2	1	1	1	2
10	1	1	1	1	1	1	1	1	1	1	1	3	1	2	1	1	1	1	2	3	2	2	1	2	1	1	2	2	1	1	1	2
11	1	1	1	1	1	1	2	1	2	1	1	3	2	2	1	1	1	1	2	2	2	2	1		1	1	1	1	1	1	1	1
12	1	1	1	1	1	1	1	1	2	1	1	3	2	2	2	1	1	1	2	2	2	2	1	2	1	3	2	1	1	1	1	2
13	1	1	1	1	1	1	1	1	2	1	1	3	1	3	1	2	1	2	2	3	2	3	1	3	1	2	1	3	1	1	1	3
14	1	1	1	1	1	1	2	1	2	1	1	3	1	1	1	1	1	2	2	3	2	1	1	2	1	2	2	1	1	1	1	3
15	1	1	1	1	1	1	2	1	2	1	1	3	3	3	2	1	1	1	1	3	2	3	1	2	1	2	3	3	1	1	1	2
16	1	1	1	1	1	1	2	1	2	1	1	3	3	2	2	1	1	2	2	2	2	2	1	2	1	2	3	2	1	1	1	2
17	1	1	2	1	1	1	1	1	1	1	2	3	2	1	2	1	2	2	3	3	3	2	1	2	3	2	2	2	1	1	3	3
18	1	1	1	1	1	1	2	1	2	1	1	3	2	2	2	1	1	1	2	2	2	2	1	2	1	1	1	1	1	1	1	1
19	1	1	1	1	1	1	2	1	2	1	1	3	3	2	3	1	1	1	1	2	2	2	1	2	1	1	2	1	1	1	1	1
20		1		1		1		2		2	1	3		1		2		2		2		2	1	1		1		1	1	1	1	
21	1	1	1	1	1	1	2	1	1	1	1	3	3	1	2	1	1	1	1	2	3	2	1	2	1	2	2	1	1	1	1	2
22	1	1	1	1	1	1	2	3	2	2	1	3	2	1	1	1	1	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1
23	1	1	1	1	1	1	3	1	3	1	1	3	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2
24	1	1	1	1	1	1	2	1	2	1	1	3	1	1	1	1	1	2	1	3	1	1	1	2	1	2	1	1	1	1	1	2
25	1	2	1	2	1	2	1	2	1	2	2	3	1	2	2	2	1	1	2	2	2	3	1	3	2	3	1	2	1	1	1	1
26	1	2	1	2	1	2	1	2	2	1	2	3	2	3	2	3	2	2	2	2	2	2	1	3	1	2	1	2	2	1	1	2
27	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	2	1	2	1	2	1	1	1	1	1	1	1	1
28	1	1	1	1	1	1	2	1	2	1	1	3	2	1	2	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1
29	1	2	1	2	1	2	1	1	1	1	3	1	3	2	3	1	3	1	1	1	3	2	3	1	2	2	2	2	3	1	1	1
30	1	1	1	1	1	1	2	1	1	1	1	1	2	2	2	1	2	2	2	2	2	1	1	3	1	1	2	1	1	1	1	1

Note:

Anatomical Structures:

- A = Hip joints B = Acetabulum C = Head of femur D = Neck of femur E = Greater trochanter
- F = Lesser trochanter G = Lumbo-sacral joint H = Sacro-iliac joint I = Ilium J = Pubic bone
- K = Sacrum L = Upper caudal spine M = Obturator foramen N = Lumbar spine O = Shaft of femur.

Radiographic Appearances:

- 1 = Good 2 = Acceptable 3 = Poor

Radiographic projections:

- VD₁ = Ventro-dorsal extended view internal rotation VD₂ = Ventro-dorsal slight flexion external rotation. DV = Dorso-ventral flexed view
- A.S = Anatomical structures P = Projections P.N = Patient Number

Table [1]: Demonstrate the radiographic appearance of the pelvic anatomical structures in VD₂, DV and VD₁ pelvic radiographic projections

A.S P N.P	A		B		C		D		E		F		G		H		I		J		K		L		M		N		O			
	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV	VD ₂	DV		
1	2	1	2	1	2	1	2	1	2	1	2	2	1	1	1	1	2	2	2	2	2	2	2	2	2	2	1	1	2	2	1	1
2	2	1	2	1	2	1	2	2	3	1	3	3	1	1	2	2	2	2	2	2	2	2	1	2	1	1	1	1	3	3	1	
3	2	1	2	1	2	1	2	2	3	1	2	3	1	1	2	2	2	2	2	2	2	1	1	2	1	1	1	1	2	1		
4	2	1	2	1	1	1	3	2	2	1	2	3	2	1	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	2	1	
5	2	2	2	2	2	2	2	1	2	1	2	3	2	1	1	1	2	2	2	2	2	2	1	2	2	1	2	1	1	2	1	
6	2	1	2	1	1	1	2	1	2	1	2	3	2	1	1	1	2	2	2	2	2	2	1	1	1	1	1	1	1	2	1	
7	1	1	2	1	2	1	2	3	2	1	2	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	
8	2	1	2	1	2	1	3	3	2	1	2	3	2	1	2	2	2	2	2	2	2	2	1	3	3	2	2	2	2	1	2	
9	2	1	2	1	2	2	3	3	2	1	2	3	3	3	3	3	2	2	2	2	2	2	2	2	3	2	3	3	2	2		
10	2	1	2	1	2	1	2	3	3	1	2	3	2	1	1	1	2	2	2	2	2	2	3	2	2	2	2	2	2	2	1	
11	2	1	2	1	2	1	3	3	3	1	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
12	2	2	2	2	2	2	2	3	1	2	2	3	2	3	2	2	2	2	3	3	2	2	2	2	2	2	2	2	2	2	2	
13	1	1	1	1	1	1	1	3	3	1	1	1	3	1	1	2	2	2	3	3	1	1	1	1	1	1	1	1	1	1	1	
14	1	1	1	1	1	1	1	3	3	2	1	1	3	1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	2	
15	1	1	1	1	1	1	1	3	3	2	1	2	3	2	1	1	1	2	2	2	2	2	1	1	2	1	1	1	1	1	2	2
16	1	1	2	1	1	1	2	1	2	1	2	3	2	1	1	1	2	2	2	2	2	2	1	1	1	1	1	1	1	2	1	
17	1	1	2	1	1	1	2	1	2	1	2	3	2	1	1	1	2	2	2	2	2	2	1	1	1	2	1	2	1	2	1	
18	1	1	2	1	2	1	2	1	2	1	2	3	3	1	1	1	2	2	2	2	2	2	1	1	1	2	1	2	1	1	1	
19	2	1	2	1	2	2	2	2	2	2	3	3	2	1	2	2	2	2	2	2	2	1	2	1	1	2	1	1	1	2	1	
20	2	1	2	1	2	1	2	2	2	2	2	3	1	1	2	2	2	2	2	2	2	2	1	1	1	2	1	1	1	1	1	
21	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	2	1	1	1	1	
22	1	1	2	1	2	1	3	1	3	1	2	3	3	2	2	2	2	2	2	2	2	2	1	1	1	1	1	2	1	2	1	
23	1	1	2	1	2	1	2	1	3	1	2	3	3	2	1	1	2	2	2	2	3	2	1	1	1	1	1	1	1	2	1	
24	2	1	2	1	2	1	2	1	2	1	2	3	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	1	1	2	1	
25	2	2	2	2	1	2	2	3	1	2	2	2	2	2	2	2	2	3	2	2	3	1	2	2	3	2	2	2	2	2	1	
26	1	1	1	1	2	1	2	2	1	2	2	3	2	2	2	2	2	2	2	1	2	1	2	1	2	1	2	2	2	1	2	
27	1	1	1	1	1	1	2	1	2	1	2	1	2	1	1	1	1	2	1	2	2	2	2	2	1	2	2	1	1	1	1	
28	1	1	1	1	2	1	2	1	2	1	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	2	3	1	1	1
29	2	3	2	3	2	3	2	3	2	3	2	3	3	3	3	3	3	3	3	2	2	3	3	2	3	3	3	3	3	2	2	
30	2	2	2	2	2	2	2	2	2	3	3	2	3	3	3	3	3	3	3	2	3	3	3	2	3	2	3	3	3	2	2	

Anatomical Structures:

A = Hip joints B = Acetabulum C = Head of femur D = Neck of femur E = Greater trochanter
 F = Lesser trochanter G = Lumbo-sacral joint H = Sacro-iliac joint I = Ilium J = Pubic bone
 K = Sacrum L = Upper caudal spine M = Obturator foramen N = Lumbar spine O = Shaft of femur.

Radiographic Appearances:

1 = Good 2 = Acceptable 3 = Poor

Radiographic projections:

VD₁ = Ventro-dorsal extended view internal rotation VD₂ = Ventro-dorsal slight flexion external rotation. DV = Dorso-ventral flexed view
 A.S = Anatomical structures P = Projections P.N = Patient Number

Table [2]: Demonstrate the radiographic appearance of the pelvic anatomical structures in VD₁ pelvic radiographic projection

A.S	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁
P.N	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁
8	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
12	1	1	1	1	2	1	2	2	3	2	1	2	1	1	2
25	1	1	1	1	2	2	2	2	2	2	1	2	1	1	2
26	1	1	1	1	1	1	2	1	3	2	1	1	1	1	1
27	1	1	1	1	1	1	3	1	2	2	1	2	1	1	1
28	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1

Anatomical Structures:

A = Hip joints B = Acetabulum C = Head of femur D = Neck of femur E = Greater trochanter
 F = Lesser trochanter G = Lumbo-sacral joint H = Sacro-iliac joint I = Ilium J = Pubic bone
 K = Sacrum L = Upper caudal spine M = Obturator foramen N = Lumbar spine O = Shaft of femur.

Radiographic Appearances:

1 = Good 2 = Acceptable 3 = Poor

Radiographic projections:

VD₁ = Ventro-dorsal extended view internal rotation VD₂ = Ventro-dorsal slight flexion external rotation. DV = Dorso-ventral flexed view
 A.S = Anatomical structures P = Projections P.N = Patient Number

Table [1]: Demonstrate the radiographic appearance of the pelvic anatomical structures in VD₁ pelvic radiographic projection

A.S	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁
N.P	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁
8	1	1	2	2	2	2	1	2	2	2	2	1	1	1	1
12	2	2	2	2	2	3	2	2	2	3	3	2	3	2	2
25	2	2	1	2	2	2	2	3	3	3	3	2	3	2	1
26	1	2	1	2	2	2	1	3	3	3	3	1	2	2	1
27	2	2	2	2	2	2	2	3	3	3	3	1	2	2	2
28	1	2	2	1	2	1	1	2	1	1	3	2	2	3	1

Anatomical Structures:

A = Hip joints B = Acetabulum C = Head of femur D = Neck of femur E = Greater trochantor
 F = Lesser trochantor G = Lumbo-sacral joint H = Sacro-iliac joint I = Ilium J = Pubic bone
 K = Sacrum L = Upper caudal spine M = Obturtor foramen N = Lumber spine O = Shaft of femur.

Radiographic Appearances:

1 = Good 2 = Acceptable 3 = Poor

Radiographic projections:

VD₁ = Ventro-dorsal extended view internal rotation VD₂ = Ventro-dorsal slight flexion external rotation. DV = Dorso-ventral flexed view
 A.S = Anatomical structures P = Projections P.N = Patient Number

Table [3]: Demonstrate the radiographic appearance of the pelvic anatomical structures in VD₁ pelvic radiographic projection

A.S	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P N.P	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁	VD ₁
8	1	1	1	1	1	1	1	2	1	1	1	2	1	1	1
12	2	2	1	1	1	3	1	2	1	3	1	2	2	1	1
25	1	1	1	1	1	2	1	3	1	2	1	1	2	1	1
26	1	1	1	1	1	1	1	2	1	3	1	1	1	2	1
27	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1
28	1	1	1	1	1	2	1	2	1	2	1	2	1	3	1

Anatomical Structures:

A = Hip joints B = Acetabulum C = Head of femur D = Neck of femur E = Greater trochanter
 F = Lesser trochanter G = Lumbo-sacral joint H = Sacro-iliac joint I = Ilium J = Pubic bone
 K = Sacrum L = Upper caudal spine M = Obturator foramen N = Lumbar spine O = Shaft of femur.

Radiographic Appearances:

1 = Good 2 = Acceptable 3 = Poor

Radiographic projections:

VD₁ = Ventro-dorsal extended view internal rotation VD₂ = Ventro-dorsal slight flexion external rotation. DV = Dorso-ventral flexed view
 A.S = Anatomical structures P = Projections P.N = Patient Number

