

Referances

Adams William M. Adams, DVM 1 , R. Tass dueland, DVM, MS 1 , Ruth Daniels, DVM 3 , James P. Fialkowski, BS 1 , Erik V. Nordheim. (2000) Comparison of two Palpation, four Radiographic and three Ultrasound methods for early detection of mild to moderate canine hip dysplasia.

<http://www3.interscience.wiley.com/journal/119048766/abstract?cretry=1&sretry=0>.

Alexander JW (1992). The pathogenesis of canine hip dysplasia. Vet Clin North Am Small Anim Pract ; 22: 503-511.

Aronson E, Kraus KH, Smith Jb (1991). The effect of anesthesia on the radiographic appearance of the coxofemoral joints. Vet Radiol 32: 2-5.

Bedford, P.G.C. (1994). Control of hereditary elbow disease in pedigree dogs. J. Small Anim. Pract. 35: 119-122.

Bontrager (2007). Textbook of Radiographic Positioning and Related Anatomy 5th edition.

Brass W (1989). Hip dysplasia in dogs. J Small Anim Pract. 30: 166-170.

Bums J, Fox SM, Burt J (1987). Diagnostic radiography: the only definitive determination of CHD . Vet Med ; 82: 694-700.

Cardinet G H, Guppy N.M, Wallace L.S and Laber RC(1983). Canine hip dysplasia German Shepherd dog. Greyland Crossbreeds. J. Am. Vet. Med. Assoc. 182: 393-395.

Chesney N (1971). X-Ray Equipment for Students and Radiographers. 2nd edition. Blackwell Scientific Publications. Michigan. USA.

Choron, Sandra (2005). Planet Dog: A Doglopedia. Houghton Mifflin Harcourt. Boston,USA. <http://www.amazon.co.uk/Planet-Dog-Doglopedia-Sandra-Choron/dp/0618517529>

Clark [Alsop](#), [Stewart Whitley](#), [Adrian Moore](#), [Charles Sloane](#), [Graham Hoadley](#) (2005). Clark's Positioning Radiography 12th Edition

Coles EH (1986). Veterinary Clinical Pathology. 4th edition. W.B Saunders Company. New York. USA.

Corley EA (1992). Role of the orthopedic foundation for animals in the control of canine hip dysplasia. *Vet Clin North Am Small Anim Pract* ; 22: 579-593.

Corley E (1998). Reliability of early radiographic evaluation for canine hip dysplasia obtained from the standard rethrodorsal radiographic projection. *Jam Vet Med Assoc*;15:212(4):487-8.

Corley EA, and Keller GG (1989). *Hip Dysplasia: A Guide for Dog Breeders and Owners*, 2nd ed. Columbia, Missouri: Orthopedic Foundation of Animals. D, ed. *Textbook of Small Animal Surgery*, 2nd ed., vol 2.

Dacie JV, Lewis SM (1994). *Practical Haematology* 8th ed. Churchill Livingstone. London; 210-60.

Demko, J; McLaughlin R (2005). Developmental orthopedic disease. In Renberg, WC. *Veterinary Clinics of North America Small Animal Practice: General Orthopedics*. WB Saunders Co, Philadelphia, PA; 35(5):1111-1135.

Dendy, P. P.; B. Heaton (1999). [Physics for Diagnostic Radiology](#). USA: CRC Press. Pp.12

Dennis, R (1995). An Introduction to Veterinary CT and MR scanning. Vet Annual 36: 16-40.

Distl, O., W. Grussler, J. Schwarz, and H. Krausslich. (1991). Analysis of environmental and genetic influences on the frequency of hip dysplasia in German shepherd dogs. J. Vet. Med. 38:460–471.

Douglass, SW Williamson,HD .(1971). Principles of Veterinary Radiography. The William & Wilkins Company, Baltimore. USA.

Dyce,KM; Sack, WO. and Wensing, CJK (1987). Textbook of Veterinary Anatomy .W.B Saunders Company. Philadelphia.USA.

Eliane A.O. Urs Gand Kerstin L.T.(2006). The Dogs and its Genome. 1st edition. Cold Spring Harbor Laboratory Press, USA.

Ettinger, Stephen J.;Feldman, Edward C (1995). Textbook of Veterinary Internal Medicine. 4th edition. W. B. Saunders Company. London. UK.

Farquhar, T., Bertram, J., Todhunter, R.J., Burton-Wurster, N. and Lust, G. (1997). Variations in composition of cartilage from the shoulder joints of young adult dogs at risk for developing canine hip dysplasia. J. Am. Vet. Med. Assoc. 210: 1483-1485.

Farrow CS, Back RT (1989) Radiographic evaluation of nonanesthetized and nonsedated dogs for hip dysplasia. *J Am Vet Med Assoc* 194, 524-526.

Fries Cindy L., and Remedios Audrey M. (1995). The pathogenesis and diagnosis of canine hip dysplasia: A review. *Can Vet J* 36; 94-502.

Fischbach Frances ,R.N (2000). *A Manual for Laboratory & Diagnostic Tests*. 6th edition. Lippincott. Williams & Wilkins. New York. USA.

Fox SM, Bums J, Burt J (1987). The dysplastic hip: a crippling problem in dogs. *Vet Med* ; 82: 684-693.

Frandsen. RD (1992). *Anatomy & Physiology of farm Animals*. 5th edition. Lippincott Williams & Wilkins. New York. USA.

Franklin Jessi (1988). *Animal anatomy and physiology*. 3rd edition. Reston Book, Englewood Cliffs. USA.

Frost HM (1989). Pathogenesis of congenital hip dysplasia (CDH): A proposal. *Vet Comp Orthop Trauma* ; 1: 1-10.

Fry R.J.M. (1996). Effects of low doses of radiation. *Health Physics*. 70: 823-827.

German Shepherd Dog (Alsatian) Breed Standard. The Kennel Club (UK). Retrieved on 2008-07-15.

.

Getty, R. (1979). *The Anatomy of the Domestic Animals*, W.B.Saunders Company, volume 2, 5th edition. WB Saunders. London. UK.

Gielen, I. (2003). *Computed Tomography in Small animals Part2*. Vet Med Diss. Ghent University, Salisburylaan. Belgium.

Guthrie, S., and H. G. Pidduck. (1990). Heritability of elbow osteochondrosis within a closed population of dogs. *J. Small. Anim. Pract.* 31:93–96.

Hazewinkel, H.A., B.P. Meij, R.C. Nap, N.E. Dijkshoorn, G. Ubbink, W. Th. C.Wolvekamp (1995). Radiographic projections for Elbow dysplasia screening in Bernese Mountain dogs.

Henry GA (1992). Radiographic development of canine hip dysplasia . *Vet Clin North Am Small Anim Pract* ; 22: 559-578.

Hip Dysplasia. <http://en.wikipedia.org/wiki/hip-dysplasia-canine>
Retrieved on 17.6.2007.

<http://science.hq.nasa.gov>.(2008)

<http://www.Gotdogsonline.com/>(2009).

[http://en.wikipedia.org/wiki/German_Shepherd_Dog#cite_ref-rice-12_11-\(2009\).](http://en.wikipedia.org/wiki/German_Shepherd_Dog#cite_ref-rice-12_11-(2009).)

http://www.akc.org/breeds/german_shepherd_dog/index.cfm.

Accessed on June 25, 2009.

<http://www.gluosamine.osteoarthritis.org/dogs-cats/index.html>

2005) <http://www.gotdogsonline.com/>. Accessed on June 25, 2009.

Ihrke, PI and White, SD (1987). Contemporary Issues in Small Animal Practice. (Nesbitt, G.H., editor), Churchill Livingstone, Dermatology, Vol. 8.

International Commission on Radiation Units and Measurements (ICRU 1980). Radiation Quantities and Units.” International Commission on Radiation Units and Measurements, ICRU Publication 33.

International Commission on Radiological Protection (ICRP, 1990) Recommendations of ICRP.” ICRP Publication 60, Annals of the ICRP, 21, 1-3.

Joseph H(1996). Small Animal Surgery.1st edition. Williams & Wilkins Awaverly Company.USA.

Kasström, H. and Olsson, S.-E. (1973). Etiology and pathogenesis of hip dysplasia. Collection of abstracts, Symposium of Canine Hip Dysplasia, Oct. 19-20, 1972, St. Louis. J. Am. Vet. Med. Assoc. 8: 662.

Kasström, H. (1975). Nutrition, weight gain and the development of hip dysplasia. Acta Radiol. (Suppl.) 344: 135-179.

Kaman, C.H. and Gossling, H.R. (1967). A breeding program to reduce hip dysplasia in German Shepherd Dogs. J. Am. Vet. Med. Assoc. 151: 562-571.

Kealy, R.D., Lawler, D.F., Ballam, J.M., Lust, G., Biery, D.N., Smith, G.K. and Mantz, S.L. (2000). Evaluation of the effect of limited food consumption on radiographic evidence of osteoarthritis in dogs. J. Am. Vet. Med. Assoc. 217: 1678-1680.

Kealy RD, Olsson SE, Monti KL, et al(1992) Effects of limited food consumption on the incidence of hip dyplasia in growing dogs. J Am Vet Med Assoc ; 201: 857-863.

Kealy. et al (2000). Evaluation of the effect of limited food consumption on radiographic evidence of osteoarthritis in dogs. J. Am. Vet. Med. Association 217:1678-1680.

Kelly WR (1984). Veterinary Clinical Diagnostic. 3th edition Balliere Tindall.

Kevles, Bettyann Holtzmann (1996). *Naked to the Bone Medical Imaging in the Twentieth Century*. Camden, NJ: Rutgers University Press. pp19–22.

Khalda (2008). *Research on Optimization of Expoure factors for Chest Radiography*, Sudan University of Science and Technology, College of Medical Radiological Sciences.

King, R.A. (1998). Daidzein conjugates are more bioavailable than genistein conjugates in rats. *Am J Clin Nutr* 68, 1496S-1499S.

Kodak x Omat (2000). *Automatic Film Processor*. Corporation Kobe, Japan.

LaFond E, Breur G, and Austin C (2002). Breed Susceptibility for developmental Orthopedic Diseases in Dogs. *Journal of the American Animal Hospital Association* 38:467-477.

Lavelle RB (1991). Advances in hip dysplasia schemes in the dog. *Vet Ann* ; 31: 154-158.

Lavin LM (1999). *Radiography in veterinary technology*. 2nd edition. W.B.Saunders company's. Philadiliphia.

Lust G, Rendano VT, Summers BA (1985). Canine hip dysplasia: concepts and diagnosis. *J Am Vet Med Assoc*; 187: 638-640.

Lust G, Summers BA (1981). Early, asymptomatic stage of degenerative joint disease in canine hip joints. *Am J Vet Res* ; 42: 1849-1855.

Lust, G. (1973)a. Research on the developmental phases of degenerative hip joint disease in young dogs. Collection of abstracts, Symposium of Canine Hip Dysplasia, Oct. 19-20, 1972, St. Louis. *J. Am. Vet. Med. Assoc.* 8: 663-664.

Lust, G. (1973)b. Pathogenesis of degenerative hip joint disease in young dogs. *Gaines Vet. Symp.*, Washington State University. pp 11-15.

Lust G, Williams A, Burton-Wurster N, Pijanowski GJ, Beck KA, Rubin G, and Smith GK (1993). Joint laxity and its association with hip dysplasia in Labrador Retrievers, *Am J Vet Res*, 1993;54:1990-1999

Lust G. Grey J.C and Shetty B.E (1973). Development of hip dysplasia in dogs. *Am. S. Vet. Res.*34:87-91.

Macready D; Johnson L, Pollard R. (2007) Fluoroscopic and radiographic evaluation of tracheal collapse in dogs. *Journal of the American Veterinary Medical Association.* 230, o. 12, Pages 1870-1876.

Mandi et al (2007) Associations between canine juvenile weight gain and coxofemoral joint laxity at 16 weeks of age, published in

final edited form as: [Vet Surg. 2006 April; 35\(3\): 214–218.](#) doi: 10.1111/j.1532-950X.2006.00139.x.

Michael D.W, Harold T. and Grant H.T.(1999). Small Animal Clinical Diagnosis by Laboratory Methods. 3rd edition W.B. Saunders Company, USA.

Morgan,JP (1993). Techniques of Veterinary Radiography. 5th edition. Blackwell Publishing.

National Radiological Protection Board (1990). Patient Dose Reduction In Diagnostic Radiology. Documents of the NRPB, Vol.1, No.3.

NCRP report (2004). Radiation Protection in Veterinary Medicine. Recommendations of the National Council on Radiation Protection. NCRP REPORT No. 148.

NHMRC (National Health and Medical Research Council) (1995). Recommendations for limiting exposure to ionising radiation (1995). Radiation Health Series No. 39, Government Publishing Service, Canberra. Australia.

Orthopedic Foundation for Animals (2007), <http://www.offa.org/research.html>

Olsson, S.-E. (1974). A new type of elbow dysplasia in the dog?.
Svensk Vet. Tid. 26:152–157.

Palika, Liz (2008). Your Happy Healthy Pet: German Shepherd Dog. Wiley. Frankfurt.Germany. Proceeding of the 7th Annual Meeting of the IEWG, Constance, Germany. Philadelphia: WB Saunders, : 1938-1944.

Patton and Crouch (1977). Determination of serum urea, journal of Ecophysiology & Occupational Health Year : 2008, Volume, Issue : 1 & 2 Print ISSN : 0972-4397.

Pet center (SUSA). The PennHP procedure. Accessed online on 25.10.2008. <http://www.thepetcenter.com/xra/ph.html>.

Rice, Dan (1995). Training Your German Shepherd Dog. Barron's Educational Series, New York. USA.

Richardson, DC.(1992). The role of nutrition in canine hip dysplasia. Veterinary Clinics of North America, Small Animal Practice, 22:529-540.

Riser WH, Rhodes WH, Newton CD (1985). Hip dysplasia. In: Newton CD, Nunamaker DM, eds. Textbook of Small Animal Orthopedics. Philadelphia: JB Lippincott: 953-980.

Ross John; McKinney Barbara (1996). *Puppy Preschool: Raising Your Puppy Right—Right from the Start*. St. Martin's Press. New York. USA.

Sabine Breit, Knaus Iris, Kunzel Wolfgang (2006). differentiation between transitional segments and other common alternations at the lumbosacral junction and/or at the sacroiliac joint in ventrodorsal radiographs of the canine pelvis. 27th World small animal veterinary association (WSAVA) congress. accessed online on 25.10.2008.

Safety Code (1991). *Radiation Protection in Veterinary Medicine*. Safety Code 28. Health Canada, Ontario, Canada.

Schnelle, G. B. (1935). Some new diseases in the dog. *Am. Kennel Gazette* 52:25–26.

Shepherd J (1986). Canine hip dysplasia: aetiology, pathogenesis and eradication. *Aust Vet Pract*; 16: 71-78.

Simens AG (2003). *Medical Solutions. User Manual*. Fralenger, Germany.

Simeonova G. (2007). Hormonal and radiographic studies in german shepherd dogs with. hip dysplasia
www.cnshb.ru/journals/2007/1031/01325876/01325876.pdf

Smith GK , Mayhew PD, Kapatkin AS, Shofer FS, Gregor TP (2001). Evaluation of risk factors for degenerative joint disease associated with canine hip dysplasia in German Sheperd dogs, golden retrievers, Labrador retrievers, and Rottweilers. J Am Vet Med Assoc, 219:1719-1724.

Smith Gk (1997). Advances in diagnosing canine hip Dysplasia. J. Am Vet Med Assoc; 15:210(10):1417-1418.

Smith, G. K. (1997). Advances in diagnosing canine hip dysplasia. J. Am. Vet. Med. Assoc. 210:1451–1457.

Smith GK (1994). Current concepts in diagnosing coxofemoral joint instability. Proc Annu Meet Am Coll Vet Surg : 59-64.

Smith, GK; Gregor, TP; Rhodes, WH; Biery, DN (1993). Coxofemoral joint laxity from distraction radiography and its contemporaneous and prospective correlation with laxity, subjective score, and evidence of degenerative joint disease from conventional hip-extended radiography in dogs. Am J Vet Res.54 (7):1021–1042.

Smith GK. Biery DN. Gregor TP (1990). New concepts of coxofemoral joint stability and the development of a clinical

stress-radiographic method for quantitating hip joint laxity in the dog. *Jam Vet Med Assoc*,196:59-70.

Smith Bonnie J (1999). *Canine anatomy* Lippincott Williams &Wilkins. New York. USA.

Todhunter R.J;Bertram J.E; Smith S; Farese J.P; Williams A.J; Manocchia A.; Erb H.N.; Burton- Wurster N.l.;Lust G.(2003) Effect of Dorsol Hip Loading, sedation, and General Anesthesia on the Dorsolateral Subluxation Score in Dogs .*Veterinary Surgery* 32(3) 196-205(10)

Stern, J., and LEwis, W. H. P., C/in. c/tim. *Acta*, (1957) a, 2, 576. lidem, *J. Ment. Sci.*, 1957b, 103, 222. Calcium, phosphate and Phosphatase in Mongolism

Stiern, R.A. (1956). Ectopic sesamoid bones at the elbow (Patella cubiti) of the dog. *J. Am. Vet. Med. Assoc.* 128: 498-501.

Thral ,Donald E (2007). *Text Book of Veterinary Diagnostic Radiology*. 5th edition. Saunders. Elsevier.

Townsend, L.R. (1973). Hip dysplasia in canine military candidates. Collection of abstracts, Symposium of Canine Hip Dysplasia, Oct. 19-20, 1972, St. Louis. *J. Am. Vet. Med. Assoc.* 8:664.

Verstraete F.J.M.; Kass P.H.; Erpak C.H. (2006) Diagnostic value of full-mouth radiograph in dogs. *American Journal of Veterinary Research*. 59 (6) 686-961.

Wall B.F. and Hart D (1992). The Potential for Dose Reduction in Diagnostic Radiology. *Radiation Protection Dosimetry* 43:265-268.

Wayne FR and Clive RRH (1988). *Clinical Pathologic Principles for Veterinary Medicine*. 1st edition Cambridge University Press, Great Britain, London.

www.animalinsides.com. Accessed on 14.03.2008

Young (1975). Changes in serum calcium, magnesium and inorganic phosphorus levels during different phases of the menstrual cycle, *Journal of Human Reproductive Sciences*, <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2700668>.

Zwingenberger (2007) case study about multiple chronic pelvic fractures www.cancer-therapy.org/CT7A/vol7a.pdf.

www.thekennelclub.org.uk (2008)