

REFERENCES

1. [^](#) Landsteiner K (1900). "Zur Kenntnis der antifermentativen, lytischen und agglutinierenden Wirkungen des Blutserums und der Lymphe". Zentralblatt Bakteriologie 27: 357–62.
2. [^](#) Janský J (1907). "(Haematologick studie u. psychotiku" (in Czech). Sborn. Klinick 8: 85–139.
3. [^](#) von Decastello A, Sturli A (1902). "Ueber die Isoagglutinine im Serum gesunder und kranker Menschen". Mfinch med Wschr 49: 1090–5.
4. [^](#) Crow J (1993). "Felix Bernstein and the first human marker locus". Genetics 133 (1): 4-7. [PMID 8417988](#). Full text at [PMC: 1205297](#)
5. Blood typing. ABO blood group system. Web sit, WWW.Googal.com
6. Hoffprand A.V , Lewis.S.M, Toddanham E.G.D (1999). Postgraduat hematology, 4 th edition. Kell blood group system , British Library , London. P85,182,185-190,201.
7. Lee S., Zambas E., Green E.D., Redman C. Organization of the gene encoding the human Kell blood group protein. Blood. 1995,85(5):1364-70, March.
8. Coombs R.R.A., Mourant A.E., Race R.R.:(1946) In vivo isosensitization of red cells in babies with hemolytic disease. Lancet 1:264-266.

9. Race R.R. A summary of present knowledge of human blood groups, with special reference to serological incompatibility as a cause of congenital disease. *Br Med Bull* 1964;188-193.
10. Levine P., Backer M., Wigod M., Ponder R. A new human hereditary blood property (Cellano) present in 99.8% of all bloods. *Science* 1949,109:464-466.
11. Lee S., Wu X., Reid M., Zelinski T., Redman C. (1995) Molecular basis of the Kell (K1) Phenotype. *Blood* , Feb 15;85(4):912-6.
12. Jones J., Reid M.E., Oyen R., Harris T., Moscarelli S., Co S., Leger R., Beal C., Cardillo K. A novel common Kell antigen, TOU, and its special relationship to other Kell antigens. *Vox sang* 1995,69(1):53-60.
13. Daniels G.L., Petty A.C., Reid M., Moulds M., Devenish A., Halil O. Demonstration by the monoclonal antibody-specific immobilization of erythrocyte antigens assay that a new red cell antigen belongs to the Kell blood group system. *Transfusion*. 1994;34(9):818-20.
14. Lee S., Zambas E.D., March W.L., Redman C.M. The human Kell Blood group gene maps to chromosome 7q33 and its expression is restricted to erythroid cells. *Blood* 1993, May 15;81(10):2804-9.

15. Spence W.C., Maddalena A., Demers D.B., Bick D.P. Prenatal determination of genotypes Kell and cellano in at risk pregnancies J-Reprod. Med Jun 1997, 42(6):353-7.
16. [△](#) Yazer M, Olsson M, Palcic M (2006). "The cis-AB blood group phenotype: fundamental lessons in glycobiology". Transfus Med Rev 20 (3): 207-17. [PMID 16787828](#).
17. Scientific and technical training . Introduction to blood group serology . 20 Red cell membrane structure-Antigen. Website:<http://www.Blood.co.uk/hospital/index.htm>.
18. Biochemistry and biosynthesis of ABO. Web sited in , <http://www.Bio.Aecom.yu.edu/bgmut/system-info.php?system=ABO>
19. Lee S, Wu X, Reid M, Zelinski T, Redman C. Molecular basis of the Kell (K1) phenotype. Blood. 1995 Feb 15;85(4):912-6. PMID 7849312
20. Lee S, Lin M, Mele A, Cao Y, Farmar J, Russo D, Redman C. Proteolytic processing of big endothelin-3 by the Kell blood group protein. Blood. 1999 Aug 15;94(4):1440-50. PMID 10438732
21. Yu LC, Twu YC, Chang CY, Lin M. Molecular basis of the Kell-null phenotype: a mutation at the splice site of human KEL gene abolishes the expression of Kell blood group antigens. J Biol Chem. 2001 Mar 30;276(13):10247-52. Epub 2000 Dec 27. PMID 11134029

22. Coombs RRA, Mourant AE, Race RR. A new test for the detection of weak and incomplete Rh agglutinins. *Br J Exp Pathol* 1945;26:255
23. Chown B, Lewis M, Kaita K. A new Kell blood-group phenotype. *Nature*. 1957 Oct 5;180(4588):711. PMID 13860532
24. Allen FH Jr, Krabbe SM, Corcoran PA. A new phenotype (McLeod) in the Kell blood-group system. *Vox Sang*. 1961 Sep;6:555-60. PMID 13477267
25. Coombs et al., *Br. J. Pathol.* 26:255, 1945
26. Lee,S; Zambas,E.D; Marsh,W. L; Redman, C. M: Molecular cloning and primary structure of Kell blood group protein . *proc. Nat. Acad . Sci .* 88:6353-6357,1991. Web site, [http:// WWW.Ncbi.nlm.nih.gov/httin-post/Pub med/wgetcit?](http://WWW.Ncbi.nlm.nih.gov/httin-post/Pub med/wgetcit?)
27. Bryant, Neville J . (1982). An introduction to immunohematology . Second edition, Congress L . Toronto. P 80,99, 101 ,103 , 247 ,270 and 272.
28. Denis, M.Harmening (1990). Modern blood banking and transfusion practice.Third edition , Los Angeles, California.P118.
29. Dorland (1981) . Dorlands medical dictionary . Twenty edition , W.B. Saunders company, Philadelphia. P1468.
30. Ernest Beutler (2001). Williams hematology. 6 edition. The MCGraw-Hill compainies, Sanfrancisco. P1843.
32. Hoffbrand, A.V, and Pettit, A.E(2001). Postgraduate hematology, British Library, London, 4 th . P164.

33. Lapierre, Y; Rigal, D (1990). The gel test , P43.
34. Sir John V, Daci (2001). Practical hematology. 8 th edition , Churchill Livingstone, Edinburgh, P424,425.
35. Geoff Daniels. Blood group system : Kell 1990 , (First edition), Barbra Laird Fryer, Judith Levitt. American Association of blood banks. Virginia, USA, P5-11,79-86.
36. Lee S, Russo D, Redman C. Functional and structural aspect of the Kell blood group system . Transfusion Med Rev 2000;14(2):93-103.
37. Weitkamp, L. R.; Townes, P. L.; Johnston, E. :

Linkage data on urinary pepsinogen and the Kell blood group. Birth Defects Orig. Art. Ser. 11(3): 281-282, 1975.
Note: Alternate: Cytogenet. Cell Genet. 14: 451-452, 1975.

38. Lee, S.; Zambas, E. D.; Marsh, W. L.; Redman, C. M.
Molecular cloning and primary structure of Kell blood group protein. Proc. Nat. Acad. Sci. 88: 6353-6357, 1991.

39. Marsh, W. L. :
Molecular biology of blood groups: cloning of the Kell gene. Transfusion 32: 98-101, 1992.

40. Lee, S.; Zambas, E. D.; Marsh, W. L.; Redman, C. M.
The human Kell blood group gene maps to chromosome 7q33 and its expression is restricted to erythroid cells. Blood 81: 2804-2809, 1993.

41. Wagner, T.; Berer, A.; Lanzer, G.; Geissler, K. :

Kell is not restricted to the erythropoietic lineage but is also expressed on myeloid progenitor cells. *Brit. J. Haemat.* 110: 409-411, 2000.

42. Lee, S.; Lin, M.; Mele, A.; Cao, Y.; Farmar, J.; Russo, D.; Redman, C. :

Proteolytic processing of big endothelin-3 by the Kell blood group protein. *Blood* 94: 1440-1450, 1999.

43. Conneally, P. M.; Nance, W. E.; Huntzinger, R. S. :

Linkage analysis of Kell-Sutter and PTC loci. (Abstract) *Am. J. Hum. Genet.* 26: 22A only, 1974.

44. Conneally, P. M.; Dumont-Driscoll, M.; Huntzinger, R. S.; Nance, W. E.; Jackson, C. E. :

Linkage relations of the loci for Kell and phenylthiocarbamide (PTC) taste sensitivity. *Hum. Hered.* 26: 267-271, 1976.

45. Keats, B. J. B.; Morton, N. E.; Rao, D. C. :

Possible linkages (lod score over 1.5) and a tentative map of the Jk-Km linkage group. *Cytogenet. Cell Genet.* 22: 304-308, 1978.

46. Spence, M. A.; Falk, C. T.; Neiswanger, K.; Field, L. L.; Marazita, M. L.; Allen, F. H., Jr.; Siervogel, R. M.; Roche, A. F.; Crandall, B. F.; Sparkes, R. S. :

Estimating the recombination frequency for the PTC-Kell linkage. *Hum. Genet.* 67: 183-186, 1984.

47. Russo, D.; Wu, X.; Redman, C. M.; Lee, S. :

Expression of Kell blood group protein in nonerythroid tissues *Blood* 96: 340-346, 2000.

48. Zelinski, T.; Coghlan, G.; Myal, Y.; Shiu, R. P. C.; Philipps, S.; White, L.; Lewis, M. :

Genetic linkage between the Kell blood group system and prolactin-inducible protein loci: provisional assignment of KEL to chromosome 7. *Ann. Hum. Genet.* 55: 137-140, 1991.

49. Purohit, K. R.; Weber, J. L.; Ward, L. J.; Keats, B. J. B.

The Kell blood group locus is close to the cystic fibrosis locus on chromosome 7. *Hum. Genet.* 89: 457-458, 1992.

50. Lee, S.; Zambas, E. D.; Marsh, W. L.; Redman, C. M.

The human Kell blood group gene maps to chromosome 7q33 and its expression is restricted to erythroid cells. *Blood* 81: 2804-2809, 1993.

51. Murphy, M. T.; Morrison, N.; Miles, J. S.; Fraser, R. H.; Spurr, N. K.; Boyd, E. :

Regional chromosomal assignment of the Kell blood group locus (KEL) to chromosome 7q33-q35 by fluorescence in situ hybridization: evidence for the polypeptide nature of antigenic variation. *Hum. Genet.* 91: 585-588, 1993.

52. Roychoudhury, A. K.; Nei, M. :

Human Polymorphic Genes: World Distribution. New York: Oxford Univ. Press (pub.) 1988.

53. Allen, F. H.; Krabbe, S. M. R.; Corcoran, P. A. :

A new phenotype (McLeod) in the Kell blood-group system. *Vox Sang.* 6: 555-560, 1961.

54. Danek, A.; Rubio, J. P.; Rampoldi, L.; Ho, M.; Dobson-Stone, C.; Tison, F.; Symmans, W. A.; Oechsner, M.; Kalckreuth, W.; Watt, J. M.; Corbett, A. J.; Hamdalla, H. H. M.; Marshall, A. G.; Sutton, I.; Dotti, M. T.; Malandrini, A.; Walker, R. H.; Daniels, G.; Monaco, A. P. :

McLeod neuroacanthocytosis: genotype and phenotype. *Ann. Neurol.* 50: 755-764, 2001.

55. Wimer, B. M.; Marsh, W. L.; Taswell, H. F.; Galey, W. R. :

Haematological changes associated with the McLeod phenotype of the Kell blood group system. *Brit. J. Haemat.* 36: 219-224, 1977.

56. Symmans, W. A.; Sheperd, C. S.; Marsh, W. L.; Oyen, R.; Shohet, S. B.; Linehan, B. J. :

Hereditary acanthocytosis associated with the McLeod phenotype of the Kell blood group system. *Brit. J. Haemat.* 42: 575-583, 1979.

57. Marsh, W. L.; Marsh, N. J.; Moore, A.; Symmans, W. A.; Johnson, C. L.; Redman, C. M. :

Elevated serum creatine phosphokinase in subjects with McLeod syndrome. *Vox Sang.* 40: 403-411, 1981.

58. Schwartz, S. A.; Marsh, W. L.; Symmans, A.; et al :

'New' clinical features of McLeod syndrome. (Abstract) *Transfusion* 22: 404 only, 1982.

59. Faillace, R. T.; Kingston, W. J.; Nanda, N. C.; Griggs, R. C. :

Cardiomyopathy associated with the syndrome of amyotrophic chorea and acanthocytosis. *Ann. Intern. Med.* 96: 616-617, 1982.

60. ^ Ho MF, Monaco AP, Blonden LA, van Ommen GJ, Affara NA, Ferguson-Smith MA, Lehrach H. Fine mapping of the McLeod locus (XK) to a 150-380-kb region in Xp21. *Am J Hum Genet.* 1992 Feb;50(2):317-30.

61. ^ Marsh WL, Oyen R, Nichols ME, Allen FH Jr. Chronic granulomatous disease and the Kell blood groups. *Br J Haematol.* 1975 Feb;29(2):247-62.
62. Race.R.R.A.Summary of present knowlge of human blood group, with special reference to serological incompatibility as acause of congenital disease . *Br Med Bull* 1964: 188-193.
63. Lee S, Russo DS, Reid ME, Redman CM. Mutation that diminish expression of Kell surfase protein and lead to the Kmod RBCs phenotype. *Transfusion*(2003);43 (8): 1121-5.
64. Lee S, Reid ME, Redman CM. Point mutation in Kell exon 8 determine a high incidence (RAZ) and low incidence (Kell 25, (VLAN) antigens of the Kell blood group system. *Vox sang* 2001; 18 (4): 259-63.
65. Richard M, Hyde. *NMS immunology . Immunoglobulin* (2000), 4 th edition. Lippincott Williams & Willkins. Les A. P33.
66. Daci and Lewis(2001). *Practical hematology . 9 th edition* Churchill Livingston, London, p.439.
67. Monica Cheesbrough. *District laboratory practice in trooical countries . Other blood group system, low price edition* (2000), Cambridge university p[ress. P369.
68. Spensce W.C, Maddalena A, Demers D,B, Bick D.P. Prenatal determination of genotype Kell and Cellano in at risk pregnancy. *J Report. Med jun* 1997: 42(6): 353-7.

69. Other blood group system, Kell blood group system. Website. [Http:// Learn. Sdstate. Edu / Deb- Pravecek / other – blood group . Htm .](http://Learn.Sdstate.Edu/Deb-Pravecek/other-bloodgroup.Htm)
70. Lee, s ; Wu, X, Ried ,M. E ; Zelinsk, T ; Redman , C. M . : Molecular basis of the Kell (K1) phenotype . Blood 85 : 912-916, 1995. Website, [htt: //www.ncbi. nlm. nih. gov/ htting-post/ pubmed/ wegetcit](http://www.ncbi.nlm.nih.gov/htting-post/pubmed/wegetcit)
71. Gariod S, Brossard Y , Poissonnier MH, Vuiliez B, Deutsch V , Jouk PS, Pons, JK. Kell alloimmuniation in pregnancy. J Gynecol obstet Biol repord (Paris)-2004 Nov; 33 (7): 637-48.
72. Vocinovic M, Jardic H, Karelovic D, Hspl- Hundric Z, Horgovic Z, Vocinovic Z. Hemolytic disease of newborn – from mother with anti-Kell, anti- E , And Vel anti-erythrocyte. (2004). Z Geburtshilfe Neonatol; 208(5): 197-202.
73. Janet I, Vargham, M-D, Monica Manning, B.Sc, Ruth M.Warwik, M-D, Elizabeth A, Lestky, M.D, Neil A, Murray , M.D, and Irenc A.G. Inhibition of erythroid progenitor cells by anti-Kell antibodies in fetal alloimmune anaemia . Original articale, March 1998; 338(12): 798-803.
74. Mwangi J. Blood group distribution in an urban population of patient targeted blood donors, Nov 1999. East Afr Med J ; 76(11):615-8.
75. Kulkarni AG, Peter B, Ibazebo R, Dash B , Fleming AF. The ABO and Rh groups in the north of Nigeria, 1985 feb; 79(1): 83-8.
76. Omotade OO, Adeyemo AA, Kayode CM, Falade SL, Ikpeme S, 1999 Oct. Gene frequencies of ABO and Rh (D)

- blood group alleles in a healthy infants population in Ibadan, Nigeria. *West Afr J Med*; 18(4): 294-7.
77. Del Peon – Hidalgo L, Pacheco, Cano MG, Zavola- Ruiz M, madueno- Lopez A, Garacia-Gonzalez A, 2000 Sep-Oct, *Salud publica Mex*; 44(5): 406-12.
 78. Vojvodic S. (2003). Distribution of the ABO, Rh, MNSs, Kell and Duffy blood group antigens in the population of Vojvodina. *Med preg* 56(3-4): P 173-7.
 79. Marcia L.Z, Pedro. E, and Dalton AF. Frequency and phenotypes of blood group system , ABO , P , Lewis , Kell , Kidd , Duffy , and Lutheran , in donor of Caucasian Mulatose and Negroes in Prazil. *Rev, Bras, Hematol.* 2000; 22(1).
 80. Shakilla A, Moinuddin (2001). Kell blood group , a population based study . *Pak J Med Sci.* 2001; 17(4): 211-214.
 81. Instruction sheet, (Dia Med AG, 1785 Cressier s / Morat, Switzerland).
 82. Lapierre, Y, Rigal d, Adam J. et al : The gel test; Anew way to detect red cell antigen-antibody reaction. *Transfusion* 1990; 30: 109-103.
 83. Bryant, Neville J. (1982). An introduction to immunohematology. Second edition, Congress L. Toronto. P 80,99,101,103,247,270 and 272.
 84. AABB, T.M (1990). Kell blood group . 10 th edition. Congress, New York. P 201, 539,540 and 543.
 85. *Blood*, 15 October 2003, Vol. 102, No. 8, pp. 3035-3042.
 86. *Blood* 1996 Oct 1;88(7):2732-7

Molecular genetic analysis of variant phenotypes of the ABO blood group system.

87. Blut 1989 Aug;59(2):157-61

Family study and frequency of blood group with strong B transferase accompanied by decreased A and H antigens.

88. Blut 1985 Oct;51(4):251-8

Quantitation of antibody uptake on A group erythrocytes using immunautoradiography and monoclonal IgM anti-A.

89. Hum Hered 1985;35(1):1-6

Uncertainty in identification of blood group A subtypes by agglutination test.

90. Reid, M. & Lomas-Francis, C., The Blood Group Antigen Facts Book, Academic Press, California, 1997 .

91. Schenkel – Brunner, H., Human Blood Groups: Chemical and Biochemical Basis of Antigen Specificity, Springer-Verlag, Wien , 2000.

92. Buchanan and Higley : Br. J. Exp. Path. (1921) 2;227

93. Hoffbrand.A.V, Lewis.S.M and Tuddenham.E.G.D. Postgraduate Haematology. 4th ed. Oxford. Boston. Butter worth Hinemann, 1999.

94. A.V.Hoffbrand, J.E Pettit, P.A.H. Moss, Essential haematology, 4th edi. (2001), British library, London..