

Table of Content

Subject	Page
<i>Dedication</i>	i
<i>Acknowledgement</i>	ii
<i>English Abstract</i>	iii
<i>Arabic Abstract</i>	iv
Chapter One	
Introduction	
1. Classification of Vegetables	1
1.1 Solanaceae Group	1
1.2 The Importance & Origin of Tomato	1
1.3 Economic Importance of Tomato	2
Tomato In Sudan:	3
1.4 Botanical Description	4
1.5 Origin and Distribution	4
1.6 Economic Importance	5
1.7 Tomato Diseases	6
1.7.1 Bacterial Diseases	6
1.7.1.1 Bacterial Wilt	6
1.7.1.2 Bacterial Canker and control	7
1.7.2 Viral Diseases	7
1.7.3 Nail Head Spot and control	8
1.7.4 Fusarium Wilt and control	8
1.7.5 <i>Alternaria solani</i>	9
1.7.5.1 The Fungus	9
Chapter Two	
Literature Review	
2.1 Taxonomy and Identification	10
2.2 Biology, Ecology and Physiology	11
2.2.1 Orobanche as Weed	12
2.2.2 Seeds	13
2.2.2.1 Seed Conditioning	13
2.2.2.2 Germination	14
2.2.2.3 Relation between <i>Orobanchae</i> Infestation and Seed Yield	16
2.2.3.1 World Distribution	16
2.2.3.2 Distribution in Sudan	16
2.2.4 Economic Importance	17
2.2.5 Host Plant-parasite Relations	17

2.2.6	Haustorium's Development	18
2.2.7	Ecology	19
2.2.7.1	Effect of Temperature	20
2.2.7.2	Effect of Light/day Length	20
2.2.7.3	Effect of Soil Type	21
2.2.7.4	Effect of Soil Fertility	21
2.2.7.5	Pathogens	22
2.2.7.6	Insect	22
2.3	Critical Evaluation of Control Methods of <i>Orobanchae</i> Parasite	22
	Weed in Shamabat vicinity	
2.3.1	Biological and Ecological Factors Affecting Broomrape Control	22
2.3.2	Status of <i>Orobanchae</i> Control in Shambat area	24
2.3.3	Potential Application of Biological Control	25
2.3.3	Soil Solarization	26
2.3.4	Chemical Control	26
2.3.5	Proposed Control Methods of Broomrape in Sudan	27
2.3.5.1	Preventive Measures	27
2.3.5.2	Cultural Control	28
2.3.5.3	Physical Control	29
	Chapter Three	
	Materials and Methods	30
	Field Experiment	30
	Site Characteristics	30
	Experimental Design	31
	Treatments	31
	Preparation of Seedling in Nursery	31
	Land Preparation	32
	Transplanting of Seedlings	32
	Cultural Practices	32
	Data Collection	32
	Chapter Four	
	Results	33
	Number of plants per plot	33
	Number of branches/plot	33
	Yield (kg/plot)	33
	Discussion and Conclusion	41
	References	45

List of plate

Number of Plate	page
Plate (1) Heavy mature Halouk parasite growing around Tomato plant root system. (Control)	35
Plate (2) Halouk parasite leaching around Tomato root system.(Control)	35
Plate (3) Halouk plants growing around Tomato root system. (Neem Seed Powder+ Urea)	36
Plate (4) Halouk heavy infestation. (Neem Seed Powder+ Urea)	36
Plate (5) Halouk plants growing lavishly around Tomato root system. (Neem Seed Powder + Urea)	37
Plate (6) Halouk plants close up plate. (Neem Seed Powder + Urea)	37

List of Tables

Table Number	page
Table (1): Number of Halouk plants	38
Table (2): The branches of <i>Orbanche ramosa</i> .	38
Table (3): The first Collection	39
Table (4) : The second collection of tomato yield	39
Table (5): Mean number of plants and number of <i>Orbanche</i> branches / plot	40
Table (6): Mean yield of tomato /(kg/plot)	41

List of figures

Figure Number	page
Figure (1): The number of Halouk plants and their branches per experiment	42
Figure (2): The total weight in gram	43

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ
Sudan University of Science & Technology
Graduate College
Department of Crop Protection

**Control of Orobanchae ramosa L.
on Tomatoes (Lycopersicon
esculentum) using different Soil
Amendments and A Herbicide**

A thesis submitted in partial fulfillment of the requirement of the
Degree of M.Sc. Agric. in Crop Protection (Plant Pathology)

By\

Hassan Khabir Satti

B.Sc. (Agric.) Honours
University of Alexandria, Egypt

Supervisor\

Professor. Daw Elbeit Abdalla Abdelwahab

College of Agricultural Studies
Sudan University of Science & Technology

March 2005