

Chapter five

5. References

- Abegaz B.M., Ngadjui B.T., Dongo E., Ngameni B., Nidi M.N., Bezabih M., (2002). Chalcones and other constituents of Dorstenia prorepens and Dorstenia zenkeri. *Phytochemistry*, 59: 877-883.
- Achelle S., Ramondenc Y., Dupas G., Ple N., (2008). Bis- and tris(arylethynyl)pyrimidine oligomers: synthesis and light-emitting properties. *Tetrahedron*, 64: 2783-2791.
- Ackland M.J., Howard M.R., Jacobsen E.J., Secrest S.L., Dring L.G., (1993). Synthesis of Carbon- 14 and Carbon-13 labelled (R)-(-)-2[14-(2,6-di-l-pyrrolidinyl-4-pyrimidiny1)- 1 -piperazinyl[methyl]-3,4-dihydro-2,5,7,8-tetramethyl-2H- 1 -benzopyran-6-ol. *Journal of Labelled Compounds and Radiopharmaceuticals*, 33: 54-60.
- Agarwal A., Srivastava K., Puri S.K., Chauhan P.M.S., (2005). Synthesis of 2,4,6-trisubstituted pyrimidines as antimalarial agents. *Bioorganic & Medicinal Chemistry*, 13: 4645-4650.
- Agirbas H., Guner S., Budak F., Keceli S., Kandemirli F., Shvets N., Kovalishyn V., Dimoglo A., (2007). Synthesis and structure–antibacterial activity relationship investigation of isomeric 2,3,5-substituted perhydropyrrolo [3,4-d] isoxazole-4,6-diones. *Bioorganic & Medicinal Chemistry*, 15: 2322–2333.
- Akritopoulou-Zanze I., Albert D.H., Bousquet P.F., Cunha G.A., Harris C.M., Moskey M., Dinges J., Stewart K.D., Sowin T.J., (2007). Synthesis and biological evaluation of 5-substituted 1,4-dihydroindeno[1,2-c]pyrazoles as multitargeted receptor tyrosine kinase inhibitors. *Bioorganic & Medicinal Chemistry Letters*, 17: 3136–3140.
- Anto R.J., Sukumarana K., Kuttan G., Rao M.N.A., Subbarajuc V., Kuttana R. (1995). Anticancer and antioxidant activity of synthetic chalcones and related compounds. *Cancer Letters*, 97: 33-37

Barcelo M., Ravina E., Masaguer C.F., Dominguez E., Areias F.M., Brea J., Loza M., (2007). Synthesis and binding affinity of new pyrazole and isoxazole derivatives as potential atypical antipsychotics. *Bioorganic & Medicinal Chemistry Letters*, 17: 4873 -4877.

Barthakur M.G., Gogoi S., Dutta M., Boruah R.C., (2009). A facile three-component solid phase synthesis of steroid A-ring fused pyrimidines under microwave irradiation. *Steroids*, 74: 730-734.

Baviskar B., Patel S., Baviskar B., Khadabadi S.S., Shiradkar M., (2008). Design and Synthesis of Some Novel Chalcones as Potent Antimicrobial Agent. *Asian J. Research Chem*, 1: 67-69.

Bhat L., Jandeleit B., Dias T.M., Moors T.L., Gallop M.A., (2005). Synthesis and biological evaluation of novel steroid pyrazoles as substrates for bile acid transporters. *Bioorganic & Medicinal Chemistry Letters*, 15: 85-87.

Biagini P., Biancalani C., Graziano A., Cesari N., Giovannoni M.P., Cilibrizzi A., Piaz V.D., Vergelli C., Crocetti L., Delcanale M., Armani E., Rizzi A., Puccini P., Gallo PM, Spinabelli D., Caruso P., (2010). Functionalized pyrazoles and pyrazolo[3,4-d]pyridazinones: Synthesis and evaluation of their phosphodiesterase 4 inhibitory activity. *Bioorganic & Medicinal Chemistry*, 18: 3506–3517.

Breault G.A., Ellston R.P.A., Green S., James S.R., Jewsbury P.J., Midgley C.J., Paupert R.A., Minshull C.A., Tucker J.A., Pease J.E., (2003). Cyclin-Dependent Kinase 4 Inhibitors as a Treatment for Cancer. Part 2: Identification and Optimisation of Substituted 2,4-Bis Anilino Pyrimidines. *Bioorganic & Medicinal Chemistry Letters*, 13: 2961-2966.

Changtam C., Hongmanee P., Suksamrarn A., (2010). Isoxazole analogs of curcuminoids with highly potent multidrug-resistant antimycobacterial activity. *European Journal of Medicinal Chemistry*, 45: 4446 -4457.

Cheng M.S., Li R.S., Kenyon G., (2000). A Solid Phase Synthesis of Chalcones by Claisen-Schmidt Condensations. *Chinese Chemical Letters*, 11: 851–854.

Chhabria M.T., Jani M.H., (2009). Design, synthesis and antimycobacterial activity of some novel imidazo [1,2-c] pyrimidines. *European Journal of Medicinal Chemistry*, 44: 3837-3844.

Clayden J., Greeves N., Warren S., Wothers P., (2009). Organic Chemistry. *Oxford university press*.

Cocconcelli G., Diodato E., Caricasole A., Gaviraghi G., Genesio E., Ghiron C., Magnoni L., Pecchioli E., Plazzi P.V., Terstappen G.C., (2008). Aryl azoles with neuroprotective activity—Parallel synthesis and attempts at target identification. *Bioorganic & Medicinal Chemistry*, 16: 2043–2052

Conti P., Tamborini L., Pinto A., Sola L., Ettari R., Mercurio C., De Micheli C., (2010). Design and synthesis of novel isoxazole-based HDAC inhibitors. *European Journal of Medicinal Chemistry*, 45: 4331-4338.

Dampc M., Mielewska B., Siggel-King M.R.F., King G.C., Sivaraman B., Ptasinska S., Mason N., Zubek M., (2010). Threshold photoelectron studies of isoxazole over the energy range 9.9–30 eV. *Chemical Physics*, 367: 75–79

Deshmukh M.B., Salunkhe S.M., Patil D.R., Anbhule P.V., (2009). A novel and efficient one step synthesis of 2-amino-5-cyano-6-hydroxy-4-aryl pyrimidines and their anti-bacterial activity. *European Journal of Medicinal Chemistry*, 44: 2651–2654

Falcao E.P.S., de Melo S.J., Srivastava R.M., Catano M.T. J.A., Do Nascimento S.C., (2006). Synthesis and antiinflammatory activity of 4-amino-2- aryl-5-cyano-6-{3- and 4-(N-phthalimidophenyl)} pyrimidines. *European Journal of Medicinal Chemistry*, 41: 276–282.

Fullam E., Talbot J., Abuhammed A., Westwood I., Davies S.G., Russell A.J., Sim E., (2013). *Bioorganic & Medicinal Chemistry Letters* 23: 2759–2764.

Gholap A.R., Toti K.S., Shirazi F., Deshpande M.V., Srinivasan K.V., (2008). Efficient synthesis of antifungal pyrimidines via palladium catalyzed Suzuki/ Sonogashira cross-coupling reaction from Biginelli 3,4-dihydropyrimidin-2(1H)-ones. *Tetrahedron*, 64: 10214–10223.

Glushkov V.A., Anikina L.V., Maiorova O.A., Nedugov A.N., Slepukhin P.A., (2012). Synthesis of Ferrocenyl Chalcones of the Abietane Series. *Russian Journal of Organic Chemistry*, 48: 836–839.

Guoxi Z., Jinfeng Y., Guangjun J.I., Bingqi L.I., (2011) Synthetic process optimization of chalcone derivative under microwave irradiation. *Shihezi Daxue Xuebao, Ziran Kexueban*, 29: 785-788.

Hijova E., (2006). Bioavailability of Chalcones. *Baratisl Lek Listy*, 107: 80-84.

Hafez H.N., Hussein H.A.R., El-Gazzar A.B.A., (2010). Synthesis of substituted thieno[2,3-d]pyrimidine-2,4-dithiones and their S-glycoside analogues as potential antiviral and antibacterial agents. *European Journal of Medicinal Chemistry*, 45: 4026-4034.

Heravi M.M., Sadjadi S., Oskooie H.A., Shoar R.H., Bamoharram F.F., (2009). A direct oxidative route for the synthesis of pyrimidines using heteropolyacids. *Tetrahedron Letters*, 50: 662-666.

Hockova D., Holy A., Masojidkova M., Andrei G., Snoeck R., Clercq E.D., Balzarini J., (2004). Synthesis and antiviral activity of 2,4-diamino-5-cyano-6- [2-(phosphonomethoxy) ethoxy] pyrimidine and related compounds. *Bioorganic & Medicinal Chemistry*, 12: 3197-3202.

Holschbach M.H., Bier D., Stüsgen S., Wutz W., Sihver W., Coenen H.H., Olsson R.A., (2006). Synthesis and evaluation of 7-amino-2-(2(3)-furyl)-5-phenylethylamino-oxazolo[5,4-d]pyrimidines as potential

A2Aadenosine receptor antagonists for positron emission tomography (PET). *European Journal of Medicinal Chemistry*, 41: 7-15.

Ho Y.W., (2005). Synthesis of some new azo pyrazolo[1,5-a]pyrimidine-thieno[2,3-b] pyridine derivatives and their application as disperse dyes. *Dyes and Pigments*, 64: 223-230.

Ho Y.W., Yao W.H., (2009). The synthesis and spectral characteristics of novel 6- (2-substituted-1,3,4-oxadiazol-5-yl) -2- phenylthieno [2,3-d] pyrimidine fluorescent compounds derived from 5-cyano-1,6-dihydro-4-methyl-2-phenyl-6-thioxopyrimidine. *Dyes and Pigments*, 82: 6-12.

Jain M.R., Chourasia O.P., Rao j.T., (2004). Synthetic and Antimicrobial Studies of Some New Chalcones of 3-Bromo-4-(p-tolyl sulphonamido) acetophenone. *E-Journal of Chemistry*, 1: 178-183.

Jamal H., Ansari W.H., Rizvi S.J., (2009). Chalcones: Differential effects on glycogen contents of liver, brain and spinal cord in rats. *Biology and Medicine*, 1: 107-115.

Jayapal M.R. and Sreedhar N.Y., (2010). Synthesis and characterization of 4hydroxy Chalcones by aldol Condensation using SOCl₂/EtOH. *International Journal Of Current Pharmaceutical Research*, 2: 60-62.

Jawale D.V., Pratap U.R., Mali J.R., Mane R.A., (2011). Silica chloride catalyzed one-pot synthesis of fully substituted pyrazoles. *Chinese Chemical Letters* 22: 1187–1190

Joshi V.D., Kshirsagar M.D., Singhal S. (2012). Synthesis and pharmacological study of some novel pyrimidines *Pharmacia Sinica* , 3: 343-348

Joule J.A., Mills K., (2010). Heterocyclic chemistry, fifth edition, AJohn Wiley & Sons, Ltd., publication.

Kamal A., Reddy J.S., Ramaiah M.J., Dastagiri D., Bharathi E.V., Azhar M.A. a, Sultana F., Pushpavalli S.N.C.V.L., Pal-Bhadra M., Juvekar A.,

Sen S., Zingde S., (2010). Design, synthesis and biological evaluation of 3,5-diaryl-isoxazoline/isoxazole-pyrrolobenzodiazepine conjugates as potential anticancer agents. *European Journal of Medicinal Chemistry*, 45: 3924-3937.

Kase K., Katayama M., Ishihara T., Yamanaka H., Gupton J.T., (1998). Synthesis of polyfluoroalkoxylated pyrimidines and pyrazoles by using novel P-polyfluoroalkoxy vinamidinium salts. *Journal of Fluorine Chemistry* 30: 29-38

Katritzky A.R., Wang M., Zhang S., Voronkov M.V., (2001). Regioselective Synthesis of Polysubstituted Pyrazoles and Isoxazoles. *Journal of Organic Chemistry*, 66: 6787-6791.

Katritzky A.R., Scriven E.F.V., Majumder S., Akhmedova R.G. §, Akhmedov N.G., Vakulenko A.V., (2005). Direct nitration of five membered heterocycles. *ARKIVOC*, 3: 179-191

Kraljevic T.G., Kristafor S., Suman L., Kralj M., Ametamey S.M., Cetina M., Raic-Malic S., (2010). Synthesis, X-ray crystal structure study and antitumoral evaluations of 5,6-disubstituted pyrimidine derivatives. *Bioorganic & Medicinal Chemistry*, 18: 2704-2712.

Kumar N., Chauhan A., Drabu S., (2011). Synthesis of cyanopyridine and pyrimidine analogues as new anti-inflammatory and antimicrobial agents. *Biomedicine & Pharmacotherapy*, 65: 375–380

Kumar A., Rout S., Pand C.S., Raju1 M.B.V., Ravikumar B.V.V., (2011). Synthesis and biological evaluation of 3, 5-diarylisoaxazoles as antibacterial, antifungal and anti-inflammatory agents. *Journal of Advanced Pharmaceutical Research*. 22: 94-101.

Kumar R, Mohanakrishnan D., Sharma A., Kaushik N.K., Kalia K., Sinha A.K., Sahal D., (2010). Reinvestigation of structureeactivity relationship of methoxylated chalcones as antimalarials: Synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates

derived from abundantly available natural β -asarone. European Journal of Medicinal Chemistry, 45: 5292-5301.

Kumar V., (2006). Synthesis and evaluation of novel pyrimidine derivatives. Dissertation submitted to the Rajiv Gandhi University of Health Sciences.

Kumari K., Raghuvanshi D.S., Jouikov V., Singh K.N., (2012). Sc(OTf)3-catalyzed, solvent-free domino synthesis of functionalized pyrazoles under controlled microwave irradiation. *Tetrahedron Letters* 53: 1130–1133.

Kurumurthy C., Rao P.S., Swamy B.V., Kumar G.S., Rao P.S., Narsaiah B., Velatooru L.R., Pamanji R., Rao J.V., (2011). Synthesis of novel alkyltriazole tagged pyrido[2,3-d]pyrimidine derivatives and their anticancer activity. European Journal of Medicinal Chemistry, 46: 3462-3468.

Krishnakumar B., Velmurugan R., Swaminathan M., (2011). TiO₂–SO₄²⁻ as a novel solid acid catalyst for highly efficient, solvent free and easy synthesis of chalcones under microwave irradiation. Catalysis Communications, 12: 375–379

Krishnaiah A., Narsaiah B., (2002). A novel approach to the synthesis of 5-trifluoromethyl-3-substituted pyrazoles. *Journal of Fluorine Chemistry*, 115: 9–11

Laitonjam W.S., Rajkumar T.S., Chingakham B.S., (2002). Synthesis of some A- and D-ring fused steroidal pyrazoles, isoxazoles and pyrimidines. *Steroids*, 67: 203-209.

Lanier M.C., Feher M., Ashweek N.J., Loweth C.J., Rueter J.K., Slee D.H., Williams J.P., Zhu Y., Sullivan S.K., Brown M.S., (2007). Selection, synthesis, and structure–activity relationship of tetrahydropyrido[4,3-d]pyrimidine-2,4-diones as human GnRH receptor antagonists. *Bioorganic & Medicinal Chemistry*, 15: 5590-5603.

Lahtchev K.L., Batovska D.I., Parushev St.P., Ubiyvovk V.M., Sibirny A.A., (2008). Antifungal activity of chalcones: A mechanistic study using various yeast strains. *European Journal of Medicinal Chemistry*, 43: 2220-2228.

Liu Z., Li D., Li S., Bai D., He X., Hu Y., (2007). Synthesis of novel 5,6-substituted furo[2,3-d]pyrimidines via Pd-catalyzed cyclization of alkynylpyrimidinols with aryl iodides. *Tetrahedron*, 63: 1931–1936.

Liu X., Go M., (2007). Antiproliferative activity of halcones with basic functionalities. *Bioorganic & Medicinal Chemistry*, 15: 7021–7034.

Mahajan S.k., Patil C.b., (2010). Synthesis of (2e)-1, 3-Diphenyl-2-Propene-1-One Derivatives and Evaluation of its An-tioxidant and Anti-Parkinsonism Activity. *International Journal of Pharmaceutical Research*, 2: 39-43.

Maria K., Dimitra H.L., Maria G., (2008). Synthesis and Anti-Inflammatory Activity of Chalcones and Related Mannich Bases. *Medicinal Chemistry*, 4: 586-596.

Mao J., Yuan H., Wang Y., Wan B., Pak D., He R., Franzblau S.G., (2010). Synthesis and antituberculosis activity of novel mefloquine-isoxazole carboxylic esters as prodrugs. *Bioorganic & Medicinal Chemistry Letters*, 20: 1263–1268.

Mo W., Liang Y., Gu Y., Fu L., He H., (2011). Synthesis and cytotoxicity of 8- cyano- 3- substitutedalkyl- 5- methyl- 4- methylene- 7- methoxy- 3, 4- dihydropyrido [4,3-d] pyrimidines. *Bioorganic & Medicinal Chemistry Letters*, 21: 5975–5977.

Mo W., Liao G., Wang T., He H., (2008). Facile synthesis and biological activities of novel fluorine-containing pyrido[4,3-d]pyrimidines. *Journal of Fluorine Chemistry*, 129: 519–523

Musad E.A., Mohamed R., Saeed B.A., Vishwanath B.S., Rai K.M.L., (2011). Synthesis and evaluation of antioxidant and antibacterial activities of new substituted bis(1,3,4-oxadiazoles), 3,5-bis(substituted) pyrazoles and isoxazoles. *Bioorganic & Medicinal Chemistry Letters*, 21: 3536–3540

Navale V.A., Zangade S.B., Shinde R.S., Patil S.G., (2010). Studies On Synthesis And Toxicity To Fish Of Some Newly Synthesized Chalcones. *International Journal of Applied Biology and Pharmaceutical Technology*, 1: 816-820.

Ngameni B., Touaibia M., Belkaidc A., Ambassa P., Watchueng J., Patnam R., Ngadjui B.T., Annabi B., Roy R., (2007). Inhibition of matrix metalloproteinase-2 secretion by chalcones from the twigs of Dorstenia barteri Bureau. *ARKIVOC*, 9: 91-103

Padaratz P., Fracasso M., de Campos-Buzzi F., Correa R., Niero R., Monache F.D., Cechinel-Filho V., (2009). Antinociceptive Activity of a New Benzofuranone Derived from a Chalcone. *Basic & Clinical Pharmacology & Toxicology*, 105: 257–261

Padmaja A., Rajsekhar C., Muralikrishna A., Padmavathi V., (2005). Synthesis and antioxidant activity of oxazolyl/thiazolylsulfonylmethyl pyrazoles and isoxazoles. *European Journal of Medicinal Chemistry*, 46: 5034-5038.

Prashanthi Y., Kiranmai K., Subhashini N.J.P., Shivaraj, (2008). Synthesis, potentiometric and antimicrobial studies on metal complexes of isoxazole Schiff bases. *Spectrochimica Acta Part A*, 70: 30–35

Patil C.B., Mahajan S.K., Katti S.A., (2009). Chalcone: A Versatile Molecule. *Journal of pharmaceutical sciences and research*, 3: 11-22.

Piotrowska D.G., Cieslak M., Królewska K., Wróblewski A.E., (2011). Design, synthesis and cytotoxicity of a new series of isoxazolidines derived from substituted chalcones. *European Journal of Medicinal Chemistry*, 46: 1382-1389.

Polshettiwar V., Varma R.S., (2008). Greener and rapid access to bioactive heterocycles: room temperature synthesis of pyrazoles and diazepines in aqueous medium. *Tetrahedron Letters*, 49: 397–400.

Powner M.W., Gerland B., Sutherland J.D., (2009). Synthesis of activated pyrimidine ribonucleotides in prebiotically plausible conditions. *Nature*, 459: 239-242.

Prasad Y.R., Rao A.L., Rambabu R., (2008). Synthesis and Antimicrobial Activity of Some Chalcone Derivatives. *E-Journal of Chemistry*, 5: 461-466.

Rostom S.A.F., Badr M.H., Abd El Razik H.A., Ashour H.M.A., Abdel Wahab A.E., (2011). Synthesis of Some Pyrazolines and Pyrimidines Derived from Polymethoxy Chalcones as Anticancer and Antimicrobial Agents. *Arch. Pharm. Chem. Life Sci.*, 000: 1–16.

Sauzem P.D., Machado P, Rubin M.A., Sant'Anna G.S., Faber H.B., de Souza A.H, Mello C.F., Beck P., Burrow R.A., Bonacorso H.G., Zanatta Nilo, Martins M.A.P., (2008). Design and microwave-assisted synthesis of 5-trifluoromethyl-4,5-dihydro-1H-pyrazoles: Novel agents with analgesic and anti-inflammatory properties. *European Journal of Medicinal Chemistry*, 43: 1237-1247.

Santos H.M., Lodeiro C., Capelo-Martinez J.L., (2009). Chapter one: The Power of Ultrasound. *Ultrasound in Chemistry: Analytical Applications*. Edited by José-Luis Capelo-Martinez. WILEY-VCH Verlag GmbH & Co.

Sviridov S.I., Vasilev A.A., Shorshnev S.V., (2007). Straightforward transformation of isoxazoles into pyrazoles: renewed and improved. *Tetrahedron*, 63: 12195–12201.

Schmidtke M., Wutzler P., Zieger R., Riabova O.B., Makarov V.A., (2009). New pleconaril and [(biphenyloxy)propyl]isoxazole derivatives

with substitutions in the central ring exhibit antiviral activity against pleconaril-resistant coxsackievirus B3. *Antiviral Research*, 81: 56 -63.

Shavnya A., Sakya S.M., Minich M.L., Rast B., DeMello K.L., Jaynes B.H., (2005) . Efficient fluoride-mediated synthesis of 5-alkyl amino- and ether-substituted pyrazoles. *Tetrahedron Letters* 46: 6887–6891.

Shaw A.Y., Liau H., Lu P., Yang C., Lee C., Chen J., Xu Z., Flynn G., (2010). 3,5-Diaryl-1H-pyrazole as a molecular scaffold for the synthesis of apoptosis-inducing agents. *Bioorganic & Medicinal Chemistry*, 18: 3270–3278

Silva V.D., Stambuk B.U., Nascimento M. da G., (2010). Efficient hemoselective biohydrogenation of 1,3-diaryl-2-propen-1-ones catalyzed by *accharomyces cerevisiae* yeasts in biphasic system. *Journal of Molecular Catalysis B: Enzymatic*, 63: 157–163.

Singh U.P., Kashyap S., Singh H.J., Butcher R.J., (2011) . Anion directed supramolecular architecture of pyrazole based ionic salts, *CrystEngComm*, 13: 4110-4120.

Sondhi S.M., Singh N., Johar M., Kumar A., (2005). Synthesis, anti-inflammatory and analgesic activities evaluation of some mono, bi and tricyclic pyrimidine derivatives. *Bioorganic & Medicinal Chemistry*, 13: 6158–6166.

Sreedhar N.Y., Jaypal M.R., Prasad K.S., Prasad P.R. (2010). Synthesis and Characterization of 4-Hydroxy Chalcones Using PEG-400 as a Recyclable Solvent. *Research Journal of pharmaceutical, Biological and Chemical Sciences*, 1: 480-450

Stefani H.A., Pereira M.P., Almeida R.B., Braga R.C., Guzen K.P., Celli R., (2005). A mild and efficient method for halogenation of 3,5-dimethyl pyrazoles by ultrasound irradiation using N-halosuccinimides. *Tetrahedron Letters*, 46: 6833–6837.

Suryawanshi S.N., Chandra N., Kumar P., Porwal J., Gupta S., (2008). Chemotherapy of leishmaniasis part-VIII: Synthesis and bioevaluation of novel chalcones. *European journal of medicinal chemistry*, 43: 2473-2478.

Swamy P.M.G., Agasimundin Y.S., (2008). Synthesis and Antimicrobial Activity of Some Novel Chalcones Containing 3-Hydroxy Benzofuran. *Acta Pharmaceutica Sciencia*, 50: 197-202.

Tanitame A., Oyamada Y., Ofuji K., Terauchi H., Kawasaki M., Wachi M., Yamagishi J., (2005). Synthesis and antibacterial activity of a novel series of DNA gyrase inhibitors: 5-[(E)-2-arylvinyl]pyrazoles. *Bioorganic & Medicinal Chemistry Letters*, 15: 4299–4303.

Thanh N.D., Mai N.T., Nhan N.P., Thu T.T.H. (2009). Microwave-assisted synthesis of N-tetra-O-acetyl- β -D-glucopyranosyl-N'-(4',6'-diarylpyrimidine-2'-yl)thioureas. International Electronic Conference on Synthetic Organic Chemistry, 13th, Nov. 1-30, 2009

Tyagarajan S., Chakravarty P.K. (2005). Synthesis of pyrimidines from ketones using microwave irradiation. *Tetrahedron Letters*, 46: 7889–7891.

Yamamoto T., Fujita K., Asari S., Chiba A., Kataba Y., Ohsumi K., Ohmura N., Iida Y., Ijichi C., Iwayama S., Fukuchi N., Shoji M., (2007). Synthesis and evaluation of isoxazole derivatives as lysophosphatidic acid (LPA) antagonists. *Bioorganic & Medicinal Chemistry Letters*, 17: 3736 -3740.

Varga L., Nagy T., Kovacs I., Benet-Buchholz J., Dorman G., UrgeL., Darvas F., (2003). Solution-phase parallel synthesis of 4,6-diaryl-pyrimidine-2-ylamines and 2-amino-5,5-disubstituted-3,5-dihydro-imidazol-4-ones via a rearrangement. *Tetrahedron* 59: 655–662

Vaijayanthi S.P., Mathiyalagan N., (2011). Oxidation of chalcones by N - chloronicotinamide in aqueous acetic acid medium: A kinetic and mechanistic study. *Der Chemica Sinica*, 3: 41-46.

Vazquez-Rodriguez S., Serra S., Santos Y., Santana L., (2010). Efficient synthesis of coumarin-chalcones hybrids as new scaffold with antibacterial interest. *14th International Electronic Conference on Synthetic Organic Chemistry*.

Velasco J., Pérez-Mayoral E., Mata G., Rojas-Cervantes M.L., Vicente-Rodríguez M.A., (2011). Cesium-saponites as excellent environmental-friendly catalysts for the synthesis of N-alkyl pyrazoles. *Applied Clay Science*, 54: 125–131

Venu T. D., Khanum S. A., Firdouse A, Manuprasad B. K., Shashikanth S., Mohamed R., Vishwanth B.S., (2008). Synthesis and anti-inflammatory activity of 2-(2-aryloxy)-4,6-dimethoxy pyrimidines. *Bioorganic & Medicinal Chemistry Letters*, 18: 4409–4412.

Vieira A.A., Bryk F.R., Conte G., Bortoluzzi A.J., Gallardo H., (2009). 1,3-Dipolar cycloaddition reaction applied to synthesis of new unsymmetric liquid crystal compounds-based isoxazole. *Tetrahedron Letters*, 50: 905 -908

Wang J., Wang N., Yao X., Kitanaka S., (2007). Structures and Anti-histamine Activity of Chalcones & Aurones Compounds from Bidens parviflora Willd. *Asian Journal of Traditional Medicines*, 2: 23-29.

Wendelin W., Schramm H.W., Blasi-Rabassa A., (1985). *Heterocycles*. 80. *Reactions of guanidine and thiourea with $\alpha,\beta,\gamma,\delta$ -unsaturated ketones*, Monatshefte fuer Chemie , 116: 385-400.

Wu X., Tiekkink E.R.T., Kostetski I., Kocherginsky N., Tan A.L.C., Khoo S.B., Wilairat P., Go M., (2006). Antiplasmodial activity of ferrocenyl chalcones: Investigations into the role of ferrocene. *European Journal of Pharmaceutical Sciences*, 27: 175–187.

Zhang L., Zhang W., Wang X., Bao1K., Lu G., Lin J., (2008). Ultrasound Assisted Selective Reduction of Chalcones to Dihydrochalcones by Zn/HOAc. *Letters in Organic Chemistry*, 5: 370-373.