

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Sudan University of Science and Technology

College of Graduate Studies and Scientific Research

Effect of Enclosure on Range Botanical Composition, Forage Productivity, Diet Selection, and Intake by Sheep Grazing at El-Khuwei Locality, North Kordofan State, Sudan

أثر المسورات الرعوية علي التركيبة النباتية و انتاجية العلف
واختيار الوجبه والكمية المأكوله بواسطة الضان في محلية
الخوي، ولاية شمال كردفان، السودان

A Thesis Submitted for the Fulfillment of the Degree of Doctor
of Philosophy (Ph.D.) in Range Management

By

Mohammed Mahajoub Mohammed Abd Elkreim

Supervisor

Prof. Babo Fadlalla

Co. Supervisors

Prof. Faisal Mohammed Ahmed Elhag

Dr. Ali Khalid Elsafori

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قال الله تعالى:

}} وَالْأَرْضَ بَعْدَ ذَلِكَ دَحَاهَا (30) أَخْرَجَ مِنْهَا مَاءَهَا وَمَرْعَاهَا (31) وَالْجِبَالَ أَرْسَاهَا (32) مَتَاعاً لَكُمْ وَلِأَنْعَامِكُمْ (33) }}

صدق الله العظيم

الآيات (30-33)

سورة النازعات

و قال الله تعالى:

}} أَوَلَمْ يَرَوْا أَنَّا نَسُوقُ الْمَاءَ إِلَى الْأَرْضِ الْجُرُزِ فَنُخْرِجُ بِهِ زَرْعاً تَأْكُلُ مِنْهُ أَنْعَامُهُمْ وَأَنْفُسُهُمْ أَفَلَا يُبْصِرُونَ (27) }}

صدق الله العظيم

سورة السجدة

List of Contents

| Title | Page |
|---|-------------|
| Dedication | I |
| Declaration | II |
| Acknowledgment | III |
| List of Tables | IV |
| List of Maps | VII |
| List of Plates | VIII |
| List of Figures | IX |
| List of Appendixes | X |
| Abstract (English) | XI |
| Abstract (Arabic) | XIV |
| Chapter One: Introduction | |
| 1.1 General | 1 |
| 1.2 Problem statement and Justification | 2 |
| 1.3 Objective of the study | 3 |
| 1.4 Expected outcomes | 4 |
| 1.5 Structure of the thesis | 4 |
| 1.6 The Study area | 5 |
| 1.6.1 North Kordofan State | 5 |
| 1-6-2 El-Khuwei Locality | 8 |
| Chapter Two: Literature Review | |
| 2.1 Importance of Rangelands | 11 |
| 2.2 Rangeland Concepts | 12 |

| | |
|---|----|
| 2. 3 Range condition and trend concepts | 13 |
| 2.4 Rangeland health | 13 |
| 2.5 Range management and improvement concepts | 13 |
| 2.6 Grazing management concepts | 14 |
| Rangeland Vegetation 2.7 | 15 |
| Major Types of Range Plants 2.7.1 | 15 |
| Identification of Range Plants 2.7.2 | 17 |
| Assessment and evaluation of rangeland 2.8 | 18 |
| Sample Design Methods 2.8.1 | 18 |
| Botanical Composition 2.8.2 | 18 |
| Rangeland productivity 2.8.3 | 19 |
| Density 2.8.4 | 19 |
| Frequency 2.8.5 | 19 |
| Carrying capacity 2.8.6 | 20 |
| 2.9 Assessment of the diet selection and voluntary intake | 20 |
| Diet selection 2.9.1 | 20 |
| Palatability 2.9.2 | 21 |
| 2.9.3 Voluntary intake | 21 |
| 2.9.4 In vitro dry matter digestibility | 22 |
| 2.9.5 Digestibility | 22 |
| 2.9.6 Preferred Plants | 23 |
| 2.9.7 Plant preference classification | 24 |
| 2.9.8 Preference index | 25 |

| | |
|---|----|
| 2.9.9 The nutrition of sheep | 25 |
| 2.9.9.1 Sheep grazing patterns and behavior | 25 |
| 2.10 Assessment of the nutritive value of range plants | 26 |
| 2.10.1 general | 26 |
| 2.10.2 Forage sampling | 27 |
| 2.10.3 Analysis of feedstuff | 27 |
| 2.10.3.1 Moisture content | 27 |
| 2.10.3.2 Dry matter | 28 |
| 2.10.3.3 Crude protein | 28 |
| 2.10.3.4 Ash | 28 |
| 2.10.3.5 Minerals | 29 |
| 2.10.3.6 Neutral detergent fibre | 29 |
| 2.10.3.7 Acid detergent fibre | 30 |
| 2.10.3.8 Acid detergent lignin | 30 |
| 2.11 pastoralists' perceptions on rangeland utilization | 30 |

Chapter Three: The Taxonomy of Range Plants at El-khuwei Locality, North Kordofan State, Sudan

| | |
|--------------------------------|----|
| 3.1 Introduction | 34 |
| 3.2 Materials and methods | 34 |
| 3.2.1 Field equipments | 34 |
| 3.2.2 Sites of collection | 34 |
| 3.2.3 Preparation of specimens | 35 |
| 3.2.4 Field observations | 35 |

| | |
|---|----|
| 3.2.5 Examination of specimens | 35 |
| 3.2.6 Species identification | 36 |
| 3.2.7 Species description | 36 |
| 3.2.8 Characteristics and uses | 36 |
| 3.3 Results and discussion | 36 |
| 3. 3.1 Description of some range plants in the study area | 37 |
| 3.3.1.1 <i>Cenchrus biflorus</i> | 37 |
| 3.3. 1.2 <i>Ipomea sinensis</i> | 37 |
| 3.3.1. 3 <i>Echinochloa colonum</i> | 38 |
| 3.3.1.4 <i>Zornia glochidiata</i> | 38 |
| 3.3.1.5 <i>Desmodium dichotomum</i> | 39 |
| 3.3.1.6 <i>Cucumis dipsaceus</i> | 39 |
| 3.3.2 Vegetation description of the El-khwuei Locality | 40 |
| 3.3.3 Endangered species | 41 |
| 3.3.4 Check list of range plants | 41 |

Chapter Four: The Effects of Protection on Some Range Plants Attributes at El-Khuwei Locality, North Kordofan State, Sudan

| | |
|-----------------------------------|----|
| 4.1 Introduction | 45 |
| 4.2 Materials and methods | 45 |
| 4.2.1 General | 45 |
| 4.2.2 sampling design | 46 |
| 4.2.3 Equipments and tools | 46 |
| 4.2.4 Range botanical composition | 46 |
| 4.2. 5 Frequency of range plants | 48 |

| | |
|---|----|
| 4.2.6 Plant density | 48 |
| 4.2.7 Forage production of herbaceous plants | 48 |
| 4.2.8 Carrying capacity | 49 |
| 4.3 Results and discussion | 50 |
| 4.3. 1 Ground cover | 50 |
| 4.3.1. 1 Ground cover determined using the loop technique | 50 |
| 4.3.1.2 Ground cover determined using the quadrats | 51 |
| 4.3.2 Plant composition | 52 |
| 4.3.3 Plant density | 55 |
| 4.3. 4 Plant frequency | 59 |
| 4.3.5 Forage Productivity | 64 |
| 4.3.6 Carrying capacity | 64 |

Chapter Five: Diet Selection and Voluntary Intake of Sheep in Protection and Open Grazing at El-Khuwei Locality, North Kordofan state, Sudan

| | |
|--|----|
| 5. 1 Introduction | 66 |
| 5.2 Materials and methods | 66 |
| 5.2.1Diet selection by the grazing sheep | 66 |
| 5.2.1.1 Relative preference index (RPI) | 67 |
| 5.2. 2Voluntary intake | 68 |
| 5.2.2.1 Total fecal collection | 68 |

| | |
|---|----|
| 5.2.2.2 In vitro digestibility | 69 |
| 5. 3 Chemical composition of the diet selected | 70 |
| 5.4 Result and discussions | 70 |
| 5.4.1 The botanical composition of the diets of grazing sheep | 70 |
| 5.4.2 Chemical composition of the diet selected by sheep | 82 |
| 5.4.3 Digestibility | 84 |
| 5.4.4 Voluntary dry matter intake (DMI) | 85 |

Chapter six: The Rangeland Management and Pastoralists' Perceptions on Rangeland Resources and Utilization at El-khuwei Locality, North Kordofan State, Sudan

| | |
|--|----|
| 6.1 Introduction | 86 |
| 6.2 Materials and methods | 87 |
| 6.2. 1 Data collection | 87 |
| 6.2.2 Statistical analysis | 87 |
| 6.3 Results and discussions | 87 |
| 6.3.1 Distribution of respondents according to source of income | 87 |
| 6.3.2 Utilization of rangelands according to pastoral group | 88 |
| 6.3.3 Movement of animal by pastoral group | 88 |
| 6.3.4 Palatable species according to opinion of pastoral | 89 |
| 6.3.5 Unpalatable species according to opinion of pastoral | 90 |
| 6.3.6 Hazardous plants in range according to opinion of pastoral | 90 |
| 6.3.7 Personal communication and group discussion | 91 |

Chapter Seven : Conclusion and Recommendations

| | |
|---------------------|-----|
| Conclusions 7.1 | 92 |
| Recommendations 7.2 | 94 |
| References | 96 |
| Appendixes | 112 |