

References

- Bayoumi, A. (2000). Fire Situation in Sudan. IFFN No. 25, July 2001, pp 115 - 117.
- Belward, A.S., Gregoire, J.-M., D'Souza, G., Trigg, S. Hawkes, M., Brustet, J.-M., Serça, D., Tireford, J.-L., Charlot, J.-M. and Vuattoux, R. (1993). In-situ, real time fire detection using NOAA / AVHRR data. In: Proceedings of the VI AVHRR Data User's Meeting, Belgirate, (Italy), 29th June-2nd July 1993. Darmstadt, Germany: EUMETSAT. pp. 333 - 339.
- Bond W. J. and Wilgen B. W. (1996). Fire and Plant. Chapman and Hall, London.
- Brivio P., Maggi M., Binaghi E. and Gallo I., (2003). Mapping burned surfaces in Sub-Saharan Africa based on multi-temporal neural classification. International Journal of Remote Sensing, Vol. 24, No. 20, pp 4003 – 4018.
- Congalton, R.G. and Green, K. (1999). Assessing the accuracy of remotely sensed data. Florida: CRC Press.
- Delmas, R.A., Loudjani, P., Podaire, A. and Menaut, J.C. (1991). Biomass burning in Africa: an assessment of annually burned biomass. Global Biomass Burning: Atmospheric, Climatic and Implications. Cambridge, Massachusetts: MIT Press. pp. 126 - 132.
- Dozier, J. (1981). A method for satellite identification of surface temperature fields of subpixel resolution. Remote Sensing of Environment, No. 11, pp 221 - 229.
- Dwyer, E., Pinnock, S. and Gregoire, J. M. (2000). Global spatial and temporal distribution of vegetation fire as determined from satellite

- observations. *International Journal of Remote Sensing*, Vol. 21, No. 7, pp1289 - 1302.
- Elgamri M. A. E., Gaiballa A. K., Goldammer J. G. (2003). Assessment of Forest Fire Management in Jebel Marra (Sudan). 3th International wildland fire conference, Sydney, Australia.
- Eva, H. and Flasse, S. (1996). Contextual and multiple-threshold algorithms for regional active fire detection with AVHRR data. *Remote Sensing Reviews*, Vol. 14, pp 333 - 351.
- Eva, H. and Lambin, E. F. (1998). Remote sensing of biomass burning in tropical regions: sampling issues and multisensor approach. *Remote Sensing of Environment*, 64: pp 292 - 318.
- FAO (1986). *Wildland Fire Management Terminology*. Food and Agriculture Organization of the United Nations, FAO Forestry Paper 70, p 257, Rome, Italy.
- FAO (1999). *FAO Meeting on Public Policies Affecting Forest Fires*, FAO Forestry Paper 138, Rome, Italy.
- FAO (2000). *The global forest resources assessment 2000 - forest fires components*. Statement of information needs. Rome, Italy.
- FAO (2001). *FAO/ITTO International Expert Meeting on Forest Fire Management*, Rome, Italy.
- FAO (2001). *The Global Forest Resources Assessment 2000, main report*. FAO Forestry Paper No. 140. Rome, Italy.
- Flasse, S.P. and Ceccato, P. (1996). A contextual algorithm for AVHRR fire detection. *International Journal of Remote Sensing*, Vol. 17, No. 12, pp 419 - 424.
- Flasse, S.P., Ceccato, P., Downey, I.D. and Williams, J.B. (1996). Remote sensing and GIS to support vegetation fire management in developing countries. Paper presented at the 13th conference on fire and meteorology, 27 - 31 October 1996, Lorne, Australia.

- FROST P. G. H. (1999). Fire in southern African woodlands: origins, impacts, effects, and control. In Proceedings of an FAO Meeting on Public Policies Affecting Forest Fires, FAO Forestry Paper 138, pp. 181 - 205.
- Gaiballa A.K. (1997). Surveying of natural resources in El Baja area, with special emphasis on levels of utilization and management indicators for system sustainability (unpublished).
- Global Observation for Forest and Land Cover Dynamics, GOFC/GOLD Fire Monitoring and Mapping Implementation Team [ONLINE], available: <http://gofc-fire.umd.edu/bkgrd/index.asp> accessed 13th March 2007.
- Gorsevski, V. (2005). A Preliminary Assessment of Wildfires in Sudan Using Geospatial Technologies and Methods. Department of Geography, University of Maryland, Maryland, USA.
- Goldammer J. G. (2004). International cooperation in wildland fire management. *Unasylva*, Vol. 55, No. 217, pp 3 - 9, FAO, 2004.
- Goldammer, J. G., Frost, P., Jurvélius, M., Kamminga, E., Kruger, T., Moody S., Pogeyed, M. (2001). Community Participation in Integrated Forest Fire Management: Some experiences from Africa, Asia and Europe. *Community in Flames, An International Conference on Community Involvement in Fire Management*, Balikpapan, Indonesia.
- Goldammer, J. G. (1991). Integrated Fire Management, Final Report for GTZ P. N. 86.2595.6 - 01.100. Forestry project in Jebel Marra Forest Circle, Sudan.
- Goldammer, J.G. (1998). *International Forest Fire News*. Geneva: UNECE Trade Division.
- Goldammer, J.G. and Crutzen, P.J. (1993). *Fire in the environment: scientific rationale and summary of results of the Dahlem*

- workshop. The Ecological, Atmospheric and Climatic Importance of Vegetation fires, pp 1 - 14. London: John Wiley & Sons Ltd.
- Goldammer, J.G. and Habte, T. (2000). Forest fire disasters: Early warning, monitoring, and response. Paper presented at the UN International Search and Rescue Advisory Group (INSARAG) Regional Europe – Africa Meeting, Hammamet, Tunisia, 15 - 19 November 2000.
- Goutbi, N. (2000). Stakeholders Approach for Sustainable Management of Forest Resources, case study Jebel Marra Forest Circle, M. Sc thesis. University of Khartoum, Sudan.
- Hashim I. M. (1999). Management and development of wildlife in Albaja. Wildlife Research Centre, Shambat, Khartoum, Sudan.
- Horne, I. P. (1981). The frequency of veld fire in the Groot Swartberg Mountain Catchments Area, Cape Province. South Africa Forestry Journal, 118, pp 56 - 60.
- Kaufman Y. and Justic C. (1998). Algorithm Technical Background Document, MODIS FIRE PRODUCTS, Earth Observing System (EOS), MODIS Science Team.
- Kauffman J., Uhl C., and Cummings D. (1988). Fire in the Venezuelan Amazon. Fuel biomass and fire chemistry in the evergreen rainforest of Venezuela. *Oikos*, 53, 167 – 175.
- Landsat project, Remote Sensing Applications [ONLINE], available: <http://landsat7.usgs.gov/resources/remote_sensing/remote_sensing_applications.php> accessed 26th May 2006.
- Levine, J.S. (1991). Global biomass burning: atmospheric, climatic, and biospheric implications. MIT press: Massachusetts.
- Lillesand, T.M. and Keifer, R.W. (2000). Remote Sensing and Image Interpretation, John Wiley & Sons Ltd: New York.

- Luke R. H. and Mc Arthur A. G. (1978). Bushfires in Australia, Australian Government Publishing Service, Canberra.
- Mather P. M. (2004). Computer Processing of Remotely-Sensed Images, an Introduction. The University of Nottingham. John Wiley and Sons, Ltd.
- Matson, M. (1981). Identification of subresolution high temperature sources using a thermal IR sensor. Photogrammetric Engineering and Remote Sensing, Vol. 47, No.9, pp 1311 - 1318.
- Measuring vegetation Health, vegetation Measurements [ONLINE], available:
<http://mvh.sr.unh.edu/mvhinvestigations/veg_analysis.htm>
accessed 10th March 2007.
- NASA, Earth Observatory, Measuring Vegetation (NDVI and EVI) http://earthobservatory.nasa.gov/Library/MeasuringVegetation/measuring_vegetation_2.html accessed in 8.3.2007.
- NASA, LANDSAT Continuing Three Decades of Earth Imaging [ONLINE], Available: <<http://landsat7.usgs.gov/>> accessed 13th March 2007.
- Nasi R., Dennis R., Meijaard E., Applegate G., Moore Robert Nasi and Grahame P., (2001); Forest Biological Diversity - Unasylva 209 Forest fire and biological diversity [ONLINE], available: <<http://www.fao.org/docrep/004/y3582e/y3582e08.htm>> accessed 14th March 2007.
- Parr, C.L. and Brockett, B.H. (1999). Patch mosaic burning: a new paradigm for savanna fire management in protected areas. Koedoe, 42, pp 117 - 130.
- Pereira, J.M.C, Pereira, B.S., Barbosa, P., Stroppiana, D., Vasconcelos, M.J.P. and Gregoire, J. M. (1999). Satellite monitoring of fire in the EXPRESSO study area during the 1996 dry season experiment:

- Active fires, burnt area and atmospheric emissions. *Journal of Geophysical Research*, 104, pp 30701 - 30712.
- Pereira J.M.C, Vasconcelos M.J.P. and Sousa, A.M. (1998). A rule-based system for mapping burnt area in temperate and tropical regions using NOAA AVHRR imagery. Paper presented at: Report of Wageningen-98 Workshop on Global Change Research. Wageningen, Netherlands.
- Pereira J. M. C., Chuvieco E., and Desbois N., (1997). Remote Sensing of burned areas: a review. In *A Review of Remote Sensing Methods for the Study of Large Wildland Fires*, edited by E. Chuvieco (Alcala de Henares: Universidad de Alcala), pp 127 – 183.
- Price, J. C. (1987). Calibration of satellite radiometers and the comparison of vegetation indices. *Remote Sensing of Environment*, 21, pp 15 - 27.
- Robinson, J.M. (1991). Fire from space: Global fire evaluation using infrared remote sensing. *International Journal of Remote Sensing*, Vol. 12 No.1, pp 3 - 24.
- Roy D. P., Frost P. G. H., Justice C. O., Landmann T., Le Roux J. L., Gumbo K., Makungwa S., Dunham K., Du Toit R., Mhwandagaraii K., A. Zacarias B., Tacheba, Dube O. P., Pereira J. M. C, Mushove P., Morissette J. T., Santhana S. K., Vannan and Davies D. (2005). The Southern Africa Fire Network (SAFNet) regional burned-area product-validation protocol. *International Journal of Remote Sensing* Vol. 26, No. 19, pp 4265 - 4292.
- SAFNet (Southern African Fire Network) 2003. Use and control of fire in Africa. 3th International wildland fire conference, Sydney, Australia.

- Stauber, R. L., (1995). Consultant Report on Forest Fire Management in the Sudan. FNC and FAO. Boise Idaho, United States.
- Stocks, B.J., Goldammer, J.G. and Cahoon, D.R. (1999). Global fire monitoring: International and Policy Requirements. Handout circulated at the GOFCC Forest Fire Monitoring and Mapping Workshop, 3 - 5 November 1999, Joint Research Centre, Ispra, Italy.
- Stolle F., Chomitz K.M., Lambin E.F., Tomich T.P. (2003). Land use and vegetation fires in Jambi Province, Sumatra, Indonesia. *Forest Ecology and Management* 6153, pp 1 - 16.
- The Nature Conservancy (2004). Fire, Ecosystems and People, A Preliminary Assessment of Fire as a Global Conservation Issue, Global Fire Initiative. Global Fire Partnership-sponsored Fire Experts Workshop in Siggrisvil, Switzerland [ONLINE], available: <http://www.nature.org/initiatives/fire/files/fire_report_version1.pdf> accessed 14th March 2007.
- Trigg S., Roy D. and Flasse S. (2005). An in situ study of the effects of surface anisotropy on the remote sensing of burned savannah. *International Journal of Remote Sensing*, Vol. 26, No. 21, pp 4869 - 4876.
- Trigg S. and Flasse S. (2000). Characterization the spectral-temporal response of burned savannah using *in situ* spectroradiometry and infrared thermometry. *International Journal of Remote Sensing*, Vol. 21, No. 16, pp 3161 – 3168.
- Trigg S. and Flasse S. (2001). An evaluation of different bi-spectral space for discriminating burned shrub-savannah. *International Journal of Remote Sensing*, Vol. 22, No. 13, pp 2641 – 2647.

- Trigg S. (2002). Towards improving the use of remote sensing for monitoring burnt vegetation in Africa savannah. PhD thesis, University of Greenwich, England.
- Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8, pp 127 - 150.
- UNEP and Joint Research Centre European Commission (2000). Global Burnt Area 2000 Project, [ONLINE], available: <<http://www.grid.unep.ch/activities/earlywarning/preview/ims/gba/>> accessed 10th March 2007.
- Wengen (1998). Conclusions of the international workshop on Biomass burning and its inter-relationships with the climate system Wengen, Switzerland, September 28 - October 2, 1998 [ONLINE], Available: <http://www.unifr.ch/geoscience/geographie/EVENTS/Wengen/98/wen98sum.html> Accessed 11th March 2007.
- Zahran B. (2004). Reliability of the Adopted Range Measurement Techniques in Arid Rangelands. PhD thesis, Sudan University of Science and Technology, Khartoum, Sudan.

Appendices