

Reference

- 1- American Diabetes Association. (2003c).
Diabetic retinopathy. *Diabetes care* , 26 (suppl 1) , sgg – s102
- 2- American Diabetes Association. (2003b). Diabetes nephropathy
Diabetes care , 62(suppl1) , S 94 – S 98
- 3- American Diabetes Association. (2003). Treatment of hypertension
in adults with Diabetes, 26 (suppl 1), S80 – S82.
- 4- Abu Bakare A., GILLG.V. Taylor R., Alerti K.G: tropical or
malnutrition – related diabetes: a real syndrome? *Lancet* (1986);
1:1135 – 1138.
- 5- Ahuga M.M.:
Heterogeneity in tropical diabetes mellitus *Diabetologia*.
(1985) ; 28:229-232.
- 6- Bengirem & LEIVESTED – 2001
Bengirem – H., , lievisted , R. diabetic nephory and end stage RF. *Adv
Ren Replace The* (2001) ; 8(1:4-12).
- 7- Bruno 36et al. *Ann intern med.*(1988) 125(8):653
- 8- Colier A , Rumley AG ,Paterson JR, Leach JP, Lowe GD et al. free
radical activity and hemostatic factor in NIDDM patients with and
without microalbminuria – diabetes.(1992); 41:909 – 13.(abstract).

9- Ceriello A. Hemostatic abnormalities in diabetes mellitus: consequence of hyperglycemia. Nutrition , metabolism , and condiliscular diseases.(1995); 5:237-40.

10-Cahill GF. Current concepts of diabetes. In:

Marble A et al (eds) Joslin's Diabetes mellitus. Page1. Lea and Fibiger.(1995)

11-Ceriello A, taboga C , Giacomello R, Falleti , Destasio s, et al. Fibrinogen plasma levels as a marker of thrombosis activation in diabetes. Diabetes 1994; 43 : 430 – [abstract]

12- Cambien Fet al. : deletion polymorphism in the gen for angiotensin – converting enzyme in a potent risk for myocardial infraction. Nature (1992), 359: 641 – 644.

13- Cahill , Mathew . Hand book of diagnostic tests. Spring house , PH. Spring house corporation (1995).

14- Daring M.I:

Diabetes mellitus (definition , insulin Glucagon , physiology , and pathophysiology)2nd ed . BLOCK well scientific publication Oxford London , (1978).

15- Diabetes neuropathies (NIH publication No. 02 – 3/85).(2002 , may) . retrieved April 10 , 2003 , from national institute of diabetes and digestive and kidney disease of the national institute of health web site:

http : // [www.niddk .nih.gov/health/diabetes/pubs/neuro/neuro.htm](http://www.niddk.nih.gov/health/diabetes/pubs/neuro/neuro.htm)

16- de Feo P, Gasiano mg, haymond mw . differential effects of insulin deficiency on albumin and fibrinogen synthesis in human . J clin invest . (1991) ; 88 : 833 – 40 .

17- Damsgaard EM et al , :Eight to nine year mortality in known non – insulin dependent diabetic and controls . kidney Int (1992) , 41 : 731 – 735 .

18- Deckert T et al , : microalbuminuria – implication of micro – and macro vascular diseases . diabetes care (1992) , 15:1181 .

19- Damsgaard EM et al , : microalbuminuria as a predictor of increased mortality in elderly people . BM J (1990) , 300; 297 -300 .

20- Ernst E , Resch KL .Fibrinogen as a cardiovascular risk factor : ameta analysis and review of the literature . Ann intern med . (1993) ; 118 : 956 – 63 [Abstract / Free Full Text] .

21- E shoj O et al , : comparison of over night , morning and 24 – hour urine collections in the assessment of diabetic microalbuminuria – diabetic med (1987) , 4 : 437 – 440 .

22- F ajan S.S :

classification of diabetes mellitus . In RIFKIN H , P askin P (eds) diabetes mellitus VO . S. American Diabetes Association (1980) ; P 98 .

- 23 – Garber , A.J . (2000) Attenuating cardiovascular risk factors in patients with type diabetes . American family physician , 62 , 2633 – 2642 .
- 24 – Ganda OP , Arkin CF . Hyperfibrinogenemia An important risk factor for vascular complications in diabetes . Diabetes care . (1992) ; 15 : 1245 – 50 . [Abstract] .
- 25 – Gall MA et al . : Prevalence of micro – and macroalbuminuria , arterial hypertension , retinopathy and large vessel disease in European type 2 (non – insulin - dependent) diabetic patients . Diabetologia (1991) , 34 : 655 – 661 .
- 26- Heinrich J , Balleisenl , Schulte H , Assmang , van deloo J . Fibrinogen and factor VII in the predication of coronary risk . Results from the PROCAM study in healthy men . Arterioscler / Thromb . (1994) ; 14 : 54 – 9 . [Abstract] .
- 27 – John B.Walter , M.D , An introduction of the principle of disease .(1982) .
- 28 – Jerums G et al , : spectrum of proteinuria in type I and type II Diabetes . Diabetes care (1987) , 10 : 419 – 427 .
- 29 – Jones SL et al , : plasma Lipid and coagulation factor concentrations in insulin – dependent diabetics with microalbuminuria . BMJ (1989) , 298 : 487 – 490 .

30 – Jacobs ,David's ,et al .laboratory test Handbook.4th ed New York;Lexi-comp Inc ,(1996) .

31 – Knobl P, Scherthaner G , Schnack C , Pietschmann P , Griesmacher , A , Prager R , et al . Thrombogenic factors are related to urinary albumin excretion rate in type 1 (insulin – dependent) and type 2 (non – insulin – dependent) diabetic patients . diabetologia . 1993 ; 36:1045 – 50 . [midline] .

32 – K nopp RM , Frohlich J, Jokubaitis L. Effect of fluvastation on NIDDM patients AMJ (1990) ; 96 : 6 A .

33 – Kannel WB , D Agostino RB , Wilson PW , Belanger AJ , Gagnon DR . Diabetes , fibrinogen , and risk of cardiovascular disease : The Framingham experience .AM heart J . (1990) , 120 : 672 – 6 .[Midline] .

34 – Keen H , Chlouverakisc : An Immunoassay method for urinary albumin at low concentrations . Lancet (1963) , i:913 – 914 .

35 – Krolew SKI As et al , predisposition to hypertension and susceptibility to renal disease in IDDM , N Engl J med (1988) 318 : 140 – 145 .

36 – L ivson . S.T Raffessmory , A.Pweetman : introduction to clinical sciences , Kenbridge university (1997) .

37 – Lee AJ , Lowe GD ,wood ward M , Tunstall – Pedoe H.Fibrinogen in relation to personal history of prevalent hypertension diabetes , stroke

, intermittent claudication , coronary heart disease , and family history ;
the socttent heart health study . Br heart J . (1993) ; 69 : 338 – 42 . [Abstract] .

38 – Messent JWC et al , : prognostic significance of microalbuminuria
in insulin – dependent diabetes mellitus : A twenty – three year follow –
up study . K idney int (1992) , 41 : 836 – 839 .

39 – Mattock MB et al , : propective study of microalbuminuria as a
predictor of mortality in NIDDM . Diabetes (1992) , 41 : 736 – 741 .

40 – Mogensen CE : microalbuminuria predicates clinical proteinuria
and early mortality – on set diabetes . W Engl J med 1984 , 310 : 350 –
36 .

41 – Mogensen CE et al , : microalbuminuria in non-insulin –
dependent diabetes . clin nephrol 1992 , 38 (suppl 1) : S28 – S38 .

42 – Mattock MB Keen H , Viberti GC et al – GO hari MR , M urrells
TJ , Scott GS , et al . coronary heart disease and urinary albumin
excretion rate in type 2 (non – insulin- dependent) diabetic patients .
Diabotlogia . 1988 ; 31 : 82 – 7 . [midline] .

43 – Murakami T et al , : Elevation of factor XIa antitrypsin complex
level in NIDDM patients with diabetic nephropathy . Diabetes 1993 , 42
: 233 – 238 .

44 – Neil A, Hawkins M , Potok M, Thorogood M , Colen D, mann J .
A prospective population – based study of microalbuminuria as a
predictor of mortality in NIDDM .Diabetes care.1993;16:996-
1003.(Abstract) .

45 – No sadini R et al , : close relationship between microalbuminuria
and insulin resistance in essential hypertension and non-insulin –
dependent diabetes mellitus . JAM Soc Nephrol 1992 , 3 (suppl 1) :S56
– S63 .

46 – Ritz E , O rth SR . Nephropathy in patients with type 2 diabetes
mellitus. N Engl J med October 7.1999; 341 ÷ 1127 – 33.

47- Scimitz A et al;: Kidney function and cardiovascular risk factors in
non –insulin-dependent diabetes (NIDDM) with microalbumiuria. J
intern med 1990. 228:347-352.

48- Stehower CDA et al , urinary albumin , excretion , cardiovascular
disuses , and endothelial dysfunction in non – insulin – dependent
diabetes mellitus. Lancet (1992), 340 : 319 – 323

49- Stamber J et al ,;: diabetes , other , risk factors and 12 year
cardiovascular mortality for men screened in the multiple risk factor
intervention trial diabetes care 1993. 16: 434:444

50-Schmitz A, Ingerslev J. haemostatic measures in type 2 diabetes patients with microalbuminuria. Diabetic med.(1990); 7:521-5.[Medline].

51- Schmitz A, Veith M: microalbuminuria: A major risk factor in non – insulin – dependent diabetes. A 10 years follow-up study of 503 patients Diabetic med(1987), 5:126-134.

52- Slodowska Z, Effect of toxic substances on diabetes rates folio med carcov;(1992);:33:1-4.

53- Stout RW: insulin and atheroma : 20 year perspective. Diabetes ,1990; 13:631-655.

54- Schwartz CJ , valente AJ ,Kelley JL , Sprague EA, Edwards EH. Thrombosis and the development of atherosclerosis : Rokitansky revisited. Semin Thromb Hemost (1988); 14 : 189 – 95. [Medline].

55- Thompson SG , Kienast J, PYKE, SD , Haver Kate F , Van de Loo JC. Haemostatic factors and the risk of myocardial infarction or sudden death in patients with angina pectoris. European concerted action on thrombosis and diabetes Angina pectoris study group. N Engl J med.(1996); 332:635-41.

56- Viberti GC et al , : increased glomerular permeability to albumin induced by exercise in diabetic subjects. Diabetologia (1978) , 14 : 293 – 300.

57- Viberti GC et al , : urinary excretion of albumin in normal men : the effect of water loading. Scand J clin lab invest (1982) , 42: 147 – 151.

58- Viberti GC et al, : effect of protein restricted diet on renal response to a meat meal in humans. AMJ physiol (1987).253 : F 388 – F 399.

59- Vaughn JP , :

Diabetes in developing countries its importance for public health. Health policy and planning.(1988) : 4(2) :97-109. oxford university press.

60- Yamatani K, marabashi S. the effect of prolonged diabetic state on catecholamine induced C AMP in rates EMJ(1994);173:3