

## List of Contents

Serial	Title	Page
1	<b>INTRODUCTION</b>	1
2	<b>LITRETURE REVIW</b>	4
2-1	<b>Sudan Natural Resources</b>	4
2-2	<b>Sudanese cattle types</b>	5
2-3	<b>Livestock production system in Sudan</b>	6
2-4	<b>Feed intake</b>	6
2-5	<b>Animal growth</b>	10
2-6	<b>Growth measurements</b>	15
2-6-1	<b>Body measurements</b>	15
2-6-2	<b>live weight</b>	17
2-7	<b>Body components</b>	18
2-7-1	<b>Non carcass components</b>	18
2-7-2	<b>Carcass components</b>	19
2-7-2-1	<b>Carcass linear measurements</b>	19
2-7-2-2	<b>Prime cuts</b>	21
2-8	<b>Carcass Characteristic</b>	23
3	<b>MATERIAL&amp;METHOD</b>	27
3-1	<b>Experimental Farm</b>	27
3-2	<b>Experimental animals</b>	28
3-3	<b>Experimental feeding</b>	29
3-4	<b>Feedlot record</b>	29
3-4-1	<b>Feed intake</b>	29
3-4-2	<b>Live weight</b>	30
3-4-3	<b>Body Measurements</b>	30
3-5	<b>Slaughter procedure and slaughtering</b>	31
3-6	<b>Body Components</b>	32
3-6-1	<b>Non carcass components</b>	32
3-6-2	<b>Carcass components</b>	32
3-6-3	<b>Linear carcass measurements</b>	33
3-6-4	<b>Carcass partitioning</b>	34

3-7	<b>Statistical analysis</b>	36
4	<b>RESULTS</b>	37
4-1	<b>Feed lot performance</b>	38
4-1-1	<b>Feed intake</b>	39
4-1-2	<b>Live weight gain</b>	41
4-1-3	<b>Feed conversion ratio</b>	42
4-1-4	<b>Messaria sub type feed lot performance</b>	43
4-1-5	<b>Nyalawi sub type feed lot performance</b>	44
4-2	<b>Body Measurements</b>	45
4-3	<b>Carcass linear measurements</b>	46
4-4	<b>Non carcass components</b>	48
4-5	<b>Carcass components</b>	50
4-6	<b>Carcass Characteristic</b>	50
4-7	<b>Fat Content</b>	51
4-8	<b>Economical return</b>	52
5	<b>DICUSSION</b>	56
5-1	<b>Feedlot performance</b>	56
5-1-1	<b>Feed intake</b>	57
5-1-2	<b>live weight gain</b>	58
5-1-3	<b>Feed conversion ratio</b>	59
5-1-4	<b>Messaria and Nyalawi sub type feed lot performance</b>	59
5-2	<b>Body Measurements</b>	60
5-3	<b>Carcass linear measurements</b>	61
5-4	<b>Non carcass components</b>	61
5-5	<b>Carcass components</b>	62
5-6	<b>Carcass Characteristic</b>	63
5-7	<b>Fat Content</b>	65
5-8	<b>Economical return</b>	66
	<b>CONCLUSION</b>	68
	<b>RECOMMENDATION</b>	69
	<b>REFERENCES</b>	70
	<b>Appendix</b>	80
	<b>Pictures</b>	85

Table No	Title	Page
1	<b>Chemical composition of the experimental diet (% of DM)</b>	29

2	<b>Feedlot performances for slaughtered bulls</b>	37
3	<b>Body Measurements</b>	44
4	<b>Linear carcass measurements</b>	45
5	<b>External non carcass component as % of empty body weight</b>	46
6	<b>Internal non carcass component as % of empty bodyweight</b>	47
7	<b>Prime Cuts as % of Carcass weight</b>	49
8	<b>Carcass Characteristic</b>	50
9	<b>Fat Content as% of empty body weight</b>	51
10	<b>Body component of Nyalawi and Messaria Sub Type</b>	52
11	<b>Price cost</b>	53
12	<b>Return Sale of whole Animal (Nyalawi and Messaria)</b>	55

## **List of Tables**

## **List of Figures**

<b>Figure</b>	<b>Title</b>	<b>Page</b>
---------------	--------------	-------------

<b>No</b>		
<b>1</b>	<b>Average weekly feed intake (kg) in Nyalawi &amp; Messaria</b>	<b>38</b>
<b>2</b>	<b>Effect of ambient temperature in feed intake</b>	<b>39</b>
<b>3</b>	<b>Average weekly gain (kg) in Nyalawi &amp; Messaria sub type</b>	<b>40</b>
<b>4</b>	<b>Feed conversion ratio for Nyalawi &amp; Messaria sub type</b>	<b>41</b>
<b>5</b>	<b>Messaria sub type feed lot performance</b>	<b>42</b>
<b>6</b>	<b>Nyalawi sub type feed lot performance</b>	<b>43</b>