

List of Figures

Figure 2.1	Bathtub	9
Figure 2.2	Failure occurrence for a long period of time	15
Figure 2.3	The specification process	16
Figure 2.4	The design process	17
Figure 2.5	The production process	19
Figure 2.6	The utilization process	19
Figure 2.7	The retirement process	20
Figure 2.8	Reliability and Unreliability plotting	22
Figure 2.9	Elements of downtime and Repair time	24
Figure 2.10	Up and Down time	27
Figure 3.1	Fault Tree gates and equivalent Reliability Block Diagram	32
Figure 3.2	Fault Tree event symbols	33
Figure 3.3	Fault Tree Analysis for the network	35
Figure 3.4	FMEA Form	41
Figure 3.5	The added series element to the redundant system	43
Figure 4.1	Relationship between data collection and cost	56
Figure 4.2	Failure reporting form	62
Figure 4.3	The SUST network series configuration	63
Figure 4.4	The SUST WAN block diagram	64
Figure 4.5	The series connection of a campus	65
Figure 4.6	Complete data	68
Figure 4.7	Main campus data classification	72
Figure 4.8	Fault Tree Analysis for main campus LAN	73
Figure 4.9	Main campus LAN Boolean Analysis	74
Figure 4.10	PSTN main parts	76
Figure 4.11	PSTN part I items	76
Figure 4.12	The outside part items	77
Figure 4.13	Part I data classification	81

Figure 4.14	Part II data classification	86
Figure 4.15	Boolean Analysis for PSTN	87
Figure 4.16	College site connection block diagram	87
Figure 4.17	The Boolean FTA for a college site	88
Figure 5.1	Redundancy types	92
Figure 5.2	Full redundant system	93
Figure 5.3	Partial redundancy	93
Figure 5.4	Item 2 is standby for item 1	94
Figure 5.5	Series system configuration	104
Figure 5.6	Concurrent system block diagram	105
Figure 5.7	The AND-OR RBD of example 5.2	108
Figure 5.8	The RBD of the network of example 5.3	109
Figure 5.9	The overall RBD of any SUST college network	111
Figure 5.10	Main campus LAN RBD	113
Figure 5.11	RBD for engineering site	114
Figure 5.12	The overall RBD of the PSTN exchange	118
Figure 5.13	The overall RBD of the whole country PSTN	121
Figure 5.14	Effect of reliability growth on Bathtub curve	122
Figure 6.1	Up and downtime for unit 1	126
Figure 6.2	Up and downtime for unit 2	127
Figure 6.3	Up and downtime for the system	127
Figure 6.4	ABD of three items	129
Figure 6.5	SUST network availability	130
Figure 6.6	Part I ABD	131
Figure 6.7	The overall ABD of the PSTN	135
Figure 6.8	The ABD of Part I of PSTN exchange	136
Figure 6.9	The ABD of Part II of PSTN phase	137
Figure 7.1	Maintenance Task items	147
Figure 7.2	Change of RCI during operational time	151
Figure 7.3	Change of RCP during operational time	152
Figure 7.4	Algorithm for failure-based maintenance policy	161

Figure 7.5	Algorithm for life-based maintenance policy	162
Figure 7.6	Inspection-based maintenance policy	164
Figure 7.7	Opportunity-based maintenance policy	166
Figure 8.1	The overall RBD of the WLAN	170
Figure 8.2	Generalized wireless Building Block (WBB)	173
Figure 8.3	An integrated fault-tolerant wireless architecture	175
Figure 8.4	Impact of redundancy on wireless network availability	177
Figure 8.5	Impact of redundancy percentage on number of users affected	178
Figure 9.1	Three items in series	182
Figure 9.2	Case I item 1 redundancy	184
Figure 9.3	Case II item 1 and item 2 redundancies	184
Figure 9.4	Case III Full item redundancy	185
Figure 9.5	Case IV Dual channel configuration	186
Figure 9.6	Case V Item 1 and item 2 dual channel	187
Figure 9.7	Case VI only item 3 with no redundancy	187
Figure 9.8	Case II Item 2 and item 3 dual channel	188
Figure 9.9	Case VIII item 1 full redundant, item 2 and 3 dual channel	189
Figure 9.10	Dependable network layers	196
Figure 9.11	Balancing initial and support costs to determine optimum dependability	197

List of Tables

Table 2.1	Range of failure rates	11
Table 3.1	β values of different design	45
Table 3.2	Scores values of beta method	50
Table 3.3	Tasks and human error probabilities	52
Table 3.4	TESOE operator error probabilities	54
Table 4.1	Failure data for main campus	66
Table 4.2	Failure data for one of PSTN exchanges	75
Table 4.3	TTR and MTTR for SCB unit	84
Table 4.4	Summary of SUST WAN failure data	89
Table 5.1	Main campus failure data	111
Table 5.2	Dependability data for main campus LAN	112
Table 5.3	SUST WAN sites reliability summary	117
Table 5.4	PSTN part I summary	118
Table 5.5	PSTN part II data summary	119
Table 6.1	The availability data	132
Table 6.2	Availability summary table for all sites	134
Table 6.3	Part I availability data summary	136
Table 6.4	Part II failure data summary	138
Table 6.5	The 0.99 goal and MTTR, MTBF	140
Table 6.6	Local and PSTN phases MTTR and MTBF for two nines Availability	141
Table 7.1	MTTR for phase I from the field data	153
Table 7.2	The assumed DMT for phase I	153
Table 8.1	Wireless network items	170
Table 8.2	Assumed values of MTBF and MTTR for a WBB	176
Table 9.1	The relationship between Reliability, Maintainability and Availability	182
Table 9.2	Reliability and system success in all cases	190
Table 9.3	Availability classes and management roll	191

