

References

1. Alpers BJ, Berry RG, Paddison RM. Anatomical studies of the circle of Willis in normal brain. *AMA Arch Neurol Psychiatry*. 1959 Apr. 81(4):409-18. (text reference)
2. Am J et al *Obstetric Gynecology* 124:871, 1976 (text reference)
3. Bridget Coila 2011:High Blood Pressure in Pregnancy Available at : <http://www.heart.org/HEARTORG/Condition/HighBloodPressure/Understanding-Blood-Pressure-Readings-UCM-301764-Article.jsp>(Internet reference)
4. Bhidayasiri, Roongroj; Waters, Michael F.; Giza, Christopher C. (2005). *Neurological differential diagnosis: a prioritized approach* (3. Dr. ed.). Oxford: Blackwell Publishing. p. 133. ISBN 978-1-4051-2039-5. (text reference)
5. Burns PN. The physics of Doppler.In Chervenak FA, Isaacson GC, Campbell S (Eds): *Ultrasound in obstetrics and Gynecology*. Boston, Little, Brown & Co., 1993(text reference)
6. Berkowitz GS, Mehalek KE, Chitkara U, Rosenberg J, Cogswell C, Berkowitz RL. Doppler umbilical velocimetry in the prediction of adverse outcome in pregnancies at risk for intrauterine growth retardation. *Obstet Gynecol*. 1988 May; 71(5):742-6. (text reference)
7. Campbell S, Dewhurst CJ: Diagnosis of the small-for-dates fetus by serial ultrasonic cephalometry. *The Lancet* 2:1002, 1971(text reference)
8. Clerici G, Luzietti R, Cutuli A, Drenzo GC. Cerebral hemodynamics and fetal behavioral states. *Ultrasound ObstetGynecol* 2002;19:340–3) (text reference)

9. Eran Barzilay et al 2014 Department of Obstetrics and Gynecology, Sheba Medical Center, Tel-Hashomer, Ramat-Gan, Israel .the Measurement of middle cerebral artery diameter as a method for assessment of brain sparing in intra-uterine growth-restricted discordant twins. (text reference)
10. Eugeniusz Taraw¹, Alathaiki Abdulwahed Saleh Ali¹, Andrzej Lewszuk¹, Jerzy Walecki(2007)study the Measurements of the middle cerebral artery in digital subtraction Angiography and MR angiography. (text reference)
11. Fitzhardinge PM, Steven EM: The small for date's infant II Neurological and intellectual sequelae. J Pediatrics 49:50,1972(text reference)
12. Gramellini D, Piantelli G, Verrotti C, et al. Doppler velocimetry and non stress test in severe fetal growth restriction. ClinExpObstetGynecol 2001; 28:33–9.) (text reference)
13. Grand W, Hopkins LN. Variations in Clinical Anatomy. Vasculature of the Brain and Cranial Base. New York: Thieme; 1999. (text reference)
14. Henry k et al 2015 available at(<http://radiopaedia.org/articles/fetal-middle-cerebral-arterial-doppler-assessment>) (internet reference)
15. Haberland, Catherine (2007). Clinical neuropathology: text and color atlas New York: Demos. p. 70. ISBN 978-1-888799-97-2. (text reference)
16. Hung et all 2000 Clinical maternal –fetal medicine (text reference)
17. John c. Hobbins and richard l. Berkowitz) the yale journal of biology and medicine 50 (1977), 327-333(text reference)
18. Jerzy Gielecki¹, Anna Żurada¹, Hanna Kozłowska, Dariusz Nowak, and Marios Loukas(2009) study the Morphometric and volumetric analysis of the middle cerebral artery in human fetuses. (text reference)

19. Michael P Carson et al 2015: High Blood Pressure in Pregnancy
Available at: <http://emedicine.medscape.com/article/261435-overview>.
(Internet reference)
20. Morris RK, Say R, Robson SC, et al. Systematic review and meta-analysis of middle cerebral artery Doppler to predict perinatal wellbeing. *Eur J ObstetGynecolReprodBiol* 2012; 165:141–55.). (text reference)
21. Moore KL, Dalley AR. Clinically Oriented Anatomy, 4th Ed., Lippincott Williams & Wilkins, Toronto. Copyright 1999.ISBN 0-683-06141-0) (text reference)
22. Marsoosi V, Bahadori F, Esfahani F, Ghasemi-Rad M. The role of Doppler indices in predicting intra ventricular hemorrhage and perinatal mortality in fetal growth restriction. *Med Ultrason* 2012; 14:125–32. (text reference)
23. Mari G, Hanif F, Kruger M, et al. Middle cerebral artery peak systolic velocity: a new Doppler parameter in the assessment of growth restricted fetuses. *Ultrasound ObstetGynecol* 2007; 29:310–6. (text reference)
24. Mari and Deter 1992); Middle cerebral artery flow velocity wave forms in Normal and small – for- gestational age fetuses. (text reference)
- 25.NHBPEP Report on High Blood Pressure in Pregnancy: Asummary American Family Physicians by MA Zamorski, M.D., M.H.S.A and LA Green, M.D., M.P.H.July15.2001.
(<http://www.aafp.org/afp/20010715/263.html>)
26. Noordam et al. 1994 Doppler color flow imaging of fetal intracerebral arteries relative to fetal behavioral state of pregnancy. (text reference)
27. Rhoton AL. Rhoton Cranial Anatomy and Surgical Approaches. Schaumburg, Illinois: Congress of Neurological Surgeons; 2003. (text reference)

28. Robin Madell 2013: What Causes High Blood Pressure during Pregnancy? Available at : (<http://www.healthline.com/health/high-blood-pressure-hypertension/during-pregnancy#Overview1>) (Internet reference)
29. Taussky P, Tawk RG, Daugherty WP, Hanel RA. Medical therapy for ischemic stroke: review of interventional and intra arterial treatment options. World Neurosurg. 2011 Dec; 76(6 Suppl):S9-15. Review. (text reference)
30. Veille JC, Hanson R, Tatum K. Am J Obstet Gynecol. 1993 Dec; 169(6):1393-8.) Study the longitudinal quantization of middle cerebral artery blood flow in normal human fetuses. (text reference)
31. Werner S et al 2011 (Color Duplex Sonography in Obstetrics) (text reference)