

Annex (3): Data collection sheet

Personal data:

1. No of Questionnaire:
2. Name of the Patient:.....
3. Age:
4. Gender: Male ☐ Female ☐
5. Marital status: Married ☐ Not married ☐ Widowed ☐ Divorced ☐
6. No of children:
7. Occupation:.....
8. Level of Education: Illiterate ☐ Primary ☐ secondary ☐
University ☐ postgraduate ☐
9. No of years since diagnosis:
- 10.No of years since started dialysis:
- 11.History of other chronic Disease:.....
- 12.Family history of Renal Disease:.....
- 13.Have (Fistula) for dialysis: Yes ☐ No ☐

| Clinical Findings | | |
|--------------------------|------------------|--|
| 1. 24-hour urine protein | 3-Very high | |
| | 2-High | |
| | 1-Normal | |
| | 9-Not applicable | |
| 2- BUN level. | 3-Very high | |
| | 2-High | |
| | 1-Normal | |
| | 9-Not applicable | |
| 3.Serum creatinine level | 3-Very high | |
| | 2-High | |
| | 1-Normal | |
| | 9-Not applicable | |
| 4. Serum albumin level. | 3-Very Low | |
| | 2-Low | |
| | 1-Normal | |
| | 9-Not applicable | |
| 5.Total serum protein | 3-Very Low | |
| | 2-Low | |
| | 1-Normal | |

| | | |
|-------------------------------------|--|--|
| | 9-Not applicable | |
| 6. Red blood count | 3-Very Low | |
| | 2-Low | |
| | 1-Normal | |
| | 9-Not applicable | |
| 7.Casts | 3-Very high | |
| | 2-High | |
| | 1-Normal | |
| | 9-Not applicable | |
| 8. White blood count. | 3-Very high | |
| | 2-High | |
| | 1-Normal | |
| | 9-Not applicable | |
| Histological Findings | | |
| 1-Type of Histopathological Finding | Global sclerosis | |
| | Tubular atrophy | |
| | Diffuse interstitial fibrosis | |
| | Leukocytic infiltration | |
| | Edema | |
| | Calcifications per level | |
| | Crystals per level | |
| | Arteriosclerosis | |
| 2- Type of Renal Disease | Lupus nephritis | |
| | Focal segmental glomerulosclerosis | |
| | Membranous glomerulonephritis | |
| | Focal glomerulonephritis | |
| | Membranoproliferative glomerulonephritis | |
| | Chronic glomerulonephritis | |
| | Diabetic glomerulosclerosis | |
| | Chronic interstitial nephritis | |
| | Acute tubular necrosis | |
| | Amyloidosis | |
| | Myeloma kidney | |
| | Miscellaneous and unclassified | |
| The sonographic Findings | | |

| | | |
|--|-------------------------------------|--|
| | | |
| 1.Renal Length & width (Renal size) | 2. Small | |
| | 1. Normal | |
| | 9-Not applicable | |
| 2.Renal Sinus | 3-Distorted | |
| | 2-Normal | |
| | 1. Not Identified | |
| | 9-Not applicable | |
| 3.Medullary Pyramids echogenicity | 3-With calcification | |
| | 2-Prominent | |
| | 1. normal | |
| | 9-not applicable | |
| 4.Corticomedullary Ratio | 2-Distinct | |
| | 1-No differentiation | |
| | 9-not applicable | |
| 5.Cortical Echogenicity | 3-Normal | |
| | 2- Equaled that of the liver | |
| | 1. Greater than that of the liver | |
| | 0- Equal to that of the renal sinus | |
| | 9-not applicable | |
| 6.Cortical thickness | 2- Increased | |
| | 1. Decreased | |
| | 0. Normal | |