

بسم الله الرحمن الرحيم

قال تعالى : (**وَإِنْ تَعُدُّوا نِعْمَةَ اللَّهِ لَا**


تُحْصَوْهَا إِنَّ اللَّهَ لَغَفُورٌ رَحِيمٌ)

صدق الله العظيم

سورة النحل - آية رقم 18

Dedication

To my beloved parents



*Who always open
Their hearts to
offer their love and support
To my brothers and sisters
My candle lights
I dedicate this humble work*

Acknowledgement

I would like to thank the almighty Allah for giving me the strength and stamina to accomplish this work.

I would like to express my gratitude and appreciation to my supervisor Prof/ Mohammed Abdelrahim , who has given me much of his time for suggestion and supervision of this work.

I sincerely appreciate his advice , guidance and valuable assistance in the practical and writing of the dissertation

Special gratitude to Dr. ELMwjtaba Yousif Ahmed for his cautious preparation and edition for this dissertation and Thanks are also due to all the staff members in The Gezira Renal Disease and Surgery Hospital.


All thanks are due to them and to everyone lent a hand to make this work possible.

Abstract

A cross-sectional study conducted during the period from February to May 2011 in Gezira Renal Disease and Surgery Hospital, Medani. Eighty blood samples were collected from 80 Chronic Renal Failure (CRF) patients and 30 blood samples were collected from apparently healthy individuals as a control group.

Calcium, phosphorus, creatinine and urea serum levels were measured for test and control group using Accent 2000 analyzer. The obtained results of test group were compared with control group to be acquainted with the effect of chronic renal failure on the above biological parameters. And then the mentioned biological parameters were correlated among the test group.

It is found that the serum phosphate , creatinine and urea levels were significantly raised, whereas serum calcium level was no significance difference between control and test group .



Equally important to mention that positive correlation was observed between urea and creatinine and also with phosphorus. Calcium was only correlated negatively with urea and show no any correlation with the rest of the parameters where as phosphorus only correlated positively with creatinine and urea and no any correlation with the rest of the other parameters.

Sex and age were not correlated with any of the parameters tested in this study.

مستخلص

أجريت دراسة تقاطعية فى الفترة من فبراير و حتى مايو 2011 فى مستشفى الجزيرة لامراض و جراحة الكلى بمدينة ود مدنى ، حيث استهدفت الدراسة 80 فرد من مرضى الفشل الكلوى المزمن كمجموعة للدراسة حيث جمعت 80 عينة دم منهم و ايضاً ضمت الدراسة 30 فرد من الاصحاء جمعت منهم 30 عينة دم كمجموعة مرجعية.

تم قياس مستويات الكالسيوم و الفسفور و البولينا و الكيراتينين فى امصال مجموعة الدراسة و المجموعة المرجعية بأستخدام جهاز محلل اكسنت 2000.

و تمت مقارنة النتائج المتحصل عليها من مجموعة الدراسة مع نظيراتها فى المجموعة المرجعية و ذلك للتعرف على اثر مرض الفشل الكلوى المزمن على المقاييس الحيوية بعاليه، و من ثم تمت دراسة ارتباط هذه المقاييس الحيوية ضمن مجموعة الدراسة .

و قد وجد ان مستويات الفسفور و الكيراتينين و البولينا مرتفعة بصورة واضحة فى امصال مجموعة الدراسة بينما لم توجد

فروقات ذات دلالة معنوية فى مستوى الكالسيوم بين المجموعة المرجعية و مجموعة الدراسة.

ووجد ان هنالك ارتباط ايجابى بين البولينا والكرياتين والفسفور. ووجود ارتباط سلبى للكالسيوم مع البولينا ولم يظهر الكالسيوم اى ارتباط مع المقاييس الحيوية الاخرى بينما اظهر الفسفور ارتباط ايجابى فقط مع الكيراتينين و البولينا و لم يظهر اى ارتباط مع المقاييس الحيوية الاخرى.

لم يظهر عامل العمر و الجنس اى ارتباط مع اى من المقاييس الحيوية المذكورة فى هذه الدراسة.

Contents

Subject.....

page


- Verse (الاية) i

- Dedication.....	ii
- Acknowledgement.....	iii
- Abstract	iv
- Arabic Abstract(ملخص البحث).....	v
- Contents.	vi
- List of tables.....	ix
- List of Figures & Diagrams.....	x

Chapter One

- Introduction & Literature Review.....	1
- 1.1 Introduction:.....	2
- 1.2 Literature Review.....	3
- 1.2.1 Renal physiology and anatomy:.....	3
- 1.2.2. Glomerular Filtration Rate (GFR):.....	4
- 1.2.3. Uraemia (Azotaemia):	5
- 1.2.4. Kidney Diseases:	6
- 1.2.4.1 Acute Renal Failure (ARF):	6

- 1.2.4.2 Chronic Renal Failure (CRF):	6
- 1.2.4.2.1. Causes of Chronic Renal Failure:.....	8
- 1.2.4.2.2 Clinical Manifestations:	9
- 1.2.4.2.3. Laboratory Diagnosis of Chronic Renal Failure:	11
- 1.2.4.2.4 Management of End Stage Renal Failure:.....	12
- 1.2.5 Calcium:.....	16
- 1.2.5.1 Sources:.....	17
- 1.2.5.2 Requirements:.....	17
- 1.2.5.3 Absorption:.....	18
- 1.2.6 Normal homeostasis:.....	18
- 1.2.6.1 Intake:.....	19
- 1.2.6.2 Control of homeostasis:.....	19
- 1.2.6.2.1Parathyroid hormone (PTH).....	19
- 1.2.6.2.2Kidney:.....	19
- 1.2.6.2.3Vitamin D:.....	20



- 1.2.6.2.4 Calcitonin:	20
- 1.2.6.2.5 Thyroid hormones:	20
- 1.2.6.2.6 Tubular re-absorption:	21
- 1.2.6.3 Disorders of calcium homeostasis:.....	21
- 1.2.6.3.1 Hypercalcaemia.	21
- 1.2.6.3.2 Hypocalcaemia:.....	22
- 1.2.7 Phosphate:.....	23
- 1.2.7.1 Distribution.....	24
- 1.2.7.2 Plasma phosphate.....	25
- 1.2.7.3 Hyperphosphataemia:.....	26
- 1.2.7.3.1 Causes of hyperphosphataemia:.....	26
- 1.2.7.4 Hypophosphataemia:.....	27
- 1.2.7.4.1 Causes/pathophysiology of Hypophosphataemia:....	27
- 1.2.8 Creatinine:.....	28
- 1.2.8.1 synthesis of creatine:	28

- 1.2.8.2 Plasma Creatinine:.....	29
- 1.2.8.3 Low plasma creatinine:.....	29
- 1.2.8.4 High plasma creatinine:	30
- 1.2.9 Reference values for creatinine:	31
- 1.2.10 Urine creatinine:	31
- 1.3 Urea metabolism:	32
- 1.4 Objectives:.....	35
- 1.4.1 General objective: -.....	35
- 1.4.2 Specific objectives: -.....	35

Chapter Two

- 2. Materials & Method.....	37
- 2.1. Materials:.....	37
- 2.1.1. Study design:	37
- 2.1.2.study area :	37
- 2.1.3.Study population :	37

- 2.1.4 Inclusion criteria :	37
- 2.1.5. Exclusion criteria:	37
- 2.1.6. Ethical consideration:.....	38
- 2.1.7. Data collection and sampling:	38
- 2.2. Methodology:	39
- 2.2.1. Instruments:.....	39
- 2.2.1.1 Analyzer operational systems:.....	39
- 2.2.2 Materials required:	39
- 2.2.3 Analytical unit operating principle:.....	40
- 2.2.4 Measurement of plasma calcium:.....	40
- 2.2.5 Measurement of plasma phosphate:	41
- 2.2.6 Measurement of plasma creatinine:.....	42
- 2.2.7 Estimation of urea:.....	43
- 2.3 Quality control:.....	45
- 2.4 Statistical analysis:	45

Chapter Three

3. Results:	47
-------------------	----

Chapter Four

- 4. Discussion:	49
------------------------	----

Chapter Five

- 5.1 Conclusion:	77
- 5.2 Recommendation:	79
- References:.....	80
- Questionnaire.....	83

List of tables

Subject.....page

- Table (1-1) Classification of CRF.....7-8
- Table (1-2) Components of Dialysis Solution14-15
- Table (3-1) Distribution of sex in both study groups50
- Table (3-2) biochemical parameters in control & case.....51
- Table (3-3) biochemical parameters according to sex52
- Table (3-4) Correltion between biochemical parameters,sex and age in CRF patients53

List of Figures & Diagrams

Subject.....page

- Figure (3-1) concentration of urea in both study groups.....	54
- Figure(3-2)con. of creatinine in both study groups.....	55
- Figure (3-3) con. of calcium in both study groups	56
- Figure (3-4) con. of Phosphorus in both study groups	57
- Figure (3-5) correlation b/w blood phosphorus and age	58
- Figure(3-6)correlation b/w blood phosphorus and creatinine...	59
- Figure (3-7) correlation b/w age and creatinine	60
- Figure (3-8) Correlation b/w urea and phosphorus	61
- Figure (3-9) correlation b/w urea and creatinine	62
- Figure (3-10) correlation b/w urea and age	63
- Figure (3-11) correlation b/w calcium and phosphorus.....	64
- Figure (3-12) correlation b/w calcium and creatinine	65
- Figure (3-13) correlation b/w calcium and urea	66
- Figure (3-14) correlation between calcium and age	67