

# الآلية

قال تعالى:

فَيَدَا بِأَوْعَيْتُهُمْ قَبْلَ وَعَاءَ أَخِيهِ ثُمَّ اسْتَخْرَجَهَا مِنْ وَعَاءَ أَخِيهِ كَذِلِكَ  
كَذِنَا لِيُوْسُفَ مَا كَانَ لِيَأْخُذَ أَخَاهُ فِي دِينِ الْمَلِكِ إِلَّا أَنْ يَشَاءَ اللَّهُ  
تَرْفَعُ دَرْجَاتٍ مَّنْ يَشَاءُ وَفَوْقَ كُلِّ ذِي عِلْمٍ عَلِيمٌ

سورة يوسف الآية (76)

## **Dedication**

I dedicate this research with much love:

To ..

My mother.

To ..

My father who supported me by all means

To ..

My friends and my teachers.

To ..

All whom I love and respect.

## **Acknowledgment**

I would to thank Allah who guided my steps in this study. Im deeply indebted to my supervisor:

Dr. Khalda Mirghani Hamza

For her guidance, follow up and great help during the study. My appreciation also extended to all doctors and medical staff of renal dialysis unit at Alnaw Teaching Hospital.

For all above I would convey my thanks & appreciation.

## **Abstract**

This study was a hospitalized cross sectional study conducted at Alnaw Teaching Hospital. During the period from March 2011 to may 2011. Fifty chronic renal failure patients under haemodialysis were selected for this study to evaluate the hematological parameters. Patients were informed about the study, expected direct outcomes and agreement of participants was obtained. Direct interview was used to collect information about patient's age, sex and associated diseases. Fifty Blood samples were taken from patients pre and post haemodialysis in ethylene diamine tetra acetic acid anti coagulated test tubes, Hb, PCV, RBCs, WBCs and PLT count were measured ,red cell indices were determined. The results showed a significant decrease in the concentration of Hb, PCV, RBC, PLT, TWBC (p.value <0.05) but there was insignificant increase in MCV and in significant decrease in MCH, MCHC When compared with control. Hb, PCV, RBCs, and PLT were significant decrease pre and post dialysis of the same patient (P value < 0.05) except in TWBC was insignificant decrease (P value > 0.05).

اجريت هذه الدراسه التحليليه المقطعيه في الفتره من مارس وحتى مايو 2011 لقياس المعايير الدموية لدى المرضى. تم اختيار المرضى المصابين بمرض الفشل الكلوي المزمن والخاضعين للغسيل الدموي في مستشفى النور التعليمي . خمسون مريضا اعلموا حول هذه الدراسه وتم الحصول على موافقة المشاركين لهذه الدراسه . تم جمع المعلومات من المرضى من عمر وجنس وامراض اخرى. اخذت عينات الدم من المرضى قبل وبعد الغسيل الدموي في لقياس تركيز خضاب الخلايا , الحجم الفعلي للخلايا, تعداد كريات الدم الحمراء, تعداد كريات الدم البيضاء, الصفائح الدمويه, متوسط حجم الخلايا, متوسط نسبه الخضاب في الخلايا, متوسط تركيز الخضاب بالخلية الواحده. عند مقارنة المعايير قبل وبعد الغسيل الدموي مع مجموعة الضبط وجدت النتائج ان هناك انخفاض ذو دلالة احصائيه في تركيز خضاب الخلايا, الحجم المتوسط للخلايا , تعداد كريات الدم الحمراء, والصفائح الدمويه, كريات الدم البيضاء. ولكن هناك زيادة وليس ذو دلالة احصائيه في متوسط حجم الخلية . جميع النتائج كانت ذات دلالة احصائيه (واقل من 0,05) . عند مقارنة المعايير والصفائح الدمويه وخلايا الدم البيضاء قبل وبعد الغسيل الدموي في نفس المريض وجدت النتائج ان هناك انخفاض ذو دلالة احصائيه (واقل من 0,05) فيما عدا كريات الدم البيضاء لم تكن ذات دلالة احصائيه (واكبر من 0,05)

## **List of Abbreviations**

**ARF:** Acute renal failure

**CRF:** Chronic renal failure

**CBC:** Complete blood count

**CKD:** Chronic kidney disease

**EDTA:** Ethylene diamene tetra acetic acid

**e GFR:** Estimated glomerular filtration rate

**fL :** femtoliter

**Hb:** Hemoglobin

**MCV:** Mean cell volume

**MCH:** Mean cell hemoglobin

**MCHC:** Mean cell hemoglobin concentration

**PCV:** Packed cell volume

**Pg:** Picogram

**PLT:** Platelets

**RBCs:** Red blood cells

**WBCs:** White blood cells.

## LIST OF TABLES

Table No.	Title	Page No.
Table 3.1	Frequency of the study group according to age	24
Table 3.2	Hematological parameters, WBCs, PLT, of study group	25
Table 3.3	Hematological parameters, WBCs, PLT, of test group pre and post hemodialysis	27

## LIST OF FIGURES

Figure	Title	Page No.
Figure 3.1	Frequency of the study group according to sex	23
Figure 3.2	Correlation between duration of dialysis and hematological parameter (Hb)	29
Figure 3.3	Correlation between duration of dialysis and hematological parameter (PCV)	30
Figure 3.4	Correlation between duration of dialysis and hematological parameter (RBCs)	31

## List of contents

<b>Topic</b>	<b>Page</b>
الآية	I
Dedication	II
Acknowledgment	III
Abstract English	IV
Abstract Arabic	V
List of abbreviations	VI
List of tables	VII
List of figures	VIII
List of contents	IX

**Chapter One**  
**Introduction and Literature review**

<b>1.1 Introduction</b>	1
1.2 Literature review	3
1.2.1 Blood physiology and functions	3
1.2.1.1 Hematopoietic stem cell	4
1.2.1.2 Red blood cells	4
1.2.1.3 White blood cells	5
1.2.1.4 Blood platelet	5
<b>1.2.2 Complete blood count functions and reference values</b>	5
1.2.2.1 Hemoglobin	6
1.2.2.2 Packed cell volume	6
1.2.2.3 Red cell count	6
1.2.2.4 White cell count	7
1.2.2.5 Red cell indices	7
1.2.2.6 Leukocyte differential count	7
1.2.2.7 Platelet count	8
1.2.3 Kidney structure	8
1.2.3.1 Functions of the kidneys	9
1.2.3.2 Glomerular filtration rate	9
1.2.3.3 Kidney diseases and causes	9
1.2.3.4 Renal failure and symptoms	10
1.2.3.4.1 Chronic renal failure and complications	10
1.2.3.4.2 Acute renal failure	12
1.2.4 Kidney dialysis	12

1.2.4.1 Haemodialysis	13
1.2.4.2 Dialysate composition	14
1.2.4.3 Problems associated with haemodialysis	15
1.2.4.4 Peritoneal dialysis	15
1.2.5 Effect of disease on CBC	15
1.2.6 Effect of dialysis on CBC	16
1.3 Rationale	17
1.4 Objectives	18

## **Chapter two Materials and Methods**

2.1 Study Design	19
2.2 Study Area	19
2.3 Target Populations	19
2.4 Inclusion Criteria	19
2.5 Sample Size	19
2.6 Ethical clearance	20
2.7 Tools of Data Collection	20
2.8 Data Analysis	20
2.9 Requirement	20
2.10 Complete Blood Cell Count	20

## **Chapter three The Results**

3. Results	22
------------	----

## **Chapter four Discussion, conclusion and recommendations**

4.1 Discussion	30
4.2 Conclusion	31
4.3 Recommendations	32
References	33
Appendices	35